

# ISO 15705:2002-11 (E)

## Water quality - Determination of the chemical oxygen demand index (ST-COD) - Small-scale sealed-tube method

---

<b>Contents</b>		<b>Page</b>
Foreword .....		iv
Introduction .....		v
1	Scope .....	1
2	Normative references .....	1
3	Terms and definitions .....	2
4	Principle .....	2
5	Interferences .....	2
6	Reagents .....	2
7	Apparatus .....	5
8	Sample collection and preservation .....	6
9	Preparation of tubes and instrument set-up .....	6
10	Analytical procedure for measurement of samples .....	7
11	Calculation of results .....	8
12	Expression of results .....	9
13	Test report .....	9
14	Precision .....	9
Annex A (informative) Comparison between the COD method according to ISO 6060 and the method described in this International Standard .....		10
Annex B (informative) Hazards .....		11
Annex C (informative) Information on the use of commercial small-scale ST-COD test kits utilizing photometric detection .....		12
Annex D (informative) Low-range sealed-tube photometric method (up to 150 mg/l) .....		13
Annex E (informative) Low-range sealed-tube titrimetric method (up to 150 mg/l) .....		14
Annex F (informative) Screening test for samples with high chloride concentrations .....		15
Annex G (informative) Precision data .....		16
Bibliography .....		18