

# DIN EN 14636-1:2010-04 (E)

## Plastics piping systems for non-pressure drainage and sewerage - Polyester resin concrete (PRC) - Part 1: Pipes and fittings with flexible joints

---

<b>Contents</b>		<b>Page</b>
Foreword .....		5
<b>1</b>	<b>Scope .....</b>	<b>6</b>
<b>2</b>	<b>Normative references .....</b>	<b>6</b>
<b>3</b>	<b>Terms, definitions, symbols and abbreviations .....</b>	<b>7</b>
<b>3.1</b>	<b>Terms and definitions .....</b>	<b>7</b>
<b>3.2</b>	<b>Symbols and abbreviations .....</b>	<b>10</b>
<b>4</b>	<b>General requirements .....</b>	<b>14</b>
<b>4.1</b>	<b>Materials .....</b>	<b>14</b>
<b>4.2</b>	<b>Appearance .....</b>	<b>14</b>
<b>4.3</b>	<b>Reference conditions for testing .....</b>	<b>14</b>
<b>4.4</b>	<b>Joints .....</b>	<b>15</b>
<b>5</b>	<b>Pipes .....</b>	<b>16</b>
<b>5.1</b>	<b>Classification .....</b>	<b>16</b>
<b>5.2</b>	<b>Designation .....</b>	<b>16</b>
<b>5.3</b>	<b>Geometrical characteristics .....</b>	<b>17</b>
<b>5.4</b>	<b>Mechanical characteristics .....</b>	<b>26</b>
<b>5.5</b>	<b>Marking of pipes .....</b>	<b>30</b>
<b>6</b>	<b>Fittings .....</b>	<b>30</b>
<b>6.1</b>	<b>General .....</b>	<b>30</b>
<b>6.2</b>	<b>Bends .....</b>	<b>31</b>
<b>6.3</b>	<b>Branches .....</b>	<b>34</b>
<b>6.4</b>	<b>Marking of fittings .....</b>	<b>36</b>
<b>7</b>	<b>Joint performance .....</b>	<b>36</b>
<b>7.1</b>	<b>General .....</b>	<b>36</b>
<b>7.2</b>	<b>Requirements .....</b>	<b>36</b>
<b>8</b>	<b>Dangerous substances .....</b>	<b>39</b>
<b>9</b>	<b>Manufacturer's installation recommendations .....</b>	<b>39</b>
<b>10</b>	<b>Evaluation of conformity .....</b>	<b>39</b>
<b>10.1</b>	<b>General .....</b>	<b>39</b>
<b>10.2</b>	<b>Initial type testing .....</b>	<b>40</b>
<b>10.3</b>	<b>Factory production control (FPC) .....</b>	<b>43</b>
<b>10.4</b>	<b>One-off products, pre-production products (e.g. prototypes) and products produced in very low quantities .....</b>	<b>46</b>
<b>Annex A (normative)</b>	<b>Determination of a pipe's crushing strength and ring bending tensile strength using a pipe test piece .....</b>	<b>47</b>
<b>A.1</b>	<b>Scope .....</b>	<b>47</b>
<b>A.2</b>	<b>Principle .....</b>	<b>47</b>
<b>A.3</b>	<b>Apparatus .....</b>	<b>47</b>
<b>A.4</b>	<b>Test pieces .....</b>	<b>51</b>

A.5	Procedure .....	51
A.6	Calculations .....	51
A.7	Test report .....	54
<b>Annex B (normative) Determination of a pipe's crushing strength or the ring bending tensile strength using test pieces sawn from a pipe .....</b>		<b>55</b>
B.1	Scope .....	55
B.2	Principle .....	55
B.3	Apparatus .....	55
B.4	Test piece .....	56
B.5	Test procedure .....	57
B.6	Calculations .....	59
B.7	Test report .....	60
<b>Annex C (normative) Assessment of longitudinal bending moment resistance (BMR) .....</b>		<b>61</b>
C.1	Scope .....	61
C.2	Principle .....	61
C.3	Apparatus .....	61
C.4	Procedure .....	63
C.5	Calculations .....	64
C.6	Test report .....	65
<b>Annex D (normative) Determination of the compressive strength of polyester resin concrete (PRC) using test pieces which are cut from a pipe .....</b>		<b>66</b>
D.1	Scope .....	66
D.2	Principle .....	66
D.3	Apparatus .....	66
D.4	Test pieces .....	68
D.5	Procedure .....	68
D.6	Calculations .....	68
D.7	Test report .....	68
<b>Annex E (normative) Determination of the fatigue strength of a pipe under cyclic loading .....</b>		<b>69</b>
E.1	Scope .....	69
E.2	Principle .....	69
E.3	Apparatus .....	69
E.4	Test pieces .....	70
E.5	Procedure .....	71
E.6	Calculations .....	71
E.7	Test report .....	72
<b>Annex F (normative) Assessment of the leak-tightness of a pipe and its joints under short term exposure to internal water pressure .....</b>		<b>74</b>
F.1	Scope .....	74
F.2	Principle .....	74
F.3	Apparatus .....	74
F.4	Procedure .....	74
F.5	Test report .....	75
<b>Annex G (normative) Determination of the long-term crushing strength of a pipe, including the effects of media attack, using the 50 years reference point .....</b>		<b>76</b>
G.1	Scope .....	76
G.2	Principle .....	76
G.3	Apparatus .....	76
G.4	Test pieces .....	77
G.5	Test solutions .....	78

G.6 Procedure ..... 78  
G.7 Evaluation - Long-term (50 years) crushing strength ..... 79  
G.8 Test report ..... 79  
Bibliography ..... 80