

# ISO 21427-2:2006-11 (E)

## Water quality - Evaluation of genotoxicity by measurement of the induction of micronuclei - Part 2: Mixed population method using the cell line V79

---

<b>Contents</b>		<b>Page</b>
Foreword .....		iv
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Normative references .....</b>	<b>1</b>
<b>3</b>	<b>Terms and definitions .....</b>	<b>1</b>
<b>4</b>	<b>Principle .....</b>	<b>3</b>
<b>5</b>	<b>Interferences .....</b>	<b>3</b>
<b>6</b>	<b>Reagents and media .....</b>	<b>3</b>
<b>7</b>	<b>Apparatus .....</b>	<b>7</b>
<b>8</b>	<b>Test facility criteria .....</b>	<b>7</b>
<b>9</b>	<b>Procedure .....</b>	<b>8</b>
<b>10</b>	<b>Evaluation and assessment .....</b>	<b>12</b>
<b>11</b>	<b>Precision .....</b>	<b>14</b>
<b>12</b>	<b>Test report .....</b>	<b>14</b>
	<b>Annex A (informative) Bromodeoxyuridine (BrdU) method .....</b>	<b>15</b>
	<b>Annex B (informative) Evaluation schemes .....</b>	<b>17</b>
	<b>Annex C (normative) S9 fraction .....</b>	<b>18</b>
	<b>Annex D (informative) Precision data .....</b>	<b>19</b>
	<b>Bibliography .....</b>	<b>20</b>