

DIN EN 14398-2:2008-11 (E)

Cryogenic vessels - Large transportable non-vacuum insulated vessels - Part 2: Design, fabrication, inspection and testing (includes Amendment A2:2008)

Contents	Page
Foreword	5
1 Scope	6
2 Normative references	6
3 Terms, definitions and symbols	7
3.1 Terms and definitions	7
3.2 Symbols	8
4 Design	9
4.1 Design options	9
4.1.1 General	9
4.1.2 Design by calculation	9
4.1.3 Design by calculation and pressure strengthening	9
4.1.4 Design by calculation supplemented with experimental methods	10
4.2 Common design requirements	10
4.2.1 General	10
4.2.2 Design specification	10
4.2.3 Design loads	11
4.2.4 Fatigue	13
4.2.5 Corrosion allowance	13
4.2.6 Inspection openings	13
4.2.7 Pressure relief	14
4.2.8 Valves	14
4.2.9 Insulation	14
4.2.10 Degree of filling	14
4.2.11 Electrical continuity	15
4.3 Design by calculation	15
4.3.1 General	15
4.3.2 Vessel	15
4.3.3 Attachments	16
4.3.4 Piping and accessories	16
4.3.5 Calculation formulae	17
4.3.6 Calculations for operating loads	25
5 Fabrication	53
5.1 General	53
5.2 Cutting	53
5.3 Cold forming	54
5.3.1 Austenitic stainless steel	54
5.3.2 Ferritic steel	54
5.4 Hot forming	55
5.4.1 General	55
5.4.2 Austenitic stainless steel	55
5.4.3 Ferritic steel	55
5.5 Manufacturing tolerances	55
5.5.1 Plate alignment	55
5.5.2 Thickness	57
5.5.3 Dished ends	57
5.5.4 Cylinders	57

5.6	Welding	60
5.6.1	General	60
5.6.2	Qualification	60
5.6.3	Temporary attachments	60
5.6.4	Welded joints	60
	Non-welded joints	61
5.7	6 Inspection and testing	61
6.1	Quality plan	61
6.1.1	Inspection stages during manufacture of a vessel	61
6.1.2	Additional inspection stages during manufacture of a large transportable cryogenic vessel	62
6.2	Production control test plates	62
6.2.1	Requirements	62
6.2.2	Extent of testing	62
6.3	Non-destructive testing	63
6.3.1	General	63
6.3.2	Extent of examination for surface imperfections	63
6.3.3	Extent of examination for volumetric imperfections	63
6.3.4	Acceptance levels	64
6.4	Rectification	65
6.5	Pressure testing	66
	Annex A (informative) Elastic stress analysis	67
A.1	General	67
A.2	Terminology	67
A.2.1	Stress intensity	67
A.2.2	Gross structural discontinuity	68
A.2.3	Local structural discontinuity	68
A.2.4	Normal stress	68
A.2.5	Shear stress	68
A.2.6	Membrane stress	68
A.2.7	Primary stress	69
A.2.8	Primary local membrane stress	69
A.2.9	Secondary stress	69
A.2.10	Peak stress	69
A.3	Limit for longitudinal compressive general membrane stress	69
A.4	Stress categories and stress limits for general application	70
A.4.1	General	70
A.4.2	General primary membrane stress category	70
A.4.3	Local primary membrane stress category	70
A.4.4	General or local primary membrane plus primary bending stress category	70
A.4.5	Primary plus secondary stress category	70
A.4.6	Thermal stress	70
A.5	Specific criteria, stress categories and stress limits for limited application	71
A.5.1	General	71
A.5.2	Attachments and supports	71
A.5.3	Nozzles and openings	71
A.5.4	Additional stress limits	72
	Annex B (normative) Additional requirements for 9 % Ni steel	76
B.1	Introduction	76
B.2	Specific requirements	76
	Annex C (normative) Pressure strengthening of vessels from austenitic stainless steels	78
C.1	Introduction	78
C.2	Scope	78
C.3	Definitions and units of measurement	78

C.4	Materials	79
C.5	Design	80
C.5.1	General	80
C.5.2	Design for internal pressure	80
C.6	Manufacturing and inspection	83
C.6.1	Strengthening procedure	83
C.6.2	Procedure record	83
C.6.3	Welding	83
C.6.4	Pressure vessel drawing	84
C.6.5	Data plate	84
C.7	Comments	84
C.7.1	Strengthening theory	84
C.7.2	Work-hardened material	86
C.7.3	Derivation of formulae	86
C.7.4	Deformations at strengthening	87
Annex D (informative) Specific weld details		90
D.1	Field of application	90
D.2	Weld detail	90
D.2.1	Joggle joint	90
D.2.2	Intermediate ends	90
D.2.3	Backing strip	91
D.2.4	End plate closure	91
D.2.5	Non full penetration nozzle weld	91
D.2.6	Non continuous fillet weld on attachments	91
D.3	Oxygen service requirements	91
Annex E (normative) Increased material property for austenitic stainless steel		95
Bibliography		96