

# DIN EN 14398-2:2008-11 (E)

## Cryogenic vessels - Large transportable non-vacuum insulated vessels - Part 2: Design, fabrication, inspection and testing (includes Amendment A2:2008)

---

<b>Contents</b>		<b>Page</b>
Foreword .....		5
<b>1</b>	<b>Scope .....</b>	<b>6</b>
<b>2</b>	<b>Normative references .....</b>	<b>6</b>
<b>3</b>	<b>Terms, definitions and symbols .....</b>	<b>7</b>
<b>3.1</b>	<b>Terms and definitions .....</b>	<b>7</b>
<b>3.2</b>	<b>Symbols .....</b>	<b>8</b>
<b>4</b>	<b>Design .....</b>	<b>9</b>
<b>4.1</b>	<b>Design options .....</b>	<b>9</b>
<b>4.1.1</b>	<b>General .....</b>	<b>9</b>
<b>4.1.2</b>	<b>Design by calculation .....</b>	<b>9</b>
<b>4.1.3</b>	<b>Design by calculation and pressure strengthening .....</b>	<b>9</b>
<b>4.1.4</b>	<b>Design by calculation supplemented with experimental methods .....</b>	<b>10</b>
<b>4.2</b>	<b>Common design requirements .....</b>	<b>10</b>
<b>4.2.1</b>	<b>General .....</b>	<b>10</b>
<b>4.2.2</b>	<b>Design specification .....</b>	<b>10</b>
<b>4.2.3</b>	<b>Design loads .....</b>	<b>11</b>
<b>4.2.4</b>	<b>Fatigue .....</b>	<b>13</b>
<b>4.2.5</b>	<b>Corrosion allowance .....</b>	<b>13</b>
<b>4.2.6</b>	<b>Inspection openings .....</b>	<b>13</b>
<b>4.2.7</b>	<b>Pressure relief .....</b>	<b>14</b>
<b>4.2.8</b>	<b>Valves .....</b>	<b>14</b>
<b>4.2.9</b>	<b>Insulation .....</b>	<b>14</b>
<b>4.2.10</b>	<b>Degree of filling .....</b>	<b>14</b>
<b>4.2.11</b>	<b>Electrical continuity .....</b>	<b>15</b>
<b>4.3</b>	<b>Design by calculation .....</b>	<b>15</b>
<b>4.3.1</b>	<b>General .....</b>	<b>15</b>
<b>4.3.2</b>	<b>Vessel .....</b>	<b>15</b>
<b>4.3.3</b>	<b>Attachments .....</b>	<b>16</b>
<b>4.3.4</b>	<b>Piping and accessories .....</b>	<b>16</b>
<b>4.3.5</b>	<b>Calculation formulae .....</b>	<b>17</b>
<b>4.3.6</b>	<b>Calculations for operating loads .....</b>	<b>25</b>
<b>5</b>	<b>Fabrication .....</b>	<b>53</b>
<b>5.1</b>	<b>General .....</b>	<b>53</b>
<b>5.2</b>	<b>Cutting .....</b>	<b>53</b>
<b>5.3</b>	<b>Cold forming .....</b>	<b>54</b>
<b>5.3.1</b>	<b>Austenitic stainless steel .....</b>	<b>54</b>
<b>5.3.2</b>	<b>Ferritic steel .....</b>	<b>54</b>
<b>5.4</b>	<b>Hot forming .....</b>	<b>55</b>
<b>5.4.1</b>	<b>General .....</b>	<b>55</b>
<b>5.4.2</b>	<b>Austenitic stainless steel .....</b>	<b>55</b>
<b>5.4.3</b>	<b>Ferritic steel .....</b>	<b>55</b>
<b>5.5</b>	<b>Manufacturing tolerances .....</b>	<b>55</b>
<b>5.5.1</b>	<b>Plate alignment .....</b>	<b>55</b>
<b>5.5.2</b>	<b>Thickness .....</b>	<b>57</b>
<b>5.5.3</b>	<b>Dished ends .....</b>	<b>57</b>
<b>5.5.4</b>	<b>Cylinders .....</b>	<b>57</b>

5.6	Welding .....	60
5.6.1	General .....	60
5.6.2	Qualification .....	60
5.6.3	Temporary attachments .....	60
5.6.4	Welded joints .....	60
Non-welded joints .....		61
5.7	6 Inspection and testing .....	61
6.1	Quality plan .....	61
6.1.1	Inspection stages during manufacture of a vessel .....	61
6.1.2	Additional inspection stages during manufacture of a large transportable cryogenic vessel .....	62
6.2	Production control test plates .....	62
6.2.1	Requirements .....	62
6.2.2	Extent of testing .....	62
6.3	Non-destructive testing .....	63
6.3.1	General .....	63
6.3.2	Extent of examination for surface imperfections .....	63
6.3.3	Extent of examination for volumetric imperfections .....	63
6.3.4	Acceptance levels .....	64
6.4	Rectification .....	65
6.5	Pressure testing .....	66
Annex A (informative) Elastic stress analysis .....		67
A.1	General .....	67
A.2	Terminology .....	67
A.2.1	Stress intensity .....	67
A.2.2	Gross structural discontinuity .....	68
A.2.3	Local structural discontinuity .....	68
A.2.4	Normal stress .....	68
A.2.5	Shear stress .....	68
A.2.6	Membrane stress .....	68
A.2.7	Primary stress .....	69
A.2.8	Primary local membrane stress .....	69
A.2.9	Secondary stress .....	69
A.2.10	Peak stress .....	69
A.3	Limit for longitudinal compressive general membrane stress .....	69
A.4	Stress categories and stress limits for general application .....	70
A.4.1	General .....	70
A.4.2	General primary membrane stress category .....	70
A.4.3	Local primary membrane stress category .....	70
A.4.4	General or local primary membrane plus primary bending stress category .....	70
A.4.5	Primary plus secondary stress category .....	70
A.4.6	Thermal stress .....	70
A.5	Specific criteria, stress categories and stress limits for limited application .....	71
A.5.1	General .....	71
A.5.2	Attachments and supports .....	71
A.5.3	Nozzles and openings .....	71
A.5.4	Additional stress limits .....	72
Annex B (normative) Additional requirements for 9 % Ni steel .....		76
B.1	Introduction .....	76
B.2	Specific requirements .....	76
Annex C (normative) Pressure strengthening of vessels from austenitic stainless steels .....		78
C.1	Introduction .....	78
C.2	Scope .....	78
C.3	Definitions and units of measurement .....	78

C.4	Materials .....	79
C.5	Design .....	80
C.5.1	General .....	80
C.5.2	Design for internal pressure .....	80
C.6	Manufacturing and inspection .....	83
C.6.1	Strengthening procedure .....	83
C.6.2	Procedure record .....	83
C.6.3	Welding .....	83
C.6.4	Pressure vessel drawing .....	84
C.6.5	Data plate .....	84
C.7	Comments .....	84
C.7.1	Strengthening theory .....	84
C.7.2	Work-hardened material .....	86
C.7.3	Derivation of formulae .....	86
C.7.4	Deformations at strengthening .....	87
<b>Annex D (informative) Specific weld details .....</b>		<b>90</b>
D.1	Field of application .....	90
D.2	Weld detail .....	90
D.2.1	Joggle joint .....	90
D.2.2	Intermediate ends .....	90
D.2.3	Backing strip .....	91
D.2.4	End plate closure .....	91
D.2.5	Non full penetration nozzle weld .....	91
D.2.6	Non continuous fillet weld on attachments .....	91
D.3	Oxygen service requirements .....	91
<b>Annex E (normative) Increased material property for austenitic stainless steel .....</b>		<b>95</b>
<b>Bibliography .....</b>		<b>96</b>