

# DIN EN 12819:2010-04 (E)

## LPG equipment and accessories - Inspection and requalification of LPG tanks greater than 13 m<(hoch)3>

---

<b>Contents</b>		<b>Page</b>
Foreword .....		4
Introduction .....		5
1	Scope .....	6
2	Normative references .....	6
3	Terms and definitions .....	6
4	Safety .....	7
4.1	Safety precautions .....	7
4.2	Unsafe conditions .....	7
4.3	Leaks .....	7
5	Written scheme .....	8
6	Tank inspection and requalification .....	8
6.1	Routine inspection .....	8
6.2	Periodic inspection .....	9
6.3	Requalification .....	9
6.3.1	Requalification of overground LPG tanks .....	9
6.3.2	Requalification of underground LPG tanks .....	9
6.3.3	Commissioning .....	9
7	Inspection of tank and tank fittings .....	9
7.1	Tank .....	9
7.2	Tank fittings and immediate pipework .....	10
7.3	Valve cover .....	10
7.4	Bonding .....	10
7.5	Pressure relief valves .....	10
7.6	Pressure gauges .....	10
7.7	Contents gauges .....	11
7.8	Shut-off valves .....	11
7.9	Studs, bolts, nuts, and washers .....	11
7.10	Emergency valves .....	11
7.11	Gaskets .....	11
7.12	Pressure switch .....	11
7.13	Temperature gauge .....	11
7.14	Remotely operated valves .....	11
7.15	Corrosion protection system .....	11
7.16	Piers and foundations .....	11
8	Competence .....	11
8.1	Routine inspection .....	12
8.2	Periodic inspection .....	12
8.3	Requalification .....	12
9	Records .....	12
9.1	Tank data .....	12
9.2	Test reports .....	12

<b>Annex A (informative) Visual inspection</b>	<b>13</b>
A.1 Internal and external visual inspections	13
A.2 Inspection techniques	13
A.2.1 External visual inspection	13
A.2.2 Internal visual inspection	13
A.2.3 Records	13
A.3 Additional inspection	14
<b>Annex B (informative) Hydraulic pressure test</b>	<b>15</b>
<b>Annex C (normative) Acoustic emission testing</b>	<b>16</b>
C.1 Scope	16
C.2 Testing procedure	16
C.3 Instrumentation	16
C.3.1 Sensors	16
C.3.2 Acquisition and evaluation system	16
C.4 Testing	16
C.4.1 Test instruction	16
C.4.2 Safety precautions	17
C.5 Sensor location	17
C.5.1 Above ground tanks	17
C.5.2 Underground or mounded tanks	17
C.5.3 Pressurisation	19
C.6 Data evaluation and analysis	19
C.6.1 Evaluation criteria	19
C.6.2 Real time control and stop criteria	21
C.6.3 Post test analysis	21
C.6.4 Tank grading	21
C.7 Data storage and reporting	22
<b>Annex D (informative) Ultrasonic thickness test</b>	<b>23</b>
D.1 General	23
D.2 Apparatus setting	23
D.3 Control measurement	23
D.4 Shell thickness measurements	23
D.5 End thickness measurements	23
D.6 Interpretation	23
D.7 Rejection criteria	24
<b>Annex E (informative) Monitoring cathodic protection with sacrificial anodes for underground tanks</b>	<b>25</b>
E.1 General	25
E.2 Records	25
E.3 Procedure	25
E.4 Measurement of the galvanic current	25
E.5 Measurement of the potential difference of the tank to the reference electrode	25
E.6 Results	26
<b>Annex F (informative) Monitoring cathodic protection by impressed current for underground tanks</b>	<b>27</b>
F.1 General	27
F.2 Apparatus	27
F.3 Conditions	27
F.4 Isolation resistance of the coating	27
F.4.1 Procedure	27
F.4.2 Calculation	28
F.5 Results	28

**F.6      Checking intervals .....28**  
**Annex G (informative) Example of a test report .....29**  
**Annex H (informative) A-deviations .....30**  
**Bibliography .....31**