DIN EN 16125:2016-03 (E)

LPG Equipment and Accessories - Pipework systems and supports - LPG liquid phase and vapour pressure phase

Contents

Page

European foreword 4

Introduction 5

1 Scope 6

2 Normative references 6

3 Terms and definitions 9

4 Design safety considerations 11
4.1 General 11
4.2 Environmental considerations 11
4.3 Operating conditions 12
4.4 Protection against hazards 12
4.4.1 Protection against mechanical damage 12
4.4.2 Resistance to corrosive substances and atmospheres 12
4.4.3 Protection against condensation 12

5 Materials 14
5.1 Environmental 14
5.2 General 14
5.3 Accessories 14
5.3.1 General 14
5.3.2 Gaskets and ring joints 14
5.3.3 Valves and fittings 14
5.4 Lubricants, sealants and adhesives 15

6 Design 15
6.1 General 15
6.2 LPG pipework installation technical documentation 15
6.3 Measuring instruments 15
6.4 Over Pressure protection 15
6.5 Above-ground pipework 16
6.5.1 Clearance above ground 16
6.5.2 Pipework separation distances from above-ground electrical services 16
6.5.3 Ventilation of concealed piping 17
6.5.4 Pipe supports 17
6.6 Underground pipes 18
6.6.1 General 18
6.6.2 Underground pipe separation distances 19
6.7 Pipework loading 19
6.8 Equipotential bonding 19

7 Identification and corrosion protection of above-ground pipework 20
7.1 Corrosion protection 20
7.2 Colour coding 20
7.3 Reflectivity 20

8 Welded pipes and fittings 23
8.1 General 23

8.2 Competency 24
8.3 Inspection of welds 24
8.4 Testing personnel 24
8.5 Acceptance criteria 25
8.6 Repairing welds 25
8.7 Brazed copper joints 25

9 Inspection and documentation 25
9.1 General 25
9.2 Inspection and testing of corrosion protection 26
9.2.1 Coatings on underground pipework 26
9.2.2 Above-ground pipework protection 26
9.2.3 Recording of test results 26

10 Testing 26
10.1 General 26
10.2 Test media 26
10.3 Strength testing 27
10.3.1 General 27
10.3.2 Test Procedure 27
10.3.3 Test pressure and duration 28
10.3.4 Acceptance criteria 28
10.3.5 Repairs and retest 28
10.4 Leak testing 28
10.4.1 General 28
10.4.2 Gauge Selection 28
10.4.3 Test pressure and duration 28
10.4.4 Test media 29
10.4.5 Acceptance criteria 29
10.4.6 Repairs and retest 29

11 Commissioning 29

12 Maintenance 29

Annex A (informative) Pipe sizing - liquid phase 30

A.1 General 30
A.2 Viscosity of LPG 30
A.3 Calculation of liquid velocity flow in pipework 30
A.4 Calculation of Reynolds number 31
A.5 Liquid flow capacity and pressure drop in pipework 31
A.6 Liquid flow capacity and pressure drop through valves and fittings 32

Annex B (informative) Pipe sizing - gas phase 37

B.1 General 37
B.2 Calculation of full vapour flow and pressure drop in pipes 37
B.3 Vapour flow capacity and pressure drop through valves and fittings 37
B.4 Gas velocity 37

Annex C (informative) Pipework Integrity Management Systems (PIMS) 38

C.1 Pipework Integrity Management 38
C.2 Basic PIMS for LPG plants 38
C.3 Assessment of condition 38
C.4 Response (remedial action/ future monitoring or inspection) 38
C.5 Frequency of inspection and maintenance 39

Annex D (informative) Environmental checklist 40

Annex E (informative) Manufacturing and type testing of composite pipes 41

E.1 General 41
E.2 Materials 41
E.3 Physical properties 42
E.4 Manuals 42
E.5 Records 43

Bibliography 44