

DIN EN 16125:2016-03 (E)

LPG Equipment and Accessories - Pipework systems and supports - LPG liquid phase and vapour pressure phase

Contents		Page
European foreword		4
Introduction		5
1	Scope	6
2	Normative references	6
3	Terms and definitions	9
4	Design safety considerations	11
4.1	General	11
4.2	Environmental considerations	11
4.3	Operating conditions	12
4.4	Protection against hazards	12
4.4.1	Protection against mechanical damage	12
4.4.2	Resistance to corrosive substances and atmospheres	12
4.4.3	Protection against condensation	12
5	Materials	14
5.1	Environmental	14
5.2	General	14
5.3	Accessories	14
5.3.1	General	14
5.3.2	Gaskets and ring joints	14
5.3.3	Valves and fittings	14
5.4	Lubricants, sealants and adhesives	15
6	Design	15
6.1	General	15
6.2	LPG pipework installation technical documentation	15
6.3	Measuring instruments	15
6.4	Over Pressure protection	15
6.5	Above-ground pipework	16
6.5.1	Clearance above ground	16
6.5.2	Pipework separation distances from above-ground electrical services	16
6.5.3	Ventilation of concealed piping	17
6.5.4	Pipe supports	17
6.6	Underground pipes	18
6.6.1	General	18
6.6.2	Underground pipe separation distances	19
6.7	Pipework loading	19
6.8	Equipotential bonding	19
7	Identification and corrosion protection of above-ground pipework	20
7.1	Corrosion protection	20
7.2	Colour coding	20
7.3	Reflectivity	20
8	Welded pipes and fittings	23
8.1	General	23

8.2	Competency	24
8.3	Inspection of welds	24
8.4	Testing personnel	24
8.5	Acceptance criteria	25
8.6	Repairing welds	25
8.7	Brazed copper joints	25
9	Inspection and documentation	25
9.1	General	25
9.2	Inspection and testing of corrosion protection	26
9.2.1	Coatings on underground pipework	26
9.2.2	Above-ground pipework protection	26
9.2.3	Recording of test results	26
10	Testing	26
10.1	General	26
10.2	Test media	26
10.3	Strength testing	27
10.3.1	General	27
10.3.2	Test Procedure	27
10.3.3	Test pressure and duration	28
10.3.4	Acceptance criteria	28
10.3.5	Repairs and retest	28
10.4	Leak testing	28
10.4.1	General	28
10.4.2	Gauge Selection	28
10.4.3	Test pressure and duration	28
10.4.4	Test media	29
10.4.5	Acceptance criteria	29
10.4.6	Repairs and retest	29
11	Commissioning	29
12	Maintenance	29
Annex A (informative) Pipe sizing - liquid phase		30
A.1	General	30
A.2	Viscosity of LPG	30
A.3	Calculation of liquid velocity flow in pipework	30
A.4	Calculation of Reynolds number	31
A.5	Liquid flow capacity and pressure drop in pipework	31
A.6	Liquid flow capacity and pressure drop through valves and fittings	32
Annex B (informative) Pipe sizing - gas phase		37
B.1	General	37
B.2	Calculation of full vapour flow and pressure drop in pipes	37
B.3	Vapour flow capacity and pressure drop through valves and fittings	37
B.4	Gas velocity	37
Annex C (informative) Pipework Integrity Management Systems (PIMS)		38
C.1	Pipework Integrity Management	38
C.2	Basic PIMS for LPG plants	38
C.3	Assessment of condition	38
C.4	Response (remedial action/ future monitoring or inspection)	38
C.5	Frequency of inspection and maintenance	39
Annex D (informative) Environmental checklist		40
Annex E (informative) Manufacturing and type testing of composite pipes		41

E.1	General	41
E.2	Materials	41
E.3	Physical properties	42
E.4	Manuals	42
E.5	Records	43
	Bibliography	44