ISO 18119:2018 (E)

Gas cylinders — Seamless steel and seamless aluminium-alloy gas cylinders and tubes — Periodic inspection and testing

Contents

		Foreword		
		Introd	uction	
		Scope		
		Normative references		
		Terms	and definitions	
		Abbreviated terms and symbols		
		Intervals between periodic inspections and tests		
		List of procedures for periodic inspections and tests		
		Identi	fication of cylinder and preparation for inspection and tests	
	Depressurization and de-valving procedures		ssurization and de-valving procedures	
	8.1 8.2 8.3 8.4		General Cylinders requiring de-valving Cylinders not requiring de-valving Cylinders requiring shot blasting	
		External visual inspection		
	9.1 9.2		Preparation Inspection procedure	
		Inspe	ction of cylinder neck	
	10.1 10.2 10.3 10.4	1 2 3 4	Cylinder-to-valve threads Other neck surfaces Damaged internal neck threads Neckring and collar attachment	
		Check of internal condition		
	11.1 11.2 11.2 11.2 11.2 11.2 11.2 11.2	2 2.1 2.1.1 2.1.2 2.1.3 2.2 2.3 2.4	General Internal visual inspection Preparation General Suitable cleaning methods for seamless steel cylinders Suitable cleaning methods for seamless aluminium-alloy cylinders Inspection requirements Cylinders with footrings Cylinders with internal coatings	
Supplementary tests			ementary tests	
	12.1 12.2	1	General Additional test for seamless aluminium-alloy cylinders possibly subjected to heat damage	

- 12.3 Hammer test on cylinders with footrings
- 13 Cylinder repairs

- 14 Pressure test or UT
 - 14.1 General
 - 14.2 Proof pressure test
 - 14.2.1 General
 - 14.2.2 Test equipment
 - 14.2.3 Test criteria
 - 14.2.4 Acceptance criteria
 - 14.3 Hydraulic volumetric expansion test
 - 14.4 UT
 - 14.4.1 General
 - 14.4.2 Requirements
 - 14.4.2.1 General
 - 14.4.2.2 Examination equipment
 - 14.4.2.3 Manual ultrasonic unit
 - 14.4.2.4 Cylinders
 - 14.4.2.5 Personnel
 - 14.4.3 Calibration
 - 14.4.3.1 General
 - 14.4.3.2 Defect detection
 - 14.4.3.2.1 UT notch requirements and dimensions
 - 14.4.3.2.2 Internal inspection notch requirements
 - 14.4.3.2.3 Calibration procedures
 - 14.4.3.3 Wall thickness
 - 14.4.3.4 Frequency of calibration
 - 14.4.4 Performing the examination
 - 14.4.4.1 Defect detection in cylindrical section by automated installation
 - 14.4.4.2 Wall thickness measurements in cylinder end of cylinders with footrings
 - 14.4.4.2.1 Cylindrical part of the cylinder
 - 14.4.4.2.2 Cylinder base
 - 14.4.4.2.3 Wall and base thickness measurements by automated installation
 - 14.4.4.2.4 Base thickness measurements by manual testing
 - 14.4.5 Interpretation of results
 - 14.4.6 Records
- 15 Inspection of valve and other accessories
- 16 Replacement of cylinder parts
- 17 Final operations
 - 17.1 Drying, cleaning and painting
 - 17.1.1 Drying and cleaning
 - 17.1.2 Painting and coating
 - 17.1.2.1 General
 - 17.1.2.2 Seamless steel cylinders
 - 17.1.2.3 Seamless aluminium-alloy cylinders
 - 17.2 Re-valving of the cylinder
 - 17.3 Check of cylinder tare
 - 17.4 Retest marking
 - 17.4.1 General
 - 17.4.2 Stamping
 - 17.5 Reference to next periodic inspection and test date
 - 17.6 Identification of contents
 - 17.7 Records
- 18 Rejection and rendering cylinder unserviceable
 - 18.1 General
 - 18.2 Cylinders with a valve attached
 - 18.3 Cylinders with no valves attached
- Annex A (informative) Periodic inspection and test periods
- Annex B (normative) Description, evaluation of defects and conditions for rejection of seamless steel and seamless aluminium-alloy cylinders at the time of periodic inspection

- B.1 General
- B.2 Physical or material defects
- B.3 Corrosion
- B.3.1 General
- B.3.2 Types of corrosion
- B.3.3 Technical basis for establishing maximum allowable imperfection sizes by UT
- B.4 Neck and shoulder cracks
- B.4.1 General
- B.4.2 Neck cracks
- B.4.3 Shoulder cracks

Annex C (informative) List of gases corrosive to cylinder material

Annex D (informative) Volumetric expansion testing of cylinders

- D.1 General
- D.2 Test equipment
- D.3 Water jacket volumetric expansion test
- D.3.1 General
- D.3.2 Water jacket volumetric expansion test Levelling burette method
- D.3.2.1 General
- D.3.2.2 Test procedure
- D.3.3 Water jacket volumetric expansion test Fixed burette method
- D.4 Non-water jacket volumetric expansion test
- D.4.1 General
- D.4.2 Requirement for testing
- D.4.3 Test method
- D.4.4 Calculation of compressibility of water
- D.4.5 Calculation example
- Annex E (informative) Test date rings for cylinders

Annex F (informative) Cleaning of seamless aluminium-alloy cylinders

- F.1 Internal
- F.2 External

Page count: 55