

DIN EN 12817:2019-06 (E)

LPG Equipment and accessories - Inspection and requalification of LPG pressure vessels up to a nd including 13 m<(hoch)3>

| Contents | | Page |
|---|---|-------------|
| European foreword | | 5 |
| Introduction | | 6 |
| 1 | Scope | 7 |
| 2 | Normative references | 7 |
| 3 | Terms and definitions | 7 |
| 4 | Safety | 8 |
| 4.1 | Safety precautions | 8 |
| 4.2 | Unsafe conditions | 8 |
| 4.3 | Leaks | 8 |
| 5 | Written scheme | 9 |
| 6 | Pressure vessel inspection, requalification and recommissioning | 10 |
| 6.1 | Routine inspection | 10 |
| 6.2 | Periodic inspection | 10 |
| 6.3 | Requalification | 10 |
| 6.3.1 | Requalification for aboveground pressure vessels | 10 |
| 6.3.2 | Requalification for underground pressure vessels | 11 |
| 6.4 | Recommissioning | 12 |
| 7 | Inspection of pressure vessel and pressure vessel fittings | 12 |
| 7.1 | Pressure vessel | 12 |
| 7.2 | Pressure vessel fittings and immediate pipework | 12 |
| 7.3 | Valve cover | 12 |
| 7.4 | Bonding | 12 |
| 7.5 | Pressure relief valve | 12 |
| 7.6 | Pressure gauge | 13 |
| 7.7 | gauges | 13 |
| 7.8 | Shut-off valves | 13 |
| 7.9 | Studs, bolts, nuts, and washers | 13 |
| 7.10 | Corrosion protection system | 13 |
| 7.11 | Piers and foundations for aboveground pressure vessels | 13 |
| 8 | Competence | 14 |
| 8.1 | General | 14 |
| 8.2 | Routine inspection competence | 14 |
| 8.3 | Periodic inspection competence | 14 |
| 8.4 | Requalification competence | 14 |
| 9 | Records | 14 |
| 9.1 | Pressure vessel data | 14 |
| 9.2 | Reports | 14 |
| Annex A (informative) Visual inspection | | 15 |
| A.1 | Internal and external visual inspections | 15 |

| | | |
|---|---|----|
| A.2 | Inspection techniques | 15 |
| A.2.1 | External visual inspection | 15 |
| A.2.2 | Internal visual inspection | 15 |
| A.2.3 | Records | 15 |
| A.3 | Additional inspection | 16 |
| Annex B (informative) Hydraulic pressure test | | 17 |
| Annex C (normative) Acoustic emission testing | | 18 |
| C.1 | Scope | 18 |
| C.2 | Testing procedure | 18 |
| C.3 | Instrumentation | 18 |
| C.3.1 | Sensors | 18 |
| C.3.2 | Acquisition and evaluation system | 18 |
| C.4 | Testing | 18 |
| C.4.1 | Test instruction | 18 |
| C.4.2 | Safety precautions | 18 |
| C.4.3 | Sensor location | 19 |
| C.4.3.1 | Overground pressure vessels | 19 |
| C.4.3.2 | Underground pressure vessels | 19 |
| C.4.4 | Pressurization | 20 |
| C.5 | Data evaluation and analysis | 21 |
| C.5.1 | Evaluation criteria | 21 |
| C.5.2 | Real time control and stop criteria | 21 |
| C.5.3 | Post analysis | 21 |
| C.5.4 | Pressure vessel grading | 21 |
| C.6 | Data storage and reporting | 22 |
| Annex D (informative) Ultrasonic thickness test | | 23 |
| D.1 | General | 23 |
| D.2 | Apparatus setting | 23 |
| D.3 | Control measurement | 23 |
| D.4 | Shell thickness measurements | 23 |
| D.5 | End thickness measurements | 23 |
| D.6 | Interpretation | 23 |
| D.7 | Rejection criteria | 23 |
| Annex E (informative) Assessment of pressure vessels by sampling | | 24 |
| E.1 | General | 24 |
| E.2 | Homogeneous batch | 24 |
| E.3 | Selection of samples | 24 |
| E.4 | Sample selection | 25 |
| E.5 | Inspection period | 25 |
| E.6 | Presentation of results and decisions | 25 |
| E.7 | Pass criteria | 25 |
| E.8 | Example calculation of a sample | 25 |
| Annex F (informative) External monitoring by camera for underground pressure vessels | | 27 |
| F.1 | General | 27 |
| F.2 | Inspection procedure | 27 |
| F.3 | Interpretation of results | 27 |
| F.4 | Records | 27 |
| Annex G (informative) Monitoring cathodic protection with sacrificial anodes for underground pressure vessels | | 28 |
| G.1 | General | 28 |
| G.2 | Records | 28 |

| | | |
|---|---|-----------|
| G.3 | Procedure | 28 |
| G.4 | Measurement of the galvanic current | 28 |
| G.5 | Measurement of the potential difference of the pressure vessel to the reference electrode | 28 |
| G.6 | Results | 29 |
| Annex H (informative) Evaluation of coating condition of underground pressure vessels (cathodic protection by impressed current) | | 30 |
| H.1 | General | 30 |
| H.2 | Apparatus | 30 |
| H.3 | Conditions | 30 |
| H.4 | Isolation resistance of the coating | 30 |
| H.4.1 | Procedure | 30 |
| H.4.2 | Calculation | 31 |
| H.5 | Results | 31 |
| H.6 | Checking intervals | 31 |
| Annex I (informative) Corrosion monitoring by moisture and condensation detection for underground pressure vessels | | 32 |
| I.1 | General | 32 |
| I.2 | Equipment characteristics | 32 |
| I.3 | Monitoring | 32 |
| I.4 | Interpretation | 32 |
| Annex J (informative) A-deviations | | 33 |
| Bibliography | | 34 |