

DIN EN 17533:2024-11 (E)

Gaseous hydrogen - Cylinders and tubes for stationary storage

Contents		Page
European foreword		5
Introduction		6
1	Scope	7
2	Normative references	7
3	Terms, definitions and symbols	9
3.1	Terms and definitions	9
3.2	Symbols	13
4	Specified service conditions	14
4.1	Maximum allowable working pressure	14
4.2	Maximum allowable energy content	14
4.3	Maximum and minimum allowable temperature	14
4.4	Pressure cycle life	14
4.5	Shallow pressure cycle life	14
4.6	Effective pressure cycle count and maximum number of pressure cycles allowed in service	14
4.7	Service life	15
5	Additional service conditions	15
5.1	Environmental conditions	15
5.2	Fire conditions	15
6	Information to be recorded	16
6.1	General	16
6.2	Statement of service	16
6.3	Design drawings and information	17
6.4	Stress analysis report	17
6.5	Material property data	17
6.6	Manufacturing data	18
6.7	Retention of records	18
7	Material properties	18
7.1	Compatibility	18
7.2	Steel	18
7.3	Stainless steels	18
7.4	Aluminium alloys	18
7.5	Fibre material	18
7.6	Resins	19
7.7	Plastic liner material	19
8	Requirements for new designs	19
8.1	General considerations	19
8.2	Construction and workmanship	22
8.3	Qualification of new designs	24
8.4	Production and batch tests	34
8.5	Markings	38
8.6	Preparation for dispatch	39

9	Requirements for existing design standards	40
Annex A (normative) Test methods and acceptance criteria		41
A.1	Hydrogen compatibility tests	41
A.2	Hydrogen sensitivity tests	41
A.3	Tensile properties of plastics	44
A.4	Softening temperature of plastics	44
A.5	Resin properties tests	44
A.6	Hydrostatic burst pressure test	44
A.7	Ambient temperature pressure cycling for cycle life definition	45
A.8	Leak-before-break (LBB) test	46
A.9	Bonfire test	46
A.10	High strain impact test	47
A.11	Accelerated stress rupture test	47
A.12	Extreme temperature pressure cycling	47
A.13	Permeation test	48
A.14	Boss torque test	48
A.15	Hydrogen gas cycling test	48
A.16	Hardness test	49
A.17	Hydraulic test	49
A.18	Leak test	49
A.19	Coating tests	49
A.20	Coating batch tests	50
A.21	Impact damage test	50
Annex B (normative) Use of existing and approved design standards for stationary storage		52
B.1	General	52
B.2	Requirements	52
B.3	Marking	55
B.4	Certificate	55
B.5	Examples of calculation for MAWP	55
B.6	Cycle life calculation	56
Annex C (informative) Verification of stress ratios using strain gauges		57
Annex D (informative) Non-destructive examination (NDE) defect size by flawed pressure vessel cycling		58
Annex E (informative) Manufacturer's instructions for handling, use and inspection of pressure vessels		59
E.1	General	59
E.2	Distribution	59
E.3	Reference to existing codes, standards and regulations	59
E.4	Pressure vessel handling	59
E.5	Installation	59
E.6	Use of pressure vessels	60
E.7	In-service inspection	60
Annex F (informative) Fatigue life evaluation using Goodman diagrams		61
F.1	Purpose	61
F.2	Developing an S-N diagram	61
F.3	Equivalent pressure cycling	62
F.4	Developing a Goodman diagram	62
Annex G (informative) Optional bonfire test		66
G.1	General	66
G.2	Cylinder test	66

G.3	PRD test	67
G.4	Vent test	68
G.5	System assessment	68
G.6	Generation of a safety envelope and actual cylinder/PRD performance	68
Annex H (informative) Information on factor of safety		70
H.1	Purpose	70
H.2	Background	70
H.3	Recommended safety factor	70
H.4	Discussion	70
H.5	Conclusions	72
H.6	Recommendations	72
H.7	Further reading	72
Annex I (informative) Guidance for evaluation of pressure vessels designed according to other standards		73
Bibliography		76