ISO 20421-1:2019 (E)

Cryogenic vessels — Large transportable vacuum-insulated vessels — Part 1: Design, fabrication, inspection and testing

Contents

Foreword

Introduction

1 Scope

2 Normative references

3 Terms and definitions

4 Symbols

5 General requirements

6 Mechanical loads

6.1 General
6.2 Load during the pressure test

7 Chemical effects

8 Thermal conditions

9 Materials

9.1 Selection of materials
9.2 Inspection documentation

10 Design

10.1 Design options
10.1.1 General
10.1.2 Design by calculation
10.1.3 Design by calculation and pressure strengthening
10.1.4 Design of components by calculation supplemented with experimental methods
10.2 Common design requirements
10.2.1 General
10.2.2 Design specification
10.2.3 Design loads
10.2.3.1 General
10.2.3.2 Inner vessel
10.2.3.3 Outer jacket
10.2.3.4 Self-supporting vessels
10.2.3.5 Inner-vessel supports
10.2.3.6 Surge plates
10.2.3.7 Outer-jacket supports
10.2.3.8 Fastening points
10.2.3.9 Protection of upper fittings
10.2.3.10 Stability
10.2.3.11 Piping and valves
10.2.4 Fatigue
10.2.5 Corrosion allowance
10.2.6 Inspection openings
10.2.7 Pressure relief
10.2.7.1 General
10.2.7.2 Inner vessel

10.2.7.3 Outer jacket
10.2.7.4 Piping
10.2.8 Valves
10.2.9 Insulation
10.2.10 Degree of filling
10.2.11 Electrical continuity
10.3 Design by calculation
10.3.1 General
10.3.2 Inner vessel
10.3.2.1 General
10.3.2.2 Design pressure, p
10.3.2.3 Material properties, K
10.3.2.3.1 General
10.3.2.3.2 K20
10.3.2.3.3 Kt
10.3.2.3.4 Brittleness
10.3.2.3.5 Elongation
10.3.2.4 Safety factors S, Sp and Sk
10.3.2.5 Weld joint factor, η
10.3.2.6 Corrosion allowances, c
10.3.3 Outer jacket
10.3.3.1 General
10.3.3.2 Calculation pressure, p
10.3.3.3 K20
10.3.3.4 Safety factors S, Sp and Sk in relation to K, K20 or KT
10.3.3.5 Plastic deformation
10.3.3.6 Weld joint factor, η
10.3.3.7 Corrosion allowances, c
10.3.4 Attachments
10.3.5 Piping and accessories
10.3.6 Calculation formula
10.3.6.1 Cylindrical shells and spheres subject to internal pressure (pressure on the concave surface)
10.3.6.1.1 Field of application
10.3.6.1.2 Openings
10.3.6.1.3 Calculation
10.3.6.2 Cylindrical shells subject to external pressure (pressure on the convex surface)
10.3.6.2.1 Field of application
10.3.6.2.2 Openings
10.3.6.2.3 Calculation
10.3.6.3 Spheres subject to external pressure (pressure on the convex surface)
10.3.6.4 Dished ends
10.3.6.4.1 Field of application
10.3.6.4.2 Straight flange
10.3.6.4.3 Internal-pressure calculation (pressure on concave surface)
10.3.6.5 Cones subject to internal or external pressure
10.3.6.5.1 Field of application
10.3.6.5.2 Openings
10.3.6.5.3 Non-destructive testing
10.3.6.5.4 Corner area
10.3.6.5.5 Internal-pressure calculation (pressure on concave surface) $|\varphi| \leq 70°$
10.3.6.5.6 Internal-pressure calculation (pressure on the concave surface) $|\varphi| > 70°$
10.3.6.5.7 External-pressure calculation (pressure on the convex surface)
10.3.6.6 Flat ends
10.3.6.6.1 Symbols and units
10.3.6.6.2 Field of application
10.3.6.6.3 Openings
10.3.6.6.4 Calculation
10.3.6.7 Openings in cylinders, spheres and cones
10.3.6.7.1 Field of application
10.3.6.7.2 Reinforcement methods
10.3.6.7.3 Design of openings
10.3.6.7.4 Calculation
10.3.7 Calculations for operating loads

11 Fabrication

11.1 General
11.2 Cutting
11.3 Cold forming
11.3.1 Austenitic stainless steel
11.3.2 Ferritic steel
11.3.3 Aluminium or aluminium alloy
11.4 Hot forming
11.4.1 General
11.4.2 Austenitic stainless steel
11.4.3 Ferritic steel
11.4.4 Aluminium or aluminium alloy
11.5 Manufacturing tolerances
11.5.1 General
11.5.2 Plate alignment
11.5.3 Thickness
11.5.4 Dished ends
11.5.5 Cylinders
11.6 Welding
11.6.1 General
11.6.2 Qualification
11.6.3 Temporary attachments
11.6.4 Welded joints
11.7 Non-welded joints

12 Inspection and testing

12.1 Quality plan
12.1.1 General
12.1.2 Inspection stages during manufacture of an inner vessel
12.1.3 Additional inspection stages during manufacture of a large transportable cryogenic vessel
12.2 Production control test plates
12.2.1 Requirements
12.2.2 Extent of testing
12.3 Non-destructive testing
12.3.1 General
12.3.2 Extent of examination for surface imperfections
12.3.3 Extent of examination for inner-vessel weld seams
12.3.4 Acceptance criteria for surface and volumetric imperfections as classified in ISO 6520-1

12.3.4.1 Acceptance levels for predominantly static loaded vessels
12.3.4.2 Acceptance criteria for fatigue loaded vessels
12.3.4.3 Extent of examination of non-welded joints
12.4 Rectification
12.5 Pressure testing

13 Marking and labelling

14 Final acceptance test

15 Periodic inspection

16 Documentation

Annex A (informative) Examples of tank plates

A.1 Example 1: Tank plate (of the complete tank) for fixed tanks of road tankers (tank vehicles), demountable tanks, tank containers and tank swap bodies
A.2 Example 2 :Tank plate for the inner vessel of fixed tanks of road tankers (tank vehicles), demountable tanks, tank containers and tank swap bodies

Annex B (informative) Elastic stress analysis

B.1 General
B.2 Terminology

B.2.1 Stress intensity
B.2.2 Gross structural discontinuity
B.2.3 Local structural discontinuity
B.2.4 Normal stress
B.2.5 Shear stress
B.2.6 Membrane stress
B.2.7 Primary stress
B.2.8 Primary local membrane stress
B.2.9 Secondary stress
B.2.9.1 Peak stress
B.3 Limit for longitudinal compressive general membrane stress
B.4 Stress categories and stress limits for general application
B.4.1 General
B.4.2 General primary membrane stress category
B.4.3 Local primary membrane stress category
B.4.4 General or local primary membrane plus primary bending stress category
B.4.5 Primary plus secondary stress category
B.4.6 Thermal stress
B.5 Specific criteria, stress categories and stress limits for limited application
B.5.1 General
B.5.2 Attachments and supports
B.5.3 Nozzles and openings
B.5.4 Additional stress limits

Annex C (normative) Additional requirements for 9 % Ni steel

C.1 General
C.2 Specific requirements

Annex D (normative) Pressure strengthening of vessels from austenitic stainless steels

D.1 General
D.2 Application of this annex
D.3 Materials
D.4 Design
D.4.1 General
D.4.2 Design for internal pressure
D.4.2.1 Design stress values
D.4.2.2 Calculation of the strengthening pressure
D.4.2.3 Calculation of wall thicknesses
D.4.3 Design for external pressure
D.5 Manufacturing and inspection
D.5.1 Strengthening procedure
D.5.2 Procedure record
D.5.3 Welding
D.5.4 Pressure-vessel drawing
D.5.5 Inspection and testing
D.5.6 Data plate
D.6 Comments
D.6.1 Strengthening theory
D.6.2 Work-hardened material
D.6.3 Derivation of formula
D.6.4 Deformations at strengthening

Annex E (informative) Specific weld details

E.1 Field of application
E.2 Weld detail
E.2.1 Joggle joint
E.2.2 Intermediate ends
E.2.3 Backing strip
E.2.4 End plate closure
E.2.5 Nozzle weld
E.2.6 Non-continuous fillet weld on attachments
E.3 Oxygen service requirements

Annex F (normative) Outer-jacket relief devices

F.1 Field of application
F.2 Requirements
F.2.1 General
F.2.2 Design
F.2.3 Materials
F.2.4 Testing
F.2.5 Inspection
F.2.6 Marking

Annex G (informative) Base materials

Annex H (informative) Components subject to external pressure (pressure on the convex surface) — Calculation

H.1 General
H.2 Method 1
H.2.1 Cylindrical shells
H.2.1.1 Elastic buckling
H.2.1.2 Plastic deformation
H.2.1.3 Stiffening rings
H.2.2 Dished ends and spherical shells
H.2.2.1 Elastic buckling
H.3 Method 2
H.3.1 Cylindrical shells
H.3.1.1 Elastic buckling
H.3.1.2 Stiffening rings
H.3.2 Dished ends and spherical shells

Annex I (informative) Design of openings in cylinders, spheres and cones — Calculation

I.1 General
I.2 Method 1
I.3 Method 2
I.4 Reinforcement by increased nozzle thickness
I.4.1 General
I.4.2 Reinforcement by a combination of increased shell and nozzle thicknesses
I.4.3 Multiple openings

Annex J (normative) Reference material & equivalent thickness

J.1 General
J.2 Method A
J.2.1 Example 1
J.2.2 Example 2
J.3 Method B: Equivalent thickness

Annex K (normative) Refrigerated liquefied gases

Page count: 124