DIN EN 17533:2025-07 (E)

Gaseous hydrogen - Cylinders and tubes for stationary storage

Contents

Page

European foreword 7

Introduction 8

1 Scope 9

2 Normative references 9

3 Terms, definitions and symbols 10
3.1 Terms and definitions 10
3.2 Symbols 15

4 Specified service conditions 16
4.1 Maximum allowable working pressure 16
4.2 Maximum allowable energy 16
4.3 Maximum and minimum allowable temperature 16
4.4 Pressure cycle life 16
4.5 Methods to define the acceptable number of pressure cycles or fatigue behaviour for in service performance 16
4.5.1 General 16
4.5.2 Method 1 - Pressure cycling calculation using design standards for transportable applications – Method described in Annex A 16
4.5.3 Method 2 - Fatigue evaluation using fracture mechanics – Method described in Annex B (Type 1 and Type 2) 16
4.5.4 Method 3 - Fatigue evaluation based on performance testing – Method described in Annex C 17
4.6 Service life 17

5 Additional service conditions 17
5.1 General 17
5.2 Environmental conditions 17
5.3 Fire conditions 17

6 Information to be recorded 17
6.1 General 17
6.2 Statement of service 17
6.3 Design, drawings and information 18
6.4 Material property data 19
6.5 Manufacturing data 19
6.6 Retention of records 19

7 Material properties 20
7.1 Compatibility 20
7.2 Steel 20
7.3 Stainless steels 20
7.4 Aluminium alloys 20
7.5 Fibre material 20
7.6 Matrix materials 20
7.7 Plastic liner material 20

8 Requirements for new design 21

9 Minimum requirement for new designs 21
9.1 Stress analysis 21
9.1.1 General 21
9.1.2 Burst pressure and fibre stress ratio (not applicable if Annex B is used) 22
9.1.3 Test pressure 22
9.1.4 Maximum defect size in metallic materials 23
9.1.5 Protection liner and boss against corrosion 23
9.1.6 Resistance to UV emissions 23
9.1.7 Resistance to humidity 23
9.1.8 Protective layer 23
9.2 Construction and workmanship 23
9.2.1 Materials 23
9.2.2 Openings, neck threads, neck ring, foot ring, attachment for support 24
9.2.3 Forming 24
9.2.4 Fibre winding 24
9.2.5 Curing of thermosetting resins 25
9.2.6 Autofrettage 25
9.2.7 Exterior environmental protection 25
9.3 Production and batch tests 26
9.3.1 Production tests 26
9.3.2 Batch tests 26
10 Markings 29
11 Preparation for dispatch 30
Annex A (informative) **Pressure cycling calculation using design standards for transportable applications 31**
A.1 General 31
A.2 Requirements 33
A.2.1 General requirements 33
A.2.2 Specific requirements 33
A.3 Marking 35
A.4 Certificate 36
A.5 Examples of calculation for PS (MAWP) 36
A.5.1 Type 1 cylinder to EN ISO 9809-1 with P_w/P_h of 200/300 bar in Europe 36
A.5.2 Type 3 cylinder to ISO 11119-2 with P_w/P_h of 200/300 bar in Europe 36
A.5.3 Type 1 cylinder to EN ISO 9809-1 with P_w/P_h of 700/1 050 bar in Europe 36
A.5.4 Type 3 cylinder to ISO 11119-2 with P_w/P_h of 1 000/1 500 bar in Europe 36
A.6 Example of cycle life calculation 37
Annex B (normative) **Design and calculation and cycle life definition by fracture mechanics (Type 1 and Type 2) 38**
B.1 Purpose and scope 38
B.2 Methodology 38
B.3 Exemption for low alloy steels 38

Annex C (normative) **Design evaluation based on performance testing** **39**
C.1 Testing **39**
C.1.1 General **39**
C.1.2 Material tests **39**
C.1.3 Pressure vessel tests **40**
C.1.4 Qualification and design changes **43**
Annex D (normative) **Test methods and acceptance criteria** **46**
D.1 Hydrogen compatibility **46**
D.2 Hydrogen sensitivity tests for metals **46**
D.2.1 General **46**
D.2.2 Test method 1 – Fatigue testing of tensile specimens **46**
D.2.3 Test method 2 – Fatigue testing of disks **48**
D.3 Tensile properties of plastics **49**
D.4 Softening temperature of plastics **49**
D.5 Resin properties tests **49**
D.6 Hydrostatic burst pressure test **49**
D.7 Ambient temperature pressure cycling for cycle life definition **50**
D.7.1 Full amplitude pressure cycling **50**
D.7.2 Partial amplitude pressure cycling **50**
D.7.3 Alternative to D.7.1 and D.7.2 ..... **50**
D.7.4 Parameters to be monitored and recorded **51**
D.8 Leak before break (LBB) test **51**
D.9 Bonfire test **51**
D.10 High strain impact test **51**
D.11 Accelerated stress rupture test **51**
D.12 Extreme temperature pressure cycling **51**
D.13 Permeation test **52**
D.14 Boss torque test **52**
D.15 Hydrogen gas cycling test (for Type 4 only) **52**
D.16 Hardness test **53**
D.17 Hydraulic test **53**
D.18 Leak test **53**
D.19 Coating tests **53**
D.20 Coating batch tests **54**
D.20.1 Coating thickness **54**
D.20.2 Coating adhesion **54**

D.21 Impact damage test (optional) **54**

Annex E (informative) **Verification of stress ratios using strain gauges** **55**

Annex F (informative) **Non-destructive examination (NDE) defect size by flawed pressure vessel cycling** **56**

Annex G (informative) **Manufacturer's information for handling, use and inspection of pressure vessels** **57**

G.1 General **57**

G.2 Distribution **57**

G.3 Reference to existing codes, standards and regulations **57**

G.4 Pressure vessel handling **57**

G.5 Installation **57**

G.6 Use of pressure vessels **58**

G.7 In-service inspection **58**

G.7.1 General **58**

G.7.2 Periodic re-qualification **58**

G.7.3 Pressure vessels having experienced impact damage **58**

G.7.4 Pressure vessels involved in fires **58**

Annex H (informative) **Optional bonfire test** **59**

H.1 General **59**

H.2 Cylinder test **59**

H.2.1 Cylinder set-up **59**

H.2.2 Fire source **59**

H.2.3 Temperature and pressure measurements **59**

H.2.4 General test requirements **60**

H.2.5 Test options **60**

H.3 PRD test **60**

H.4 Vent test **61**

H.5 System assessment **61**

H.5.1 Qualification limit envelope **61**

H.5.2 Service limit envelope **61**

H.5.3 Acceptable results **61**

H.6 Generation of a safety envelope and actual cylinder/PRD performance **61**

Annex I (informative) **Information of factor of safety** **63**

I.1 Purpose **63**

I.2 Background **63**

I.3 Recommended safety factor **63**

I.4 Discussion **63**

I.5 Conclusions **65**
I.6 Recommendations **65**
I.7 Further reading **65**
Bibliography **66**