

# DIN EN 14893:2006-10 (E)

## LPG equipment and accessories - Transportable Liquefied Petroleum Gas (LPG) welded steel pressure drums with a capacity between 150 litres and 1000 litres

---

<b>Contents</b>		<b>Page</b>
Foreword .....		5
Introduction .....		6
1	Scope .....	7
2	Normative references .....	7
3	Terms and definitions .....	8
4	Materials .....	9
4.1	Suitability .....	9
4.2	Pressure retaining parts .....	11
4.3	Non-pressure retaining parts .....	11
4.4	Welding consumables .....	11
4.5	Non-metallic materials (gaskets) .....	11
4.6	Certification of materials .....	11
5	Design .....	11
5.1	General .....	11
5.2	Design conditions .....	12
5.2.1	Calculation pressure .....	12
5.2.2	Design temperature .....	12
5.2.3	Vacuum conditions .....	12
5.3	Calculation of thicknesses .....	12
5.3.1	Calculation .....	12
5.3.2	Minimum thickness for handling .....	12
5.4	Support loadings .....	13
5.5	Lifting lug loadings .....	13
5.6	Openings .....	13
5.6.1	General .....	13
5.6.2	Reinforcement .....	13
5.6.3	Position of welds .....	13
5.6.4	Fittings connections .....	14
5.7	Protection of fittings .....	14
5.7.1	General .....	14
5.7.2	End shrouds .....	14
5.7.3	Protective frame .....	14
5.7.4	Local protection .....	14
5.8	Rolling hoops .....	14
5.9	Ventilation openings .....	14
6	Workmanship and manufacture .....	15
6.1	General .....	15
6.2	Control and traceability of materials .....	15
6.3	Manufacturing tolerances .....	15
6.4	Acceptable weld details .....	15
6.4.1	General .....	15
6.4.2	Longitudinal welds .....	15
6.4.3	Joggle joints .....	16
6.5	Formed pressure parts .....	16

6.5.1	General .....	16
6.5.2	Heat treatment after forming .....	16
6.5.3	Testing of formed parts .....	17
6.5.4	Repeated tests .....	17
6.5.5	Visual examination and control of dimensions .....	17
6.5.6	Marking .....	18
6.5.7	Test certificate .....	18
6.6	Welding .....	18
6.6.1	General .....	18
6.6.2	Welding procedure specification (WPS) .....	18
6.6.3	Qualification of WPS .....	18
6.6.4	Qualification of welders and welding personnel .....	18
6.6.5	Preparation of edges to be welded .....	18
6.6.6	Execution of welded joints .....	19
6.6.7	Attachments and supports .....	19
6.6.8	Preheating .....	19
6.7	Post weld heat treatment .....	19
6.8	Repairs .....	19
6.8.1	Repairs of surface imperfections in the parent metal .....	19
6.8.2	Repair of weld imperfections .....	20
7	Inspection and testing .....	20
7.1	Visual examination of welds .....	20
7.2	Non-destructive testing (NDT) .....	20
7.3	Non-destructive testing techniques .....	21
7.3.1	General .....	21
7.3.2	Radiographic techniques .....	21
7.3.3	Ultrasonic techniques .....	22
7.3.4	Magnetic particle techniques .....	22
7.3.5	Penetrant techniques .....	22
7.4	Marking for all non-destructive testing techniques .....	22
7.5	Qualification of personnel .....	22
7.6	Acceptance criteria .....	22
7.7	Production test plates (coupon plates) .....	23
7.8	Impact tests .....	25
8	Final assessment .....	25
8.1	Pressure test .....	25
8.2	Lifting lugs .....	25
8.3	Final examination .....	25
9	Surface treatment and finishing .....	26
9.1	General .....	26
9.2	Finishing operations .....	26
10	Fittings .....	26
10.1	General .....	26
10.2	Leak tightness test .....	27
10.3	Protective frame .....	27
10.4	Tare weight .....	27
11	Marking .....	27
12	Prototype testing .....	27
12.1	General .....	27
12.2	Fatigue test .....	27
12.3	Burst test .....	28
12.4	Drop test .....	28
12.5	Lifting lugs .....	28
13	Records and documentation .....	28
13.1	Records to be obtained by the manufacturer .....	28

13.2	Documents to be provided by the manufacturer .....	28
	Annex A (informative) Guidance on selection of material grades .....	30
	Annex B (normative) Tolerances on drums .....	31
B.1	Mean external diameter .....	31
B.2	Out of roundness .....	31
B.3	Deviation from the straight line .....	31
B.4	Irregularities in circular profile .....	31
B.5	Thickness tolerance .....	32
B.6	Profile .....	32
B.7	Surface alignment .....	33
B.8	Attachments, nozzles and fittings .....	33
	Annex C (normative) Hydraulic pressure test .....	34
C.1	Temporary fittings .....	34
C.2	Pressure gauges .....	34
C.3	Pressurising agent .....	34
C.4	Avoidance of shocks .....	34
C.5	Test procedure .....	34
	Annex D (normative) Imperfections .....	35
	Annex E (normative) Design formulae for drums .....	38
E.1	Allowable stresses .....	38
E.2	Design formulae .....	38
E.2.1	General .....	38
E.2.2	Cylindrical shell calculation .....	38
E.2.3	Torispherical end calculation .....	38
E.2.4	Ellipsoidal end calculation .....	39
E.2.5	Formulae for calculating C .....	40
E.3	Nozzle re-enforcement .....	41
E.3.1	General .....	41
E.3.2	Size of openings .....	41
E.3.3	Distance between openings or branches .....	42
E.3.4	Openings and branches .....	42
E.3.5	Cylindrical shells and dished ends with openings .....	42
E.3.6	Shell reinforcement .....	42
E.3.7	Extent of reinforcement .....	43
E.3.8	Elliptical openings .....	43
E.3.9	Welded branches .....	43
E.3.10	Compensating plates .....	43
E.3.11	Reinforcement -- General .....	43
E.3.12	Reinforcement by pads .....	43
E.3.13	Reinforcement by branches .....	44
E.3.14	Branch connections normal to the drum wall .....	44
	Annex F (informative) Measurement of shell peaking .....	49
F.1	Profile gauge .....	49
F.2	Peaking survey .....	49
	Annex G (informative) Examples of welded joints .....	52
	Bibliography .....	56