

# DIN EN 14197-2:2006-11 (E)

## Cryogenic vessels - Static non-vacuum insulated vessels - Part 2: Design, fabrication, inspection and testing

---

<b>Contents</b>		<b>Page</b>
Introduction .....		6
1	Scope .....	7
2	Normative references .....	7
3	Terms and definitions and symbols .....	8
3.1	Terms and definitions .....	8
3.2	Symbols .....	9
4	Design .....	10
4.1	Design options .....	10
4.2	Common design requirements .....	10
4.3	Design by calculation .....	14
5	Fabrication .....	47
5.1	General .....	47
5.2	Cutting .....	47
5.3	Cold forming .....	47
5.4	Hot forming .....	48
5.5	Manufacturing tolerances .....	49
5.6	Welding .....	52
5.7	Non-welded permanent joints .....	53
6	Inspection and testing .....	54
6.1	Quality plan .....	54
6.2	Production control test plates .....	54
6.3	Non-destructive testing .....	56
6.4	Rectification .....	59
6.5	Pressure testing .....	60
Annex A (normative) Elastic stress analysis .....		61
A.1	General .....	61
A.2	Terminology .....	61
A.3	Limit for longitudinal compressive general membrane stress .....	63
A.4	Stress categories and stress limits for general application .....	64
A.5	Specific criteria, stress categories and stress limits for limited application .....	65
Annex B (normative) Additional Requirements for 9 % Ni steel .....		70
B.1	Introduction .....	70
B.2	Specific requirements .....	70
Annex C (Informative) Pressure strengthening of vessels from austenitic stainless steels .....		72
C.1	Introduction .....	72
C.2	Field of application .....	72
C.3	Definitions and units of measurement .....	72
C.4	Materials .....	73
C.5	Design .....	74

<b>C.6</b>	<b>Manufacturing and inspection .....</b>	<b>77</b>
<b>C.7</b>	<b>Comments .....</b>	<b>78</b>
<b>Annex D (informative) Pressure limiting systems .....</b>		<b>84</b>
<b>Annex E (informative) Specific weld details .....</b>		<b>85</b>
<b>E.1</b>	<b>Field of application .....</b>	<b>85</b>
<b>E.2</b>	<b>Specific weld detail .....</b>	<b>85</b>
<b>E.3</b>	<b>Oxygen service requirements .....</b>	<b>86</b>
<b>Annex F (normative) Additional requirements for flammable fluids .....</b>		<b>89</b>
<b>Annex G (informative) Increased material property for austenitic stainless steel .....</b>		<b>90</b>
<b>Annex H (normative) Base materials .....</b>		<b>91</b>
<b>Annex I (informative) Other materials .....</b>		<b>93</b>
<b>Annex ZA (informative) Clauses of this European Standard addressing essential requirements or other provisions of EU Directives .....</b>		<b>95</b>
<b>Figures Figure 1 - Stiffening rings .....</b>		<b>24</b>
<b>Figure 2 - Sectional materials stiffeners .....</b>		<b>24</b>
<b>Figure 3 - Dished ends .....</b>		<b>25</b>
<b>Figure 4 a) - Unpierced dished end .....</b>		<b>25</b>
<b>Figure 4 b) - Dished end with nozzle .....</b>		<b>25</b>
<b>Figure 4 c) - End with knuckle and crown of unequal wall thickness .....</b>		<b>26</b>
<b>Figure 4 d) -- Weld outside 0,6 Da .....</b>		<b>26</b>
<b>Figure 4 e) -- Weld inside 0,6 Da .....</b>		<b>26</b>
<b>Figure 4 f) -- End welded together from round plate and segments .....</b>		<b>27</b>
<b>Figure 5 -- Design factors for 10 % torispherical dished ends .....</b>		<b>27</b>
<b>Figure 6 -- Design factors for 2:1 torispherical dished ends .....</b>		<b>28</b>
<b>Figure 7 a) -- Geometry of convergent conical shells .....</b>		<b>28</b>
<b>Figure 7 b) -- Geometry of a divergent conical shell .....</b>		<b>29</b>
<b>Figure 8 -- Geometry of a cone opening .....</b>		<b>29</b>
<b>Figure 9 -- Geometrical dimensions in the case of loading by external pressure .....</b>		<b>29</b>
<b>Figure 10.1 - Permissible value <math>v_K</math> pS 15 for convergent cone with an opening angle = 10° .....</b>		<b>30</b>
<b>Figure 10.2 - Permissible value <math>v_{15K}</math> pS or convergent cone with an opening angle = 20° .....</b>		<b>31</b>
<b>Figure 10.3 - Permissible value <math>v_{15K}</math> pS for convergent cone with an opening angle = 30° .....</b>		<b>32</b>
<b>Figure 10.4 - Permissible value <math>v_{15K}</math> pS for convergent cone with an opening angle = 40° .....</b>		<b>33</b>
<b>Figure 10.5 - Permissible value <math>v_{15K}</math> pS for convergent cone with an opening angle = 50° .....</b>		<b>34</b>

Figure 10.6 - Permissible value $v_{15K}$ pS for convergent cone with an opening angle = $60^\circ$ .....	35
Figure 10.7 - Permissible value $v_{15K}$ pS for convergent cone with an opening angle = $70^\circ$ .....	36
Figure 10.8 - Permissible value $v_{15K}$ pS for convergent cone (corner joint) with an opening angle = $10^\circ$ to $70^\circ$ .....	37
Figure 11 -- Opening factor CA for flat ends and plates without additional marginal moment .....	38
Figure 12 - Design factors for unstayed circular flat ends and plates .....	40
Figure 13 -- Design factor CE for rectangular or elliptical flat plates .....	41
Figure 14 -- Increased thickness of a cylindrical shell .....	42
Figure 15 -- Increased thickness of a conical shell .....	42
Figure 16 -- Set-on reinforcement ring .....	42
Figure 17 -- Set-in reinforcement ring .....	42
Figure 18 -- Pad reinforcement .....	43
Figure 19 -- Nozzle reinforcement .....	43
Figure 20 -- Necked out opening .....	43
Figure 21 -- Pad .....	44
Figure 22 -- Calculation scheme for cylindrical shells .....	44
Figure 23 -- Calculation scheme for spherical shells .....	45
Figure 24 -- Calculation scheme for adjacent nozzles or in a longitudinal direction of a cylinder .....	45
Figure 25 -- Openings between longitudinal and circumferential direction .....	46
Figure 26 -- Calculation scheme for adjacent nozzles in a sphere or in a circumferential direction of a cylinder .....	46
Figure 27 a) -- Seams which do not require a taper .....	50
Figure 27 b) -- Seams which do require a taper .....	50
Figure 27 -- Plate alignment .....	50
Figure 28 -- Gauge details .....	52
Figure A.1 -- Stress categories and limits of stress intensity .....	68
Figure A.2 -- For vessels not subject to external pressure .....	69
Figure C.1 -- Stress/strain curve for carbon steel .....	79
Figure C.2 -- Stress/strain curve for austenitic stainless steel .....	79
Figure D.1 -- Examples of relief systems .....	84
Figure E.1 -- Joggle joint .....	86
Figure E.2 -- Intermediate end .....	87

<b>Figure E.3 -- Backing strip .....</b>	<b>87</b>
<b>Figure E.4 -- End plate closure (examples) .....</b>	<b>88</b>
<b>Figure E.5 -- Non full penetration nozzle welds .....</b>	<b>88</b>