

ISO 2929:2014-03 (E)

Rubber hoses and hose assemblies for bulk fuel delivery by truck - Specification

| Contents | | Page |
|--|---|-------------|
| Foreword | | iv |
| 1 | Scope | 1 |
| 2 | Normative references | 1 |
| 3 | Terms and definitions | 2 |
| 4 | Classification | 2 |
| 5 | Materials and construction | 2 |
| 6 | Dimensions | 2 |
| 6.1 | Nominal bore, internal diameter, outside diameter and their tolerances, service reeling diameter and minimum bend radius | 2 |
| 6.2 | Concentricity | 3 |
| 6.3 | Tolerance on length | 3 |
| 6.4 | Minimum thickness of lining and cover | 3 |
| 7 | Physical properties | 3 |
| 7.1 | Rubber compounds | 3 |
| 7.2 | Finished hoses and hose assemblies | 4 |
| 8 | Electrical resistance | 5 |
| 8.1 | General | 5 |
| 8.2 | M-grade | 5 |
| 8.3 | -grade | 6 |
| 9 | Types of test | 6 |
| 10 | Design verification testing (type testing) | 6 |
| 11 | Marking | 6 |
| 11.1 | Hoses | 6 |
| 11.2 | Hose assemblies | 7 |
| Annex A (normative) Method of test for strength of adhesion between components | | 8 |
| Annex B (normative) Method of test for flexibility at 20°C | | 9 |
| Annex C (normative) Method of test for flammability | | 10 |
| Annex D (normative) Test method for security of coupling attachment | | 12 |
| Annex E (normative) Tests to be carried out as part of design verification (type) and routine testing | | 13 |
| Annex F (informative) Recommended tests for production acceptance testing | | 14 |
| Bibliography | | 15 |