

ISO 1823:2015-02 (E)

Rubber hose and hose assemblies for oil suction and discharge service - Specification

Contents		Page
Foreword		v
Introduction		vi
1	Scope	1
2	Normative references	1
3	Terms and definitions	2
4	Classification	2
4.1	General	2
4.2	Types	2
4.3	Classes	2
4.4	Grades	3
4.5	Pressure and designations	3
5	Materials and construction	4
5.1	Materials	4
5.1.1	Lining	4
5.1.2	Reinforcing plies	4
5.1.3	Wire helices	4
5.1.4	Internal and armouring wire helices	4
5.1.5	Cover	4
5.2	Construction	4
5.2.1	Type R: Electrically continuous	4
5.2.2	Type A: Electrically continuous	5
5.2.3	Type S: Electrically continuous or electrically discontinuous	5
5.2.4	Type L: Electrically continuous or electrically discontinuous	6
6	End connections	6
6.1	Nipples and flanges	6
6.2	Method of attaching end connections to the hose	7
6.3	Electrically discontinuous assemblies	7
6.4	Electrically continuous assemblies	7
7	Dimensions and tolerances	8
7.1	Dimensions	8
7.2	Length	8
8	Physical properties	9
8.1	Rubber compounds	9
8.2	Finished hose assemblies	9
9	Type tests	11
10	Frequency of testing	11
11	Test report	12
12	Marking	12

Annex A (informative) Information to be supplied by the purchaser	13
Annex B (informative) Recommendations for packaging and transportation of oil suction and discharge hose assemblies	14
Annex C (informative) Masses	15
Annex D (normative) Wet adhesion test	16
Annex E (normative) Hydrostatic test for suction and discharge hose assemblies	18
Annex F (normative) Test frequency for type and routine test	20
Annex G (informative) Test frequency for production test	21
Bibliography	22