

ISO 11237:2017-09 (E)

Rubber hoses and hose assemblies - Compact wire-braid-reinforced hydraulic types for oil-based or water-based fluids - Specification

Contents		Page
Foreword		iv
1	Scope	1
2	Normative references	1
3	Terms and definitions	2
4	Classification	2
5	Materials and construction	2
5.1	Hoses	2
5.2	Hose assemblies	2
6	Dimensions	2
6.1	Hose diameters and cover thickness	2
6.2	Concentricity	3
6.3	Hose cover thickness	3
7	Performance requirements	3
7.1	General	3
7.2	Change in length requirements	4
7.3	Hydrostatic requirements	4
7.4	Minimum bend radius	5
7.5	Resistance to impulse	5
7.5.1	Oil-based fluid impulse test	5
7.5.2	Water-based fluid impulse test	6
7.5.3	Optional impulse test	6
7.6	Leakage of hose assemblies	6
7.7	Cold flexibility	6
7.8	Adhesion between components	6
7.9	Vacuum resistance	7
7.10	Fluid resistance	7
7.10.1	General	7
7.10.2	Oil resistance	7
7.10.3	Water resistance	7
7.11	Ozone resistance	7
7.12	Visual examination	8
8	Marking	8
8.1	Hoses	8
8.2	Hose assemblies	8
9	Recommendations for length of supplied hoses and tolerances on lengths of hose assemblies	8
Annex A (normative) Type and routine testing of production hoses		9
Annex B (informative) Periodic testing of production hoses		10
Annex C (informative) Recommendations for lengths of supplied hoses and length tolerances for hose assemblies		11