

ISO 7867-1:2018 (E)

Metric series for agricultural, forestry machines and construction tyres — Part 1: Tyre designation, dimensions and marking, and tyre/rim coordination

Contents

| | |
|-------|--|
| | Foreword |
| 1 | Scope |
| 2 | Normative references |
| 3 | Terms and definitions |
| 4 | Tyre size designation |
| 4.1 | General |
| 4.2 | Tyre type prefixes |
| 4.3 | Nominal section width |
| 4.4 | Nominal aspect ratio |
| 4.5 | Tyre construction code |
| 4.6 | Nominal rim diameter code |
| 4.7 | Tyre type suffixes |
| 5 | Marking |
| 5.1 | General |
| 5.2 | Tyre size designation |
| 5.3 | Service description |
| 5.4 | Additional information |
| 5.5 | Tyre classification and nomenclature |
| 5.6 | Tyre maximum pressure for bead seating pictogram |
| 6 | Tyre dimensions |
| 6.1 | General |
| 6.2 | Calculation of "design tyre" dimensions |
| 6.2.1 | General |
| 6.2.2 | Theoretical rim width, R_{th} |
| 6.2.3 | Measuring rim width, R_m |
| 6.2.4 | Design tyre section width, S |
| 6.2.5 | Design tyre section height, H |
| 6.2.6 | Design tyre overall diameter, DO |
| 6.3 | Calculation of "minimum overall tyre dimensions" |
| 6.3.1 | Minimum overall width, W_{min} |
| 6.3.2 | Minimum overall diameter, DO_{min} |
| 6.4 | Calculations of "maximum overall tyre dimensions in service" |
| 6.4.1 | General |
| 6.4.2 | Maximum overall width in service, W_{max} |
| 6.4.3 | Maximum overall diameter in service, DO_{max} |
| 6.5 | Coefficients for calculation of tyre dimensions |
| 7 | Tyre dimensional data |
| 8 | Method of measurement of tyre dimensions |
| 9 | Tyre and rim coordination |
| 9.1 | Approved rim widths |
| 9.2 | Approved rim contours |
| 10 | Tyre parameters for vehicle speed reference |

- Annex A (normative) Tyre design dimensions and approved rim width codes**
- Annex B (normative) Dimensional guidelines for rim widths and nominal rim diameters**
- Annex C (informative) Approved rim contours for metric agricultural tractor drive wheel and implements tyres on 5° and 15° tapered rims**
- Annex D (informative) Rolling circumference (RC), rolling circumference index (RCI) and speed radius index (SRI) values for metric drive wheel tyres**

Page count: 35