

ISO 18804:2021 (E)

Rims for agricultural, forestry and construction machines

Contents

| | |
|---------|---|
| | Foreword |
| 1 | Scope |
| 2 | Normative references |
| 3 | Terms and definitions |
| 4 | General |
| 5 | Rim diameter and circumferences |
| 6 | Rim contours and valve holes |
| 6.1 | Drop-centre W, DW and TW rims |
| 6.2 | Drop-centre DH rims |
| 6.3 | Drop-centre MW rims |
| 6.4 | Drop-centre DD rims |
| 6.5 | Other drop-centre rims |
| 6.6 | Semi-drop-centre rims (multi-piece) |
| 6.7 | Divided rims |
| 6.8 | 5° and 3° flat base rims (multi-piece) — DWM, VF and HF |
| 6.9 | Full tapered bead seat rims (multi-piece) — TH |
| 6.10 | AG 15° drop-centre rims |
| 7 | Rim knurling |
| Annex A | (normative) Rim diameter measurements |
| Annex B | (informative) 5° drop-centre rims with nominal diameter codes 15.3 and 16.1 |
| B.1 | General |
| Annex C | (informative) 15° drop-centre rims with nominal diameter codes 14.5, 15.5, 16.5, and 17.5 |
| C.1 | General |

Page count: 26