

ISO 8066-4:2023-07 (E)

Rubber and plastics hoses and hose assemblies for automotive air conditioning - Specification - Part 4: Low vibration transmission type for Refrigerant 1234yf

| Contents | | Page |
|-----------------|--|-------------|
| Foreword | | v |
| 1 | Scope | 1 |
| 2 | Normative references | 1 |
| 3 | Terms and definitions | 1 |
| 4 | Classification | 2 |
| 4.1 | Construction and material | 2 |
| 4.2 | Pressure class | 2 |
| 4.3 | Moisture-ingression grades | 2 |
| 5 | Dimensions | 2 |
| 5.1 | Hose inside diameters | 2 |
| 5.2 | Hose wall thickness variation | 3 |
| 6 | Testing and performance requirements | 3 |
| 6.1 | Test conditions | 3 |
| 6.2 | Gas leakage | 3 |
| 6.2.1 | Method A for type test and production test | 3 |
| 6.2.2 | Procedure for method A | 3 |
| 6.2.3 | Method B for routine test | 3 |
| 6.2.4 | Procedure for method B | 4 |
| 6.3 | Refrigerant permeation | 4 |
| 6.3.1 | Requirement | 4 |
| 6.3.2 | Procedure | 4 |
| 6.4 | Ageing | 4 |
| 6.4.1 | Requirement | 4 |
| 6.4.2 | Procedure | 4 |
| 6.5 | Low-temperature test | 4 |
| 6.6 | Vacuum resistance | 4 |
| 6.6.1 | General | 4 |
| 6.6.2 | Requirement | 4 |
| 6.6.3 | Procedure | 5 |
| 6.7 | Length change under pressure | 5 |
| 6.7.1 | Requirement | 5 |
| 6.7.2 | Procedure | 5 |
| 6.8 | Minimum bursting pressure | 5 |
| 6.9 | Proof pressure | 5 |
| 6.10 | Extraction by R1234yf | 6 |
| 6.11 | Ozone resistance | 6 |
| 6.12 | Hose cleanliness | 6 |
| 6.12.1 | Requirement | 6 |
| 6.12.2 | Procedure | 6 |
| 6.13 | Impulse test | 6 |
| 6.13.1 | Requirement | 6 |
| 6.13.2 | Procedure | 6 |
| 6.14 | Moisture ingression | 7 |
| 6.15 | Coupling integrity (sealability) | 7 |
| 6.16 | Vibration transmissibility | 7 |

| | | |
|-----------|--|-----------|
| 7 | Frequency of testing | 7 |
| 8 | Marking | 8 |
| 9 | Test report | 8 |
| 10 | Recommendations for packaging and storage | 8 |
| | Annex A (normative) Determination of refrigerant permeation | 9 |
| | Annex B (normative) Low-temperature test | 12 |
| | Annex C (normative) Determination of amount of matter extracted from hoses by liquid R1234yf | 13 |
| | Annex D (normative) Impulse test | 14 |
| | Annex E (normative) Moisture ingress test | 18 |
| | Annex F (normative) Coupling integrity (sealability) | 22 |
| | Annex G (normative) Vibration transmissibility | 24 |
| | Annex H (normative) Test frequency | 27 |
| | Annex I (informative) Production tests | 28 |
| | Bibliography | 29 |