

# ISO 1436:2026-01 (E)

## Rubber hoses and hose assemblies - Wire-braid-reinforced hydraulic types for oil-based or water-based fluids - Specification

---

<b>Contents</b>		<b>Page</b>
Foreword .....		iv
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Normative references .....</b>	<b>1</b>
<b>3</b>	<b>Terms and definitions .....</b>	<b>2</b>
<b>4</b>	<b>Classification .....</b>	<b>2</b>
<b>5</b>	<b>Materials and construction .....</b>	<b>2</b>
<b>5.1</b>	<b>Hoses .....</b>	<b>2</b>
<b>5.2</b>	<b>Hose assemblies .....</b>	<b>2</b>
<b>6</b>	<b>Dimensions .....</b>	<b>2</b>
<b>6.1</b>	<b>Hose diameters and hose concentricity .....</b>	<b>2</b>
<b>6.2</b>	<b>Length .....</b>	<b>4</b>
<b>7</b>	<b>Performance requirements .....</b>	<b>4</b>
<b>7.1</b>	<b>General .....</b>	<b>4</b>
<b>7.2</b>	<b>Hydrostatic requirements .....</b>	<b>4</b>
<b>7.3</b>	<b>Minimum bend radius .....</b>	<b>5</b>
<b>7.4</b>	<b>Resistance to impulse .....</b>	<b>5</b>
<b>7.5</b>	<b>Leakage of hose assemblies .....</b>	<b>6</b>
<b>7.6</b>	<b>Low temperature flexibility .....</b>	<b>6</b>
<b>7.7</b>	<b>Adhesion between components .....</b>	<b>6</b>
<b>7.8</b>	<b>Vacuum resistance .....</b>	<b>6</b>
<b>7.9</b>	<b>Abrasion resistance .....</b>	<b>6</b>
<b>7.10</b>	<b>Fluid resistance .....</b>	<b>7</b>
<b>7.10.1</b>	<b>General .....</b>	<b>7</b>
<b>7.10.2</b>	<b>Oil resistance .....</b>	<b>7</b>
<b>7.10.3</b>	<b>Water-based fluid resistance .....</b>	<b>7</b>
<b>7.10.4</b>	<b>Water resistance .....</b>	<b>7</b>
<b>7.11</b>	<b>Ozone resistance .....</b>	<b>7</b>
<b>7.12</b>	<b>Visual examination .....</b>	<b>7</b>
<b>8</b>	<b>Frequency of testing .....</b>	<b>8</b>
<b>9</b>	<b>Marking .....</b>	<b>8</b>
<b>9.1</b>	<b>Hoses .....</b>	<b>8</b>
<b>9.2</b>	<b>Hose assemblies .....</b>	<b>8</b>
<b>Annex A (normative) Test frequency for type tests and routine tests .....</b>		<b>10</b>
<b>Annex B (informative) Recommendations for lengths of supplied hoses and tolerances on length of hose assemblies .....</b>		<b>12</b>
<b>Bibliography .....</b>		<b>13</b>