ISO/PAS 25091:2026-03 (E)

Angular sweep test methods for radio frequency identification (RFID) enabled tyres

Contents

Page

Foreword iv

Introduction v

1 Scope 1

2 Normative references 1

3 Terms and definitions 1

4 Angular sweep methods (ASM) 2
4.1 Technical scope 2
4.2 General operating conditions 3
4.3 Angular exploration 3
4.3.1 Introduction 3
4.3.2 Angular sweep specification 4
4.4 Tag position on the radio frequency identification (RFID) enabled tyre 4
4.5 Considerations of the wheel and the immediate surroundings of the tyre 5
4.6 Measuring distance 5
4.7 Angular sweep method (ASM) A 6
4.7.1 General 6
4.7.2 Method layout 6
4.7.3 Angular data points 8
4.7.4 Measuring process 8
4.8 Angular sweep method (ASM) B 9
4.8.1 General 9
4.8.2 Method layout 9
4.8.3 Angular window 10
4.8.4 Measuring process 12

Annex A (informative) Angular sweep method (ASM) test report for radio frequency identification (RFID) enabled tyres 14

Annex B (informative) Angular sweep performance (ASP) indicator calculation 16

Annex C (informative) Angular sweep method (ASM) exploratory applications 20

Bibliography 22