

ISO/PAS 25091:2026-03 (E)

Angular sweep test methods for radio frequency identification (RFID) enabled tyres

Contents		Page
Foreword		iv
Introduction		v
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Angular sweep methods (ASM)	2
4.1	Technical scope	2
4.2	General operating conditions	3
4.3	Angular exploration	3
4.3.1	Introduction	3
4.3.2	Angular sweep specification	4
4.4	Tag position on the radio frequency identification (RFID) enabled tyre	4
4.5	Considerations of the wheel and the immediate surroundings of the tyre	5
4.6	Measuring distance	5
4.7	Angular sweep method (ASM) A	6
4.7.1	General	6
4.7.2	Method layout	6
4.7.3	Angular data points	8
4.7.4	Measuring process	8
4.8	Angular sweep method (ASM) B	9
4.8.1	General	9
4.8.2	Method layout	9
4.8.3	Angular window	10
4.8.4	Measuring process	12
Annex A (informative) Angular sweep method (ASM) test report for radio frequency identification (RFID) enabled tyres		14
Annex B (informative) Angular sweep performance (ASP) indicator calculation		16
Annex C (informative) Angular sweep method (ASM) exploratory applications		20
Bibliography		22