

ISO 18752:2006-07 (E)

Rubber hoses and hose assemblies - Wire- or textile-reinforced single-pressure types for hydraulic applications - Specification

Contents		Page
Foreword		iv
1	Scope	1
2	Normative references	1
3	Terms and definitions	2
4	Classification	2
4.1	Classes	2
4.2	Grades and types	3
5	Materials and construction	4
5.1	Hoses	4
5.2	Hose assemblies	4
6	Dimensions and tolerances	4
6.1	Diameters	4
6.2	Cover thickness	6
6.3	Concentricity	6
7	Physical properties	7
7.1	Fluid resistance of rubber compounds	7
7.1.1	Test pieces	7
7.1.2	Oil resistance	7
7.2	Performance requirements	7
7.2.1	Hydrostatic requirements	7
7.2.2	Change in length	7
7.2.3	Minimum bend radius	7
7.2.4	Resistance to impulse	9
7.2.5	Leakage of hose assemblies	9
7.2.6	Cold flexibility	9
7.2.7	Adhesion between components	9
7.2.8	Vacuum resistance	9
7.2.9	Abrasion resistance	10
7.2.10	Ozone resistance	10
8	Frequency of testing	10
9	Marking	10
9.1	Hoses	10
9.2	Hose assemblies	11
10	Recommendations for packaging and storage	11
11	Test report	11
Annex A (normative) Type tests and routine tests		12
Annex B (informative) Production acceptance tests		13

Annex C (informative) Recommendations for lengths of supplied hoses and tolerances on lengths of hose assemblies	14
Annex D (informative) Information to be provided by hose manufacturer	15
Bibliography	16