ISO 12460-3:2020 (E)

Wood-based panels — Determination of formaldehyde release — Part 3: Gas analysis method

Contents

Foreword

- 1 Scope
- 2 Normative references
- 3 Terms and definitions
- 4 Principle
- 5 Reagents
- 6 Apparatus
 - 6.1 Main composites of test apparatus (see Figure 1)
 - 6.2 Laboratory equipment
- 7 Sampling and preparation of test pieces
 - 7.1 Preparation of test pieces
 - 7.2 Selection of test pieces for factory production control
 - 7.3 Selection of test pieces for other purposes
 - 7.4 Preparation of test pieces in case of dispute

8 Procedure

- 8.1 Number of determinations
- 8.2 Determination of moisture content
- 8.3 Determination of formaldehyde release
- 8.3.1 General
- 8.3.2 Determination of formaldehyde release Option 1
- 8.3.3 Determination of formaldehyde release Option 2
- 8.3.4 Determination of formaldehyde release Option 3
- 8.3.5 Determination of formaldehyde release Option 4
- 8.4 Determination of formaldehyde content of the absorber solutions
- 8.4.1 General
- 8.4.2 Principle
- 8.4.3 Analytical procedure
- 8.4.4 Calibration curve
- 8.4.4.1 General
- 8.4.4.2 Formaldehyde standard solution
- 8.4.4.3 Formaldehyde calibration solution
- 8.4.4.4 Determination of the calibration curve
- 9 Expression of results
 - 9.1 Gas analysis value
 - 9.2 Calculation of results
 - 9.2.1 Calculation of results of test pieces
 - 9.2.2 Calculation of emission report value
 - 9.3 Moisture content
- 10 Test report