

# DIN EN 12977-3:2012-06 (E)

## Thermal solar systems and components - Custom built systems - Part 3: Performance test methods for solar water heater stores

---

<b>Contents</b>		<b>Page</b>
Foreword .....		5
Introduction .....		6
1	Scope .....	7
2	Normative references .....	7
3	Terms and definitions .....	7
4	Symbols and abbreviations .....	11
5	Store classification .....	12
6	Laboratory store testing .....	13
6.1	Requirements on the testing stand .....	13
6.1.1	General .....	13
6.1.2	Measured quantities and measuring procedure .....	16
6.2	Installation of the store .....	17
6.2.1	Mounting .....	17
6.2.2	Connection .....	17
6.3	Test and evaluation procedures .....	17
6.3.1	General .....	17
6.3.2	Test sequences .....	19
6.3.3	Data processing of the test sequences .....	30
7	Store test combined with a system test according to ISO 9459-5 .....	31
8	Store test according to EN 12897 .....	32
9	Test report .....	32
9.1	General .....	32
9.2	Description of the store .....	32
9.3	Test results .....	33
9.4	Parameters for the simulation .....	34
Annex A (normative) Store model benchmark tests .....		35
A.1	General .....	35
A.2	Temperature of the store during stand-by .....	35
A.3	Heat transfer from heat exchanger to store .....	35
Annex B (normative) Verification of store test results .....		37
B.1	General .....	37
B.2	Test sequences for verification of store test results .....	37
B.2.1	General .....	37
B.2.2	Verification sequences from measurements on a store testing stand .....	37
B.2.3	Test sequences obtained during a whole system test according to ISO 9459-5 .....	44
B.3	Verification procedure .....	44
B.3.1	General .....	44

B.3.2	Error in transferred energies .....	44
B.3.3	Error in transferred power .....	45
Annex C (normative) Benchmarks for the parameter identification .....		46
Annex D (informative) Requirements for the numerical store model .....		47
D.1	General .....	47
D.2	Assumptions .....	47
D.3	Calculation of energy balance .....	47
Annex E (informative) Determination of store parameters by means of "up-scaling" and "down-scaling" .....		49
E.1	General .....	49
E.2	Requirements .....	49
E.3	Determination of store parameters .....	50
E.3.1	Thermal capacity of store .....	50
E.3.2	Height of store .....	50
E.3.3	Determination of heat loss capacity rate .....	50
E.3.4	Relative heights of the connections and the temperature sensors .....	50
E.3.5	Heat exchangers .....	50
E.3.6	Parameter describing the degradation of thermal stratification during stand-by .....	51
E.3.7	Parameter describing the quality of thermal stratification during direct discharge .....	51
Annex F (informative) Determination of hot water comfort .....		52
Bibliography .....		53
Tables Table 1 -- Classification of the stores .....		12
Table 2 -- Measuring data .....		16
Table 3 -- Compilation of the test sequences .....		19
Table 4 -- Flow rates and store inlet temperatures for Test C (group 1) .....		20
Table 5 -- Flow rates and store inlet temperatures for Test C (group 2) .....		21
Table 6 -- Flow rates and store inlet temperatures for Test C (group 3) .....		21
Table 7 -- Flow rates and store inlet temperatures for Test C (group 4) .....		22
Table 8 -- Flow rates and store inlet temperatures for Test L (group 1) .....		23
Table 9 -- Flow rates and storage device inlet temperatures for Test L (group 2) .....		24
Table 10 -- Flow rates and store inlet temperatures for Test L (group 3) .....		24
Table 11 -- Flow rates and store inlet temperatures for Test L (group 4) .....		25
Table 12 -- Flow rates and store inlet temperatures for Test NiA (group 2 or 4) .....		26
Table 13 -- Flow rates and store inlet temperatures for Test EiA .....		27
Table 14 -- Flow rates and storage device inlet temperatures for Test NA (groups 1 and 3) .....		28
Table 15 -- Flow rates and store inlet temperatures for Test NB (group 1 and 3) .....		28
Table 16 -- Flow rates and store inlet temperatures for Test NB (groups 2 and 4) .....		29
Table 17 -- Flow rates and store inlet temperatures for Test EB .....		30

<b>Table A.1 -- Results of the analytical solution .....</b>	<b>36</b>
<b>Table B.1 -- Compilation of the verification sequences .....</b>	<b>38</b>
<b>Table B.2 -- Flow rates and storage device inlet temperatures for Test V (group 1) .....</b>	<b>39</b>
<b>Table B.3 -- Flow rates and storage device inlet temperatures for Test V (group 2) .....</b>	<b>40</b>
<b>Table B.4 -- Flow rates and storage device inlet temperatures for Test V (group 3) .....</b>	<b>41</b>
<b>Table B.5 -- Flow rates and storage device inlet temperatures for Test V (group 4) .....</b>	<b>42</b>
<b>Table B.6 -- Flow rates and storage device inlet temperatures for Test NiA (group 2 or 4) .....</b>	<b>43</b>
<b>Table B.7 -- Flow rates and storage device inlet temperatures for Test EiV .....</b>	<b>44</b>
<b>Figures Page Figure 1 -- Charge circuit of the store-testing stand .....</b>	<b>14</b>
<b>Figure 2 -- Discharge circuit of the store-testing stand .....</b>	<b>15</b>
<b>Figure A.1 -- Store considered as a twin tube heat exchanger .....</b>	<b>36</b>