

# ISO 16484-5:2012-08 (E)

## Building automation and control systems - Part 5: Data communication protocol

Contents	Page
FOREWORD .....	vii
1 PURPOSE.....	1
2 SCOPE.....	1
3 DEFINITIONS .....	1
3.1 Terms Adopted from International Standards .....	1
3.2 Terms Defined for this Standard .....	2
3.3 Abbreviations and Acronyms Used in this Standard.....	6
4 BACnet PROTOCOL ARCHITECTURE.....	9
4.1 The BACnet Collapsed Architecture.....	10
4.2 BACnet Network Topology .....	12
4.3 Security .....	14
5 THE APPLICATION LAYER .....	15
5.1 The Application Layer Model.....	15
5.2 Segmentation of BACnet Messages .....	19
5.3 Transmission of BACnet APDUs.....	20
5.4 Application Protocol State Machines .....	24
5.5 Application Protocol Time Sequence Diagrams .....	41
5.6 Application Layer Service Conventions.....	50
6 THE NETWORK LAYER .....	52
6.1 Network Layer Service Specification.....	52
6.2 Network Layer PDU Structure .....	54
6.3 Messages for Multiple Recipients .....	59
6.4 Network Layer Protocol Messages.....	60
6.5 Network Layer Procedures.....	63
6.6 BACnet Routers .....	65
6.7 Point-To-Point Half-Routers .....	70
7 DATA LINK/PHYSICAL LAYERS: ISO 8802-3 ("Ethernet") LAN.....	75
7.1 The Use of ISO 8802-2 Logical Link Control (LLC).....	75
7.2 Parameters Required by the LLC Primitives.....	75
7.3 Parameters Required by the MAC Primitives .....	75
7.4 Physical Media .....	75
8 DATA LINK/PHYSICAL LAYERS: ARCNET LAN.....	77
8.1 The Use of ISO 8802-2 Logical Link Control (LLC).....	77
8.2 Parameters Required by the LLC Primitives.....	77
8.3 Mapping the LLC Services to the ARCNET MAC Layer .....	77
8.4 Parameters Required by the MAC Primitives .....	77
8.5 Physical Media .....	77
9 DATA LINK/PHYSICAL LAYERS: MASTER-SLAVE/TOKEN PASSING (MS/TP) LAN.....	79
9.1 Service Specification.....	79
9.2 Physical Layer.....	81
9.3 MS/TP Frame Format.....	92
9.4 Overview of the MS/TP Network.....	93
9.5 MS/TP Medium Access Control .....	94
9.6 Cyclic Redundancy Check (CRC).....	111
9.7 Interfacing MS/TP LANs with Other BACnet LANs .....	112
9.8 Responding BACnet User Processing of Messages from MS/TP .....	112
9.9 Repeaters .....	112
10 DATA LINK/PHYSICAL LAYERS: POINT-TO-POINT (PTP).....	114
10.1 Overview .....	114
10.2 Service Specification.....	114
10.3 Point-to-Point Frame Format.....	119
10.4 PTP Medium Access Control Protocol.....	121
11 DATA LINK/PHYSICAL LAYERS: EIA/CEA-709.1 ("LonTalk") LAN .....	142
11.1 The Use of ISO 8802-2 Logical Link Control (LLC).....	142
11.2 Parameters Required by the LLC Primitives.....	142

11.3	Mapping the LLC Services to the LonTalk Application Layer .....	142
11.4	Parameters Required by the Application Layer Primitives .....	142
11.5	Physical Media .....	143
12	MODELING CONTROL DEVICES AS A COLLECTION OF OBJECTS .....	144
12.1	Accumulator Object Type .....	148
12.2	Analog Input Object Type .....	156
12.3	Analog Output Object Type .....	161
12.4	Analog Value Object Type .....	166
12.5	Averaging Object Type .....	171
12.6	Binary Input Object Type .....	174
12.7	Binary Output Object Type .....	179
12.8	Binary Value Object Type .....	185
12.9	Calendar Object Type .....	190
12.10	Command Object Type .....	192
12.11	Device Object Type .....	196
12.12	Event Enrollment Object Type .....	205
12.13	File Object Type .....	211
12.14	Group Object Type .....	214
12.15	Life Safety Point Object Type .....	216
12.16	Life Safety Zone Object Type .....	223
12.17	Loop Object Type .....	230
12.18	Multi-state Input Object Type .....	237
12.19	Multi-state Output Object Type .....	242
12.20	Multi-state Value Object Type .....	246
12.21	Notification Class Object Type .....	251
12.22	Program Object Type .....	254
12.23	Pulse Converter Object Type .....	259
12.24	Schedule Object Type .....	266
12.25	Trend Log Object Type .....	271
12.26	Access Door Object Type .....	279
12.27	Event Log Object Type .....	286
12.28	Load Control Object Type .....	292
12.29	Structured View Object Type .....	301
12.30	Trend Log Multiple Object Type .....	304
12.31	Access Point Object Type .....	312
12.32	Access Zone Object Type .....	327
12.33	Access User Object Type .....	335
12.34	Access Rights Object Type .....	338
12.35	Access Credential Object Type .....	343
12.36	Credential Data Input Object Type .....	351
12.37	CharacterString Value Object Type .....	355
12.38	DateTime Value Object Type .....	360
12.39	Large Analog Value Object Type .....	363
12.40	BitString Value Object Type .....	368
12.41	OctetString Value Object Type .....	372
12.42	Time Value Object Type .....	374
12.43	Integer Value Object Type .....	377
12.44	Positive Integer Value Object Type .....	382
12.45	Date Value Object Type .....	387
12.46	DateTime Pattern Value Object Type .....	390
12.47	Time Pattern Value Object Type .....	393
12.48	Date Pattern Value Object Type .....	396
12.49	Network Security Object Type .....	399
12.50	Global Group Object Type .....	402
13	ALARM AND EVENT SERVICES .....	408
13.1	Change of Value Reporting .....	409
13.2	Intrinsic Reporting .....	412

13.3	Algorithmic Change Reporting .....	419
13.4	Alarm and Event Occurrence and Notification .....	430
13.5	AcknowledgeAlarm Service.....	432
13.6	ConfirmedCOVNotification Service .....	434
13.7	UnconfirmedCOVNotification Service .....	435
13.8	ConfirmedEventNotification Service .....	437
13.9	UnconfirmedEventNotification Service .....	440
13.10	GetAlarmSummary Service .....	442
13.11	GetEnrollmentSummary Service.....	444
13.12	GetEventInformation Service.....	447
13.13	LifeSafetyOperation Service .....	449
13.14	SubscribeCOV Service.....	451
13.15	SubscribeCOVProperty Service .....	454
14	FILE ACCESS SERVICES .....	457
14.1	AtomicReadFile Service.....	458
14.2	AtomicWriteFile Service.....	461
15	OBJECT ACCESS SERVICES .....	464
15.1	AddListElement Service.....	464
15.2	RemoveListElement Service .....	466
15.3	CreateObject Service.....	468
15.4	DeleteObject Service.....	471
15.5	ReadProperty Service .....	472
15.6	Deleted Clause.....	474
15.7	ReadPropertyMultiple Service .....	475
15.8	ReadRange Service .....	478
15.9	WriteProperty Service .....	482
15.10	WritePropertyMultiple Service .....	484
16	REMOTE DEVICE MANAGEMENT SERVICES .....	487
16.1	DeviceCommunicationControl Service.....	487
16.2	ConfirmedPrivateTransfer Service .....	489
16.3	UnconfirmedPrivateTransfer Service .....	491
16.4	ReinitializeDevice Service .....	492
16.5	ConfirmedTextMessage Service .....	494
16.6	UnconfirmedTextMessage Service .....	496
16.7	TimeSynchronization Service .....	497
16.8	UTCTimeSynchronization Service .....	498
16.9	Who-Has and I-Have Services .....	499
16.10	Who-Is and I-Am Services .....	501
17	VIRTUAL TERMINAL SERVICES.....	503
17.1	Virtual Terminal Model.....	503
17.2	VT-Open Service.....	507
17.3	VT-Close Service .....	509
17.4	VT-Data Service.....	510
17.5	Default-terminal Characteristics.....	512
18	ERROR, REJECT, and ABORT CODES.....	516
18.1	Error Class - DEVICE.....	516
18.2	Error Class - OBJECT.....	516
18.3	Error Class - PROPERTY .....	517
18.4	Error Class - RESOURCES .....	518
18.5	Error Class - SECURITY .....	518
18.6	Error Class - SERVICES.....	520
18.7	Error Class - COMMUNICATION.....	521
18.8	Error Class - VT.....	523
18.9	Reject Reason.....	524
18.10	Abort Reason.....	524
18.11	Confirmed Service Common Errors.....	525
19	BACnet PROCEDURES .....	526

19.1	Backup and Restore.....	526
19.2	Command Prioritization .....	530
19.3	Device Restart Procedure .....	533
20	ENCODING BACnet PROTOCOL DATA UNITS .....	535
20.1	Encoding the Fixed Part of BACnet APDUs.....	535
20.2	Encoding the Variable Part of BACnet APDUs.....	546
21	FORMAL DESCRIPTION OF APPLICATION PROTOCOL DATA UNITS .....	559
22	CONFORMANCE AND INTEROPERABILITY .....	629
22.1	Conformance to BACnet.....	629
22.2	BACnet Interoperability .....	630
23	EXTENDING BACnet TO ACCOMMODATE VENDOR PROPRIETARY INFORMATION .....	632
23.1	Extending Enumeration Values.....	632
23.2	Using the PrivateTransfer Services to Invoke Non-Standardized Services.....	633
23.3	Adding Proprietary Properties to a Standardized Object.....	633
23.4	Adding Proprietary Object Types to BACnet.....	634
23.5	Restrictions on Extending BACnet .....	634
24	NETWORK SECURITY .....	635
24.1	Overview .....	635
24.2	Security Wrapper.....	639
24.3	Security Messages.....	643
24.4	Securing an APDU .....	658
24.5	Securing an NPDU .....	660
24.6	Securing a BVLL .....	660
24.7	Securing Messages .....	662
24.8	Network Security Network Trust Levels.....	664
24.9	Network Security Policies .....	665
24.10	Network Security.....	665
24.11	End-to-End Security .....	666
24.12	Wrapping and Unwrapping Secure Messages .....	667
24.13	Authenticating Messages.....	669
24.14	User Authentication.....	671
24.15	Time Synchronization Requirements .....	672
24.16	Integrating the Security Layer into the BACnet Stack .....	673
24.17	BACnet Security In A NAT Environment .....	680
24.18	BACnet Security Proxy.....	680
24.19	Deploying Secure Device on Non-Security Aware Networks.....	681
24.20	Deploying Secure Single Network Installations.....	681
24.21	Security Keys .....	681
24.22	Key Server.....	683
25	REFERENCES .....	687
	ANNEX A - PROTOCOL IMPLEMENTATION CONFORMANCE STATEMENT (NORMATIVE) .....	690
	ANNEX B - GUIDE TO SPECIFYING BACnet DEVICES (INFORMATIVE).....	693
	ANNEX C - FORMAL DESCRIPTION OF OBJECT TYPE STRUCTURES (INFORMATIVE).....	694
	ANNEX D - EXAMPLES OF STANDARD OBJECT TYPES (INFORMATIVE).....	719
	ANNEX E - EXAMPLES OF BACnet APPLICATION SERVICES (INFORMATIVE).....	754
	E.1 Alarm and Event Services .....	754
	E.2 File Access Services.....	758
	E.3 Object Access Services .....	760
	E.4 Remote Device Management Services .....	765
	E.5 Virtual Terminal Services.....	769
	ANNEX F - EXAMPLES OF APDU ENCODING (INFORMATIVE) .....	771
	F.1 Example Encodings for Alarm and Event Services.....	771
	F.2 Example Encodings for File Access Services.....	780
	F.3 Example Encodings for Object Access Services .....	782
	F.4 Example Encodings for Remote Device Management Services.....	791
	F.5 Example Encodings for Virtual Terminal Services .....	795
	ANNEX G - CALCULATION OF CRC (INFORMATIVE).....	798

G.1 Calculation of the Header CRC .....	798
G.2 Calculation of the Data CRC .....	804
ANNEX H - COMBINING BACnet NETWORKS WITH NON-BACnet NETWORKS (NORMATIVE) .....	809
H.1 Mapping Non-BACnet Networks onto BACnet Routers .....	809
H.2 Multiple "Virtual" BACnet Devices in a Single Physical Device.....	809
H.3 Using BACnet with the DARPA Internet Protocols .....	809
H.4 Using BACnet with the IPX Protocol .....	810
H.5 Using BACnet with EIB/KNX.....	812
H.6 Using BACnet with the BACnet/WS Web Services Interface (Annex N).....	823
H.7 Virtual MAC Addressing .....	825
ANNEX I - COMMANDABLE PROPERTIES WITH MINIMUM ON AND OFF TIMES (INFORMATIVE).....	826
ANNEX J - BACnet/IP (NORMATIVE).....	828
J.1 General .....	828
J.2 BACnet Virtual Link Layer.....	828
J.3 BACnet/IP Directed Messages .....	832
J.4 BACnet/IP Broadcast Messages .....	832
J.5 Addition of Foreign B/IP Devices to an Existing B/IP Network .....	834
J.6 Routing Between B/IP and non-B/IP BACnet Networks .....	836
J.7 Routing Between Two B/IP BACnet Networks.....	837
J.8 Use of IP Multicast within BACnet/IP .....	842
J.9 Sources for Internet Information.....	843
ANNEX K - BACnet INTEROPERABILITY BUILDING BLOCKS (BIBBs) (NORMATIVE).....	844
K.1 Data Sharing BIBBs.....	844
K.2 Alarm and Event Management BIBBs.....	851
K.3 Scheduling BIBBs.....	857
K.4 Trending BIBBs.....	860
K.5 Device and Network Management BIBBs .....	864
ANNEX L - DESCRIPTIONS AND PROFILES OF STANDARDIZED BACnet DEVICES (NORMATIVE).....	872
L.1 Operator Interfaces .....	872
L.2 BACnet Building Controller (B-BC).....	874
L.3 BACnet Advanced Application Controller (B-AAC).....	874
L.4 BACnet Application Specific Controller (B-ASC) .....	875
L.5 BACnet Smart Actuator (B-SA).....	875
L.6 BACnet Smart Sensor (B-SS) .....	876
L.7 Profiles of the Standard BACnet Devices .....	877
ANNEX M - GUIDE TO EVENT NOTIFICATION PRIORITY ASSIGNMENTS (INFORMATIVE).....	878
ANNEX N - BACnet/WS WEB SERVICES INTERFACE (NORMATIVE) .....	882
N.1 Data Model .....	882
N.2 Paths.....	883
N.3 Normalized Points.....	883
N.4 Reference Nodes .....	884
N.5 Localization .....	884
N.6 Security .....	884
N.7 Sessions.....	885
N.8 Attributes .....	885
N.9 Standard Nodes.....	891
N.10 Encodings.....	892
N.11 Service Options.....	893
N.12 Services.....	896
N.13 Errors .....	914
N.14 Extending BACnet/WS .....	915
ANNEX O - BACnet OVER ZigBee AS A DATA LINK LAYER (NORMATIVE).....	916
O.1 General.....	916
O.2 ZigBee Overview .....	916
O.3 Definitions .....	917
O.4 Unicast Addressing.....	917
O.5 Broadcast Addressing .....	917

O.6 BACnet/ZigBee Data Link Layer (BZLL)..... 918  
O.7 Maximum Payload Size ..... 921  
O.8 Vendor Specific Commands ..... 921  
ANNEX P - BACnet ENCODING OF STANDARD AUTHENTICATION FACTOR FORMATS (NORMATIVE) ..... 922  
ANNEX Q - XML DATA FORMATS (NORMATIVE) ..... 928  
Q.1 Introduction..... 928  
Q.2 Document Structure ..... 931  
Q.3 Expressing BACnet Datatypes in XML..... 932  
Q.4 Expressing BACnet Objects and Properties in XML..... 966  
Q.5 Definitions, Types, Instances, and Inheritance ..... 966  
Q.7 Extensibility ..... 973  
ANNEX R - MAPPING NETWORK LAYER ERRORS (NORMATIVE) ..... 976  
ANNEX S - EXAMPLES OF SECURE BACnet MESSAGES (INFORMATIVE)..... 978  
HISTORY OF REVISIONS ..... 993