

# ISO/IEC 14908-1:2012-11 (E)

## Information technology - Control network protocol - Part 1: Protocol stack

---

### Contents

Page

Foreword .....	7
Introduction.....	8
1 Scope.....	9
2 Normative references.....	9
3 Terms and definitions .....	9
4 Symbols and abbreviations.....	11
4.1 Symbols and graphical representations .....	11
4.2 Abbreviations.....	12
5 Overview of protocol layering.....	13
6 MAC sublayer.....	15
6.1 Service provided.....	15
6.2 Interface to the link layer .....	15
6.3 Interface to the physical layer.....	16
6.4 MPDU format.....	17
6.5 Predictive $p$ -persistent CSMA — overview description .....	17
6.6 Idle channel detection.....	18
6.7 Randomising.....	19
6.8 Backlog estimation.....	19
6.9 Optional priority.....	20
6.10 Optional collision detection .....	21
6.11 Beta1, Beta2 and Preamble Timings .....	21
7 Link layer.....	23
7.1 Assumptions.....	23
7.2 Service provided.....	24
7.3 CRC.....	24
7.4 Transmit algorithm.....	25
8 Network layer .....	26
8.1 Assumptions.....	26
8.2 Service provided.....	27
8.3 Service interface.....	27
8.4 Internal structuring of the network layer .....	28
8.5 NPDU format .....	28
8.6 Address recognition.....	29
8.7 Routers .....	29
8.8 Routing algorithm.....	30
8.9 Learning algorithm — subnets .....	30
9 Transaction control sublayer .....	30
9.1 Assumptions.....	30
9.2 Service provided.....	31
9.3 Service interface.....	31
9.4 State variables .....	31
9.5 Transaction control algorithm .....	32
10 Transport layer .....	32
10.1 Assumptions.....	32
10.2 Service provided.....	32
10.3 Service interface.....	33
10.4 TPDU types and formats.....	33

10.5	Protocol diagram .....	35
10.6	Transport protocol state variables .....	35
10.7	Send algorithm .....	35
10.8	Receive algorithm.....	36
10.9	Receive transaction record pool size and configuration engineering.....	36
10.9.1	General .....	36
10.9.2	Number of retries.....	36
10.9.3	Transport layer timers.....	37
11	Session layer .....	38
11.1	Assumptions.....	38
11.2	Service Provided .....	38
11.3	Service interface.....	39
11.4	Internal structure of the session layer .....	40
11.5	SPDU types and formats .....	41
11.6	Protocol timing diagrams .....	42
11.7	Request-response state variables .....	44
11.8	Request-response protocol — client part.....	45
11.9	Request-response protocol — server part .....	45
11.10	Request-response protocol timers.....	45
11.11	Authentication protocol.....	46
11.12	Encryption algorithm .....	46
11.13	Retries and the role of the checksum function .....	46
11.14	Random Number Generation .....	47
11.15	Using Authentication .....	47
12	Presentation/application layer .....	47
12.1	Assumptions.....	47
12.2	Service provided.....	47
12.3	Service interface.....	48
12.4	APDU types and formats .....	49
12.5	Protocol diagrams .....	50
12.6	Application protocol state variables .....	51
12.7	Request - response messaging in offline state.....	51
12.8	Network variables.....	52
12.8.1	General .....	52
12.8.2	Network variable processing .....	52
12.9	Error notification to the application program.....	53
12.9.1	General .....	53
12.9.2	Error notification for messages .....	53
12.9.3	Error notification for network variables .....	53
13	Network management & diagnostics .....	53
13.1	Assumptions.....	53
13.2	Services provided.....	54
13.3	Network management and diagnostics application structure.....	54
13.4	Node states .....	54
13.5	Using the network management services.....	55
13.5.1	General .....	55
13.5.2	Addressing considerations .....	55
13.5.3	Making network configuration changes.....	56
13.5.4	Downloading an Application Program .....	56
13.5.5	Error handling conditions (informative).....	56
13.6	Using router network management commands .....	59
13.7	NMPDU formats and types .....	60
13.7.1	General .....	60
13.7.2	Query ID.....	60
13.7.3	Respond to query .....	61
13.7.4	Update domain.....	61
13.7.5	Leave domain.....	61
13.7.6	Update key .....	61

13.7.7	Update address.....	62
13.7.8	Query address .....	62
13.7.9	Query network variable configuration.....	62
13.7.10	Update group address .....	62
13.7.11	Query domain .....	62
13.7.12	Update network variable configuration.....	62
13.7.13	Set node mode.....	63
13.7.14	Read memory.....	63
13.7.15	Write memory.....	63
13.7.16	Checksum recalculate.....	63
13.7.17	Install .....	64
13.7.18	Memory refresh.....	78
13.7.19	Query SI.....	78
13.7.20	Network variable value fetch .....	79
13.7.21	Manual service request message .....	79
13.7.22	Network management escape code .....	79
13.7.23	Router mode .....	80
13.7.24	Router clear group or subnet table .....	80
13.7.25	Router group or subnet table download .....	80
13.7.26	Router group forward.....	80
13.7.27	Router subnet forward.....	80
13.7.28	Router Do Not forward group.....	80
13.7.29	Router Do Not forward subnet.....	80
13.7.30	Router group or subnet table report .....	80
13.7.31	Router status .....	81
13.7.32	Router half escape code.....	81
13.8	DPDU types and formats .....	81
13.8.1	General .....	81
13.8.2	Query status.....	81
13.8.3	Proxy status .....	85
13.8.4	Clear status .....	85
13.8.5	Query transceiver status .....	85
Annex A	(normative) Reference implementation .....	86
A.1	General .....	86
A.2	Predictive CSMA algorithm .....	86
A.3	LPDU transmit algorithm .....	141
A.4	LPDU receive algorithm.....	143
A.5	Routing algorithm.....	144
A.6	Learning algorithm.....	145
A.7	Transaction control algorithm .....	145
A.8	Network layer algorithm.....	152
A.9	TPDU and SPDU send algorithm with authentication .....	168
A.10	Application Layer .....	223
A.11	Network Management Commands.....	278
A.12	Configuration data structures .....	315
A.13	Include files for the reference implementation .....	334
A.14	Application protocol state variables and address recognition Structures .....	363
A.15	Query-id data structures.....	366
A.16	Respond to query data structure.....	366
A.17	Update somain data structures.....	367
A.18	Leave domain data structures .....	367
A.19	Update key data structures .....	367
A.20	Update address data structures .....	367
A.21	Query address data structures .....	368
A.22	Query NV Cnfg data structures.....	369
A.23	Update group address data structures .....	369
A.24	Query domain data structures .....	369
A.25	Update network variable configuration data structures.....	370
A.26	Set node mode data structures.....	370

A.27	Read memory data structures.....	370
A.28	Write memory data structures .....	371
A.29	Checksum recalculate data structures .....	371
A.30	Install command data structures .....	371
A.31	Memory refresh data structures .....	380
A.32	Query SI data structures.....	380
A.33	NV fetch data structures.....	380
A.34	Manual service request message ddata structures.....	380
A.35	Product query data structures .....	381
A.36	Router mode data structures .....	381
A.37	Router table clear group or subnet table data structures.....	381
A.38	Router group or subnet download data structures .....	381
A.39	Router group forward data structures .....	382
A.40	Router subnet forward data structures.....	382
A.41	Router group No-Forward data structures .....	382
A.42	Router subnet No-Forward data structures.....	382
A.43	Group / subnet table report data structures.....	383
A.44	Router status data structures .....	383
A.45	Query status data structures .....	383
A.46	Proxy status data structures.....	384
A.47	Clear status data structures .....	384
A.48	Query transceiver status data structures .....	384
Annex B	(normative) Additional Data Structures.....	385
B.1	General .....	385
B.1.1	System image .....	385
B.1.2	Application image.....	385
B.1.3	Network image.....	386
B.2	Read-only structures.....	386
B.2.1	Fixed read-only data structures.....	386
B.2.2	Read-only structure field descriptions.....	387
B.3	Domain table .....	390
B.3.1	Domain table field descriptions .....	391
B.4	Address table.....	391
B.4.1	Declaration of group address format .....	392
B.4.2	Group address field descriptions .....	392
B.4.3	Declaration of subnet/node address format.....	392
B.4.4	Subnet/node address field descriptions .....	393
B.4.5	Declaration of broadcast address format .....	393
B.4.6	Broadcast address field descriptions .....	393
B.4.7	Declaration of turnaround address format .....	393
B.4.8	Turnaround address field descriptions.....	394
B.4.9	Declaration of protocol processor's address format .....	394
B.4.10	Protocol processor address field descriptions.....	394
B.4.11	Timer field descriptions .....	394
B.5	Network variable tables - informative.....	395
B.5.1	Network variable configuration table field descriptions - informative .....	396
B.5.2	Network variable alias table field descriptions - informative.....	397
B.5.3	Network variable fixed table field descriptions - informative .....	397
B.6	Self-Identification structures.....	397
B.6.1	SI Structure field descriptions .....	398
B.6.2	NV descriptor table field descriptions.....	398
B.6.3	SNVT table extension records .....	399
B.6.4	SNVT alias field descriptions .....	400
B.6.5	Version 2 SI data.....	400
B.7	Configuration structure .....	403
B.7.1	General .....	403
B.7.2	Configuration structure field descriptions .....	404
B.8	Statistics relative structure .....	405
Annex C	(informative) Behavioral characteristics .....	407

C.1	Channel capacity and throughput .....	407
C.2	Network metrics .....	408
C.3	Transaction metrics .....	409
C.4	Boundary conditions — power-up .....	410
C.5	Boundary conditions — high load .....	410
Annex D (normative) PDU summary .....		411
Annex E (normative) Naming and addressing .....		413
E.1	Address types and formats .....	413
E.2	Domains .....	413
E.3	Subnets and nodes .....	414
E.4	Groups .....	414
E.5	Unique_Node_ID and node address assignment.....	415
E.6	NPDU addressing .....	416
Annex F (normative) List of patents that pertain to this International Standard .....		418
Bibliography.....		420

### Figures

Figure 1	— Network topology & symbols .....	12
Figure 2	— Protocol terminology .....	12
Figure 3	— Protocol layering .....	14
Figure 4	— Interface between the MAC and the link layers .....	16
Figure 5	— MPDU/LPDU format .....	17
Figure 6	— Predictive $p$ -persistent CSMA concepts and parameters.....	18
Figure 7	— Allocation of priority slots within the Busy Channel Packet Cycle.....	20
Figure 8	— CRC register state behaviour example .....	25
Figure 9	— Single channel topologies.....	26
Figure 10	— Typical tree-like domain topology .....	27
Figure 11	— Network service interface .....	28
Figure 12	— Network layer—internal structure .....	28
Figure 13	— NPDU format .....	28
Figure 14	— Transaction control service interface.....	31
Figure 15	— Transport interface to upper layers.....	33
Figure 16	— TPDU types and formats .....	34
Figure 17	— Transport protocol diagram for multicast message with a loss of both the message and the ACK TPDU.....	35
Figure 18	— Transport protocol—Send FSM.....	36
Figure 19	— Transport protocol—Receive FSM .....	36
Figure 20	— Probability of transaction completion in $k$ Retries.....	37

Figure 21 — Methodology for calculating timer values .....	38
Figure 22 — Session layer interface to application layer .....	39
Figure 23 — Session layer—internal structuring.....	40
Figure 24 — SPDU types and formats .....	41
Figure 25 — Non-Idempotent request with multiple SPDU losses.....	43
Figure 26 — Secure idempotent request with multiple SPDU losses .....	44
Figure 27 — Request-response protocol—client FSM.....	45
Figure 28 — Request-response protocol—simplified server FSM .....	45
Figure 29 — Application layer interface .....	48
Figure 30 — APDU format.....	49
Figure 31 — Application protocol diagram for multicast acknowledged transaction.....	50
Figure 32 — Application protocol diagram for multicast request/response transaction .....	51
Figure B.1 — SI data .....	400
Figure C.1 — Probability of successful delivery over k hops .....	409
Figure D.1 — Protocol PDU summary .....	412
Figure E.1 — Physical topology and logical addressing (single domain) .....	415
Figure E.2 — NPDU/TPDU/SPDU addressing—physical address formats.....	416

### Tables

Table 1 — Application layer primitives .....	48
Table 2 — Resource codes .....	65
Table 3 — Space of the property ID .....	65
Table B.1 — Buffer size encodings .....	389
Table B.2 — Buffer Count Encodings .....	390
Table B.3 — Encoding of timer field values .....	395
Table B.4 — Buffer timeout encoding .....	405
Table C.1 — Key throughput parameters.....	408
Table E.1 — NPDU/TPDU/SPDU addressing - logical address formats .....	416
Table F.1 — Patents in the US.....	418
Table F.2 — Patents in Europe and other countries .....	419