

# DIN EN 13757-1:2015-01 (E)

## Communication systems for meters - Part 1: Data exchange

---

| <b>Contents</b>    |   | <b>Page</b> |
|--------------------|---|-------------|
| Foreword .....     |   | 9           |
| Introduction ..... |   | 10          |
| <b>1</b>           | <b>Scope .....</b>  | <b>11</b>   |
| <b>2</b>           | <b>Normative references .....</b>                           | <b>11</b>   |
| <b>3</b>           | <b>Terms and definitions .....</b>                          | <b>13</b>   |
| <b>4</b>           | <b>General description and security .....</b>               | <b>15</b>   |
| 4.1                | Basic vocabulary .....                                      | 15          |
| 4.2                | Layered protocols .....                                     | 15          |
| 4.2.1              | General .....   | 15          |
| 4.2.2              | 7 Layer Protocol .....                                      | 15          |
| 4.2.3              | IP Protocol .....   | 16          |
| 4.2.4              | 3 Layer Protocol .....                                      | 17          |
| 4.3                | Security .....  | 18          |
| 4.3.1              | General .....   | 18          |
| 4.3.2              | Security Requirement Analysis/ Threat Analysis .....        | 19          |
| 4.3.3              | Key Management .....  | 19          |
| 4.3.4              | COSEM Upper Layer Security .....                            | 20          |
| 4.3.5              | Lower Layer Security .....                                  | 21          |
| <b>5</b>           | <b>Network Architecture .....</b>                           | <b>22</b>   |
| 5.1                | M/441 Mandate .....   | 22          |
| 5.2                | General .....   | 23          |
| 5.3                | Basic architecture .....                                    | 23          |
| 5.4                | Metering Architecture .....                                 | 24          |
| 5.5                | One unique access point at any time: a tree structure ..... | 26          |
| 5.6                | Self-configurable network .....                             | 26          |
| 5.7                | Hand Held Unit for local access .....                       | 26          |
| 5.8                | Network layers .....  | 26          |
| 5.9                | Multiple access .....                                       | 26          |
| <b>6</b>           | <b>Application Layers for Metering .....</b>                | <b>27</b>   |
| 6.1                | General .....   | 27          |
| 6.2                | COSEM Application Layer for Metering .....                  | 27          |
| 6.3                | Companion Specification .....                               | 27          |
| 6.4                | COSEM Basic Principles .....                                | 28          |
| 6.5                | Management of a COSEM Device .....                          | 29          |
| 6.6                | Lower layers .....  | 29          |
| <b>7</b>           | <b>Data Exchange .....</b>                                  | <b>30</b>   |
| 7.1                | General .....   | 30          |
| 7.2                | Data exchange using direct local connection .....           | 30          |
| 7.2.1              | General .....   | 30          |
| 7.2.2              | Security .....  | 31          |
| 7.2.3              | Physical layer .....  | 31          |
| 7.2.4              | Link Layer .....  | 31          |
| 7.3                | Data exchange using wired local area network (LAN) .....    | 31          |
| 7.3.1              | General .....   | 31          |

|        |   |    |
|--------|---|----|
| 7.3.2  | Twisted pair, baseband signalling .....   | 32 |
| 7.3.3  | Twisted pair, baseband limited systems .....  | 32 |
| 7.3.4  | Twisted pair, carrier signalling .....  | 32 |
| 7.4    | Data exchange using wide area network (WAN) .....   | 32 |
| 7.4.1  | General .....   | 32 |
| 7.4.2  | PSTN based connection .....   | 32 |
| 7.4.3  | IP connection .....   | 36 |
| 7.5    | Data exchange using M-Bus radio communication .....   | 37 |
| 7.5.1  | General .....   | 37 |
| 7.5.2  | Basic M- Bus radio networks .....   | 38 |
| 7.5.3  | Routed M-Bus radio networks .....   | 38 |
| 7.6    | Data Exchange using HDLC for some innovative communications technologies and local interfaces ..... | 38 |
| 7.6.1  | General .....   | 38 |
| 7.6.2  | Security .....  | 38 |
| 7.6.3  | Physical layer .....  | 38 |
| 7.6.4  | Link Layer .....  | 39 |
| 8      | Upper Layer Protocols .....   | 39 |
| 8.1    | Introduction .....  | 39 |
| 8.2    | Transport sub-layer .....   | 39 |
| 8.2.1  | Introduction .....  | 39 |
| 8.2.2  | EN 62056-46 related Transport sub-layer .....   | 40 |
| 8.2.3  | EN 62056-47 related Transport sub-layer .....   | 40 |
| 8.2.4  | Transport sub-layer .....   | 40 |
| 8.3    | Application sub-layer .....   | 42 |
| 8.3.1  | Introduction .....  | 42 |
| 8.3.2  | Application layer structure .....   | 42 |
| 8.3.3  | Service specification .....   | 42 |
| 8.3.4  | Protocol specification .....  | 43 |
| 9      | Cross-application data handling .....   | 43 |
| 9.1    | General .....   | 43 |
| 9.2    | Data tunnelling .....   | 43 |
| 9.2.1  | General .....   | 43 |
| 9.2.2  | M-Bus Application Layer transferred by DLMS .....   | 44 |
| 9.3    | Data translation .....  | 48 |
| 10     | Extensions to COSEM .....   | 49 |
| 10.1   | Introduction .....  | 49 |
| 10.2   | Dedicated Interface classes .....   | 49 |
| 10.3   | Specific object types -- Error reporting object .....   | 56 |
| 10.3.1 | Introduction .....  | 56 |
| 10.3.2 | General error object .....  | 57 |
| 10.3.3 | Media specific error object .....   | 58 |
| 10.3.4 | Manufacturer specific error object .....  | 58 |
| 11     | Object Identification System (OBIS) .....   | 58 |
| 11.1   | Object Identification System (Variable naming rules) .....  | 58 |
| 11.1.1 | Introduction .....  | 58 |
| 11.1.2 | Structure .....   | 58 |
| 11.1.3 | Manufacturer, utility, consortia and country specific codes .....                                   | 59 |
| 11.1.4 | Common value groups .....   | 60 |
| 11.2   | Abstract Objects (A = 0) .....  | 63 |
| 11.2.1 | Abstract objects, general service entries .....   | 63 |
| 11.2.2 | Error registers, alarm registers and alarm filters - Abstract .....                                 | 68 |
| 11.2.3 | List objects - Abstract .....   | 68 |
| 11.2.4 | Register table objects - Abstract .....   | 69 |
| 11.2.5 | Data profile objects - Abstract .....   | 69 |
| 11.3   | Media specific value groups .....   | 69 |
| 11.3.1 | General .....   | 69 |
| 11.3.2 | Value groups specific to Heat Cost Allocators .....   | 69 |

|   |   |            |
|---|---|------------|
| 11.3.3  | Value groups specific to Heat or Cooling Meters .....         | 73         |
| 11.3.4  | Value groups specific to Gas Meters .....                     | 79         |
| 11.3.5  | Value groups specific to Water Meters (A = 8 and A = 9) ..... | 108        |
| 11.4  | Other media (Value group A = F) .....                         | 111        |
| 11.4.1  | General .....   | 111        |
| 11.4.2  | Value group C codes - Other media .....                       | 112        |
| 11.4.3  | Value group D codes - Other media .....                       | 112        |
| 11.4.4  | Value group E codes - Other media .....                       | 112        |
| 11.4.5  | Value group F codes - Other media .....                       | 112        |
| 11.5  | Code presentation .....                                       | 112        |
| 11.5.1  | Reduced ID codes (e.g. for EN 62056-21) .....                 | 112        |
| 11.5.2  | Display .....   | 113        |
| 11.5.3  | Special handling of value group F .....                       | 113        |
| <b>Annex A (normative) Basic class meters .....</b> |   | <b>115</b> |
| A.1   | General .....   | 115        |
| A.2   | Basic requirements for Heat Cost Allocators .....             | 115        |
| A.3   | Basic requirements for Heat/ Cooling meters .....             | 116        |
| A.4   | Basic requirements for Gas meters .....                       | 116        |
| A.5   | Basic requirements for Cold/ Hot water meters .....           | 117        |
| <b>Annex B (informative) DLMS Glossary .....</b>    |   | <b>118</b> |
| B.1   | Introduction .....  | 118        |
| B.2   | Activation mask .....   | 118        |
| B.3   | Activity calendar .....                                       | 118        |
| B.4   | Association LN .....  | 118        |
| B.5   | Association SN .....  | 118        |
| B.6   | Automatic capturing .....                                     | 118        |
| B.7   | Billing Period in COSEM .....                                 | 118        |
| B.8   | Capture .....   | 119        |
| B.9   | Channel .....   | 119        |
| B.10  | Clock .....   | 119        |
| B.11  | Current and last average value objects .....                  | 120        |
| B.12  | Date and time .....   | 120        |
| B.13  | Daylight saving .....   | 120        |
| B.14  | Demand Register .....   | 120        |
| B.15  | Device ID .....   | 122        |
| B.16  | Error values .....  | 122        |
| B.17  | High level security .....                                     | 123        |
| B.18  | Interface modelling .....                                     | 123        |
| B.19  | I/O Control Signals .....                                     | 123        |
| B.20  | Interoperability .....  | 123        |
| B.21  | Logical device .....  | 123        |
| B.22  | Logical name referencing .....                                | 124        |
| B.23  | Low level security .....                                      | 124        |
| B.24  | Manufacturer defined ID-s .....                               | 124        |
| B.25  | Manufacturer specific abstract objects .....                  | 124        |
| B.26  | Manufacturer specific class id .....                          | 124        |
| B.27  | Manufacturer specific data and parameters .....               | 124        |
| B.28  | Manufacturer specific OBIS codes .....                        | 125        |
| B.29  | Maximum and minimum value objects .....                       | 125        |
| B.30  | Measurement of different media .....                          | 125        |
| B.31  | Measurement method and tariffs .....                          | 125        |
| B.32  | Measurement values series .....                               | 125        |
| B.33  | Missing measurement values .....                              | 125        |
| B.34  | Node .....  | 125        |
| B.35  | Password .....  | 126        |
| B.36  | Physical device .....   | 126        |
| B.37  | Power failure handling .....                                  | 126        |
| B.38  | Power failure monitoring .....                                | 126        |

|  |  |     |
|--|--|-----|
| B.39   | Preferred readout-values .....   | 127 |
| B.40   | Profile objects .....  | 127 |
| B.41   | Profile for billing periods .....  | 127 |
| B.42   | Profile generic interface class .....  | 127 |
| B.43   | Register interface class .....   | 127 |
| B.44   | Reset, IC Demand register .....  | 127 |
| B.45   | Reset, IC Extended register .....  | 128 |
| B.46   | Reset, IC Profile generic .....  | 128 |
| B.47   | Reset, IC Register .....   | 128 |
| B.48   | Reset, indication of source .....  | 128 |
| B.49   | Scaler .....   | 128 |
| B.50   | Scaler-unit .....  | 128 |
| B.51   | Schedule .....   | 128 |
| B.52   | Script .....   | 128 |
| B.53   | Script table interface class .....   | 129 |
| B.54   | Season .....   | 129 |
| B.55   | Selective access .....   | 129 |
| B.56   | Set date .....   | 129 |
| B.57   | Short name referencing .....   | 129 |
| B.58   | Special days table interface class .....   | 129 |
| B.59   | Standard readout definitions .....   | 129 |
| B.60   | Tariff .....   | 129 |
| B.61   | Tariffication .....  | 129 |
| B.62   | Threshold .....  | 130 |
| B.63   | Time integral value objects .....  | 130 |
| B.64   | Time setting, in relation with IC Schedule .....   | 130 |
| B.64.1   | General .....  | 130 |
| B.64.2   | Time setting forward .....   | 130 |
| B.64.3   | Time setting backward .....  | 130 |
| B.64.4   | Time synchronization .....   | 131 |
| B.64.5   | Daylight Saving .....  | 131 |
| B.65   | Time stamps (in relation with IC PSTN Auto dial) .....   | 131 |
| B.66   | Time stamp (in relation with billing periods) .....  | 131 |
| B.67   | Time synchronization .....   | 131 |
| B.68   | Unique identifier .....  | 131 |
| B.69   | Unit .....   | 131 |
| B.70   | Utility tables .....   | 134 |
| Annex C (informative) Gas Volume Conversion .....      |  | 135 |
| C.1  | Introduction .....   | 135 |
| C.2  | Foreword to abstract data model of gas volume converter .....  | 135 |
| C.3  | Abstract data model of gas volume converter -- Common objects in gas conversion and energy calculation ..... | 136 |
| C.4  | Principle of measurement for volume conversion and energy calculation .....                                  | 137 |
| C.5  | Data flow in volume conversion and energy calculation .....  | 139 |
| Annex D (normative) Country specific identifiers ..... |  | 140 |
| Bibliography .....                                     |  | 142 |
| Tables Table 1 -- Typical Client Access Levels .....   |  | 21  |
| Table 2 -- M-Bus Port Setup Object .....               |  | 44  |
| Table 3 -- Description of Class ID "Data" .....        |  | 45  |
| Table 4 -- Tunnelling, Value group E .....             |  | 46  |
| Table 5 -- M-Bus slave port setup .....                |  | 49  |
| Table 6 -- M-Bus client .....                          |  | 51  |

|  |    |
|--|----|
| Table 8 — M-Bus master port setup .....  | 56 |
| Table 9 — OBIS code structure and use of value groups .....  | 59 |
| Table 10 — Reserved OBIS codes .....   | 60 |
| Table 11 — Value group A .....   | 61 |
| Table 12 — Value group B .....   | 61 |
| Table 13 — Value group C codes where A = 0 (abstract objects).....   | 62 |
| Table 14 — Abstract objects, general service entries .....   | 64 |
| Table 15 — Codes for error registers, alarm registers and alarm filters – Abstract.....  | 68 |
| Table 16 — OBIS codes for list objects – Abstract .....  | 68 |
| Table 17 — OBIS codes for register table objects – Abstract.....   | 69 |
| Table 18 — OBIS codes for data profile objects – Abstract.....   | 69 |
| Table 19 — Value group C codes where A = 4 (HCA objects).....  | 70 |
| Table 20 — Value group D codes where A = 4, C < > 0, 96 .. 99 (HCA objects).....   | 71 |
| Table 21 — OBIS codes for general and service entry objects – HCA.....   | 71 |
| Table 22 — OBIS codes for error register objects – HCA.....  | 72 |
| Table 23 — OBIS codes for data profile objects – HCA.....  | 73 |
| Table 24 — OBIS codes for HCA related objects (examples) .....   | 73 |
| Table 25 — Value group C codes where A = 5 or A = 6 (Heat/cooling objects) .....   | 74 |
| Table 26 — Value group D codes where A = 5 or A = 6 and C < > 0, 96...99 (Heat/cooling objects) .....  | 75 |
| Table 27 — OBIS codes for general and service entry objects – Heat/cooling.....  | 76 |
| Table 28 — OBIS codes for error register objects – Heat/ cooling.....  | 78 |
| Table 29 — OBIS codes for data profile objects – Heat/ cooling .....   | 78 |
| Table 30 — OBIS codes for heat/ cooling related objects (examples) .....   | 79 |
| Table 31 — Value group C codes where A = 7 – Gas .....   | 81 |
| Table 32 — Value group D codes for Gas – Indexes and index differences (A = 7, C = 1...8,<br>11...16, 21...26, 31...36, 61...66) .....                                   | 84 |
| Table 33 — Value group D codes – Gas – Flow rate: A = 7, C = 43 .....  | 88 |
| Table 34 — Value group D codes – Gas – Process values (A = 7, C = 41, 42, 44...49) .....   | 90 |
| Table 35 — Value group D codes – Gas – Correction, conversion and compressibility values<br>(A = 7, C = 51...55).....  | 93 |
| Table 36 — Value group D codes – Gas – Natural gas analysis values (A = 7, C = 70).....  | 93 |
| Table 37 — Value group E codes – Gas – Indexes and index differences – Tariff rates for A = 7,<br>C = 1...8, 11...16, 21...26, 31...36, 61...66, D = 0...3, 6...98 ..... | 95 |
| Table 38 — Value group E codes – Gas – Correction, conversion and compressibility values –<br>Averages: A = 7, C = 51...55, D = 0, 2, 3, 10, 11 .....                    | 95 |
| Table 39 — Value group E codes – Gas – Calculation methods A = 7, C = 51...55, D = 12 .....  | 97 |

|   |     |
|---|-----|
| Table 40 — Value group E codes – Gas – Natural gas analysis values – Averages: A = 7, C = 70, D = 8...20, 60...84 ..... | 98  |
| Table 41 — OBIS codes for general and service entry objects – Gas .....   | 99  |
| Table 42 — OBIS codes for error register objects – Gas .....  | 106 |
| Table 43 — OBIS codes for list objects - Gas.....   | 107 |
| Table 44 — OBIS codes for data profile objects – Gas .....  | 108 |
| Table 45 — Value group C codes where A = 8 or A = 9 (Water volume objects) .....  | 109 |
| Table 46 — Value group D codes where A = 8 or A = 9, C < > 0, 96...99 (Water volume objects).....                       | 109 |
| Table 47 — OBIS codes for general and service entry objects – Water .....   | 110 |
| Table 48 — OBIS codes for error register objects – Water .....  | 111 |
| Table 49 — OBIS codes for data profile objects – Water .....  | 111 |
| Table 50 — OBIS codes for water related objects (examples).....   | 111 |
| Table 51 — Value group C codes – Other media.....   | 112 |
| Table 52 — Example of display code replacement – Value group C.....   | 113 |
| Table 53 — Value group F – Billing periods .....  | 114 |
| Table A.1 — Basic requirements for Heat Cost Allocators .....   | 115 |
| Table A.2 — Basic requirements for Heat/ Cooling meters .....   | 116 |
| Table A.3 — Basic requirements for Gas meters .....   | 116 |
| Table A.4 — Basic requirements for Cold/ Hot water meters .....   | 117 |
| Table B.1 — Enumerated values for physical units .....  | 132 |
| Table C.1 — OBIS-Value group A = 7, B = X, E = 0, F = FF.....   | 136 |
| Table D.1 — Value group D codes — Country specific identifiers C = 94 .....   | 140 |

## Figures

|   |    |
|---|----|
| Figure 1 — The OSI 7-layer model .....  | 16 |
| Figure 2 — Connection method independent Application Layers .....                         | 17 |
| Figure 3 — IEC 3-layer model.....   | 17 |
| Figure 4 — Link and Physical layers in the 3 layer model .....                            | 18 |
| Figure 5 — Network Architecture — The architecture diagram in CEN/CLC/ETSI TR 50572 ..... | 22 |
| Figure 6 — System and physical architecture.....  | 24 |
| Figure 7 — Basic Metering architecture.....   | 25 |
| Figure 8 — Scope of Companion Specifications .....  | 27 |
| Figure 9 — Companion Specification in relation to lower layers (3 layer model) .....      | 28 |
| Figure 10 — An interface class and its instances.....                                     | 29 |
| Figure 11 — Full protocol stack .....   | 30 |
| Figure 12 — Typical PSTN configuration.....   | 33 |
| Figure 13 — The location of the Physical Layer.....                                       | 34 |
| Figure 14 — COSEM over IP.....  | 36 |
| Figure 15 — EN 60870-5-2-related Transport PDU format.....                                | 40 |

**Figure 16 — CI field format ..... 41**  
**Figure 17 — The structure of the COSEM Application Layers..... 42**  
**Figure 18 — Transporting DLMS/COSEM APDU's via M-Bus ..... 44**  
**Figure 19 — Reduced ID code presentation ..... 113**  
**Figure B.1 — The generalized time concept ..... 119**  
**Figure B.2 — The attributes when measuring sliding demand..... 120**  
**Figure B.3 — Attributes when measuring current\_average\_value if number of periods is 1..... 121**  
**Figure B.4 — The attributes if number of periods is 3..... 122**  
**Figure B.5 — The COSEM server model..... 126**  
**Figure C.1 — Energy Conversion Calculation flow chart ..... 139**