DIN EN 14908-1:2014-08 (E)

Open Data Communication in Building Automation, Controls and Building Management - Control Network Protocol - Part 1: Protocol Stack; English version EN 14908-1:2014

Contents

Page

Foreword 5

Introduction 6

1 Scope 7

2 Normative references 7

3 Terms and definitions 7

4 Symbols and abbreviations 9
4.1 Symbols and graphical representations 9
4.2 Abbreviations 11

5 Overview of protocol layering 11

6 MAC sublayer 13
6.1 General 13
6.2 Service provided 13
6.3 Interface to the link layer 13
6.4 Interface to the physical layer 14
6.5 MPDU format 15
6.6 Predictive p-persistent CSMA -- overview description 15
6.7 Idle channel detection 16
6.8 Randomising 17
6.9 Backlog estimation 17
6.10 Optional priority 18
6.11 Optional collision detection 19
6.12 Beta1, Beta2 and Preamble Timings 19

7 Link layer 21
7.1 Assumptions 21
7.2 Service provided 22
7.3 CRC 22
7.4 Transmit algorithm 23
7.5 Receive Algorithm 23

8 Network layer 23
8.1 Assumptions 23
8.2 Service provided 25
8.3 Service interface 25
8.4 Internal structuring of the network layer 26
8.5 NPDU format 26
8.6 Address recognition 27
8.7 Routers 27
8.8 Routing algorithm 28
8.9 Learning algorithm -- subnets 28

9 Transaction control sublayer 28

9.1 Assumptions 28
9.2 Service provided 29
9.3 Service interface 29
9.4 State variables 29
9.5 Transaction control algorithm 30

10 Transport layer 30
10.1 Assumptions 30
10.2 Service provided 30
10.3 Service interface 31
10.4 TPDU types and formats 31
10.5 Protocol diagram 33
10.6 Transport protocol state variables 33
10.7 Send algorithm 33
10.8 Receive algorithm 34
10.9 Receive transaction record pool size and configuration engineering 34

11 Session layer 36
11.1 Assumptions 36
11.2 Service Provided 36
11.3 Service interface 37
11.4 Internal structure of the session layer 37
11.5 SPDU types and formats 38
11.6 Protocol timing diagrams 40
11.7 Request-response state variables 43
11.8 Request-response protocol -- client part 43
11.9 Request-response protocol -- server part 43
11.10 Request-response protocol timers 44
11.11 Authentication protocol 44
11.12 Encryption algorithm 44
11.13 Retries and the role of the checksum function 44
11.14 Random Number Generation 45
11.15 Using Authentication 45

12 Presentation/application layer 45
12.1 Assumptions 45
12.2 Service provided 45
12.3 Service interface 46
12.4 APDU types and formats 47
12.5 Protocol diagrams 48
12.6 Application protocol state variables 50
12.7 Request - response messaging in offline state 50
12.8 Network variables 51
12.9 Error notification to the application program 52

13 Network management & diagnostics 53
13.1 Assumptions 53
13.2 Services provided 53
13.3 Network management and diagnostics application structure 53
13.4 Node states 53
13.5 Using the network management services 54
13.6 Using router network management commands 58
13.7 NMPDU formats and types 58
13.8 DPDU types and formats 79

Annex A (normative) Reference implementation 84

A.1 General 84
A.2 Predictive CSMA algorithm 84

Annex B (normative) Additional Data Structures 376

B.1 General 376
B.2 Read-only structures 377
B.3 Domain table 382
B.4 Address table 382
B.5 Network variable tables - informative 387
B.6 Self-Identification structures 389
B.7 Configuration structure 396
B.8 Statistics relative structure 398

Annex C (informative) Behavioral characteristics 400

C.1 Channel capacity and throughput 400
C.2 Network metrics 401
C.3 Transaction metrics 402
C.4 Boundary conditions -- power-up 403
C.5 Boundary conditions -- high load 403

Annex D (normative) PDU summary 404

Annex E (normative) Naming and addressing 406

E.1 Address types and formats 406
E.2 Domains 406
E.3 Subnets and nodes 407
E.4 Groups 407
E.5 Unique_Node_ID and node address assignment 408
E.6 NPDU addressing 408

Bibliography 411