

DIN EN 12976-2:2017-04 (E)

Thermal solar systems and components - Factory made systems - Part 2: Test methods

Contents	Page
European foreword	6
Introduction	8
1 Scope	10
2 Normative references	10
3 Terms and definitions	10
4 Symbols and abbreviations	10
5 Testing	11
5.1 Freeze resistance	11
5.1.1 General	11
5.1.2 Systems using antifreeze fluid	11
5.1.3 Drain-back systems	11
5.1.4 Drain-down systems	12
5.1.5 Freeze protection and combined control functions	12
5.1.6 Other systems	12
5.2 Over temperature protection	13
5.2.1 Purpose	13
5.2.2 Apparatus	13
5.2.3 Procedure	13
5.2.4 Reporting requirements	14
5.3 Pressure resistance	14
5.3.1 Purpose	14
5.3.2 Apparatus	14
5.3.3 Safety precaution	15
5.3.4 Procedure	15
5.3.5 Reporting requirements	16
5.4 Water contamination	16
5.5 Testing the resistance against mechanical load	17
5.5.1 Purpose	17
5.5.2 Apparatus	17
5.5.3 Safety precaution	17
5.5.4 Calculation procedure for the mechanical load	18
5.5.5 Procedure	20
5.5.6 Reporting requirements	20
5.6 Lightning protection	21
5.7 Safety equipment	21
5.7.1 Safety valves	21
5.7.2 Safety lines and expansion lines	22
5.7.3 Blow-off lines	22
5.8 Labelling	22
5.9 Thermal performance characterization	22
5.9.1 Introduction	22
5.9.2 Test procedure	23
5.9.3 Prediction of yearly performance indicators	24
5.10 Ability of solar-plus-supplementary systems to cover the load	31
5.10.1 General	31

5.10.2	Boundary conditions for auxiliary heating	31
5.10.3	Boundary conditions for daily load	32
5.10.4	Determination of the ability to cover the maximum daily load by means of testing the system	33
5.10.5	Determination of the ability to cover the maximum daily load by means of numerical simulations	33
5.10.6	Determination of the ability to cover the daily load defined by the European load profiles by means of numerical simulations	33
5.10.7	Requirements for mixed water at 40 °C	34
5.11	Reverse flow protection	36
5.12	Electrical safety	36
	Annex A (normative) Thermal performance presentation sheet	37
	Annex B (normative) Reference conditions for performance prediction	39
B.1	General	39
B.2	Pipe diameter and insulation thickness	42
B.3	Calculation of cold water temperature at reference location	43
B.4	Additional set of reference conditions for annual performance calculations	44
B.5	Reference conditions for the performance of the auxiliary heater	47
	Annex C (informative) Assessment of the ability of solar DHW systems to resist the extreme climatic conditions	48
C.1	Indoor and outdoor test procedure for assessment of the frost resistance of solar DHW systems with outdoor storage tank or system using heat transfer fluid with the risk of freezing	48
C.1.1	Objective and applicability	48
C.1.2	Apparatus and mounting of the system	48
C.1.3	Test procedure	49
C.1.4	Test conditions -- Determination of the test conditions for freezing period	50
C.1.5	Results	50
C.2	Indoor test procedure for assessment of the reliability of solar DHW systems in respect of overheating protection	51
C.2.1	Objective and applicability	51
C.2.2	Apparatus and mounting of the system	51
C.2.3	Test procedure	53
C.2.4	Test conditions	53
C.2.5	Results	55
	Annex D (informative) Ageing test for thermostatic valves	57
D.1	General	57
D.2	Test arrangement	57
D.3	Test Procedure	58
D.4	Results	59
	Annex E (informative) Lightning protection test for solar heating systems	60
E.1	Field of application	60
E.2	Purpose	60
E.3	Requirements	60
E.4	Apparatus	61
E.5	Test procedure	61
E.5.1	Test conditions	61
E.5.2	Solar heating system installation	61
E.5.3	Separation distance St	61
E.5.4	Size of the bonding cable or strip	61
E.5.5	Bridging between tank and supports	61
E.5.6	Bridging between collectors and supports	62
E.5.7	Bridging between collectors and tank	62

E.5.8	Connecting terminal with Lightning Protection System (LPS)	62
E.5.9	Metal sheets covering parts of the solar heating system	62
E.5.10	Heating effects due to lightning currents	62
E.5.11	Mechanical durability due to lightning mechanical loads	62
E.6	Report	62
E.7	Conclusions	62
Annex F (informative) Lightning Protection testing sheet		63
Annex G (normative) Reporting format in the framework of the EU Regulations CDR 811, 812 and 814 dated 2013		67
Annex ZA (informative) Relationship between this European Standard and the energy labelling requirements of Commission Delegated Regulation (EU) No 811/2013 aimed to be covered		68
Annex ZB (informative) Relationship between this European Standard and the energy labelling requirements of Commission Delegated Regulation (EU) No 812/2013 aimed to be covered		70
Annex ZC (informative) Relationship between this European Standard and the ecodesign requirements of Commission Regulation (EU) No 814/2013 aimed to be covered		73
Bibliography		75
Tables		
Table 1 -- Division for factory made and custom built solar heating systems	9	
Table 2 -- Selection of the performance test method	23	
Table 3 -- Parameter a values for different load volumes	23	
Table 4 -- Daily heat demand for load profiles	28	
Table 5 -- Adjustment factors	30	
Table 6 -- Load profile selection	30	
Table A.1 -- Presentation of the system performance indicators for solar-plus- supplementary systems	37	
Table A.2 -- Presentation of the system performance indicators for solar-only and solar preheat systems	38	
Table B.1 -- Reference conditions for performance presentation	40	
Table B.2 -- Pipe diameter and insulation thickness for forced-circulation systems	42	
Table B.3 -- Pipe diameter and insulation thickness for thermosiphon systems	42	
Table B.4 -- Data for calculation of the cold water temperature at the reference locations	43	
Table B.5 -- Reference conditions for performance presentation limited to the deviations from Table B.1	44	
Table B.6 -- Monthly and average annual reference outside air temperatures for two climate zones in °C	46	
Table B.7 -- Monthly and average annual reference solar irradiation for two climate zones in kWh/m ²	46	
Table B.8 -- Specifications of the average and colder climate hourly data file according to Meteonorm	46	

Table B.9 -- Reference conditions the performance of the auxiliary heater, limited to the deviations from Table B.1	47
Table C.1 -- Test conditions	50
Table F.1 -- Size of bonding cable	63
Table F.2 -- Size of metal cover sheets	63
Table F.3 -- Lightning protection testing sheet	64
Table ZA.1 --Correspondence between this European Standard and Commission Delegated Regulation (EU) No 811/2013 of 18 February 2013 supplementing Directive 2010/30/EU of the European Parliament and of the Council with regard to energy labelling of space heaters, combination heaters, packages of space heaters, temperature control and solar device and packages of combination heater, temperature control and solar device and Commission's standardisation request 'M/535/C(2015) 2626'	69
Table ZB.1 -- Correspondence between this European Standard and Commission Delegated Regulation (EU) No 812/2013 of 18 February 2013 supplementing Directive 2010/30/EU of the European Parliament and of the Council with regard to energy labelling of water heaters, hot water storage tanks and packages of water heater and solar device and Commission's standardisation request 'M/534/C(2015) 2625'	70
Table ZC.1 -- Correspondence between this European Standard and Commission Regulation (EU) No 814/2013 of 2 August 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for water heaters and hot water storage tanks and Commission's standardisation request 'M/534/C(2015) 2625'	74
Figures	
Figure 1 -- Dimensions of the system to be measured	18
Figure 2 -- Force orthogonal to surface of system -- Side view	19
Figure 3 -- Energy balance for one-store solar-plus-supplementary systems (example)	25
Figure 4 -- Energy balance for solar-only systems	26
Figure 5 -- Energy balance for solar preheat systems	27
Figure A.1 -- Thermal performance presentation sheet	37
Figure C.1 -- Scheme of the test set-up	52
Figure D.1 -- Test arrangement for thermostatic valve test	58