DIN EN 13611:2016-09 (E)

Safety and control devices for burners and appliances burning gaseous and/or liquid fuels - General requirements (includes Corrigendum :2016)

Contents

Page

Foreword 5

Introduction 8

1 Scope 9

2 Normative references 10

3 Terms and definitions 16

4 Classification 20

5 Test conditions and uncertainty of measurements 21

6 Design and construction 22

7 Performance 39

8 Electrical requirements 54

9 Electromagnetic compatibility (EMC) 54

10 Marking, installation and operating instructions 56

Annex A (informative) Abbreviations and Symbols 58

Annex B (informative) Leak-tightness tests for gas controls - volumetric method 61

Annex C (informative) Leak-tightness tests for gas controls - pressure loss method 63

Annex D (normative) Calculation of pressure loss into leakage rate 65

Annex E (normative) Electrical/electronic component fault modes 66

Annex F (normative) Additional requirements for safety accessories and pressure accessories as defined in EU Directive 97/23/EC 69

Annex G (normative) Materials for pressurized parts 75

Annex H (normative) Additional materials for pressurized parts 77

Annex I (normative) Requirements for controls used in DC supplied burners and appliances burning gaseous or liquid fuels 86

Annex J (normative) Method for the determination of a Safety integrity level (SIL) 89

Annex K (normative) Method for the determination of a Performance Level (PL) 117

Annex L (informative) Relationship between Safety Integrity Level (SIL) and Performance Level (PL) 127

Annex M (normative) Reset functions 128

Annex N (informative) Guidance document on Environmental Aspects 132

Annex O (normative) Seals of elastomer, cork and synthetic fibre mixtures 135

Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2009/142/EC 142

Annex ZB (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 97/23/EC 145

Bibliography 147

Figure Figure 1 -- Interrelation of control standards 8

Figure 2 -- Fault tolerating time 17

Figure 3 -- Types of connections 27

Figure 4 -- Experimental setup for ignition testing 32

Figure 5 -- Torsion test assembly 43

Figure 6 -- Bending moment test assembly 44

Figure 7 -- Flow rate test apparatus 46

Figure 8 -- Scratch test apparatus 48

Figure B.1 -- Leak-tightness tests apparatus (volumetric method) 62

Figure C.1 -- Leak-tightness tests apparatus (pressure loss method) 64

Figure J.1 -- Subsystem with basic architecture A - logical representation 97

Figure J.2 -- Subsystem with basic architecture C - logical representation 98

Figure J.3 -- Subsystem with basic architecture B - logical representation 99

Figure J.4 -- Subsystem with basic architecture D logical representation 99

Figure J.5 -- Example of complex architecture: Burner control system (symbolized schematic) 100

Figure J.6 -- Example of a complex architecture: Reliability block diagram of a burner control system based on segregation into function blocks 101

Figure K.1 -- Dependencies of nop, B10d, and PL 123

Figure K.2 -- Weibull distribution example A (max. test duration 500 000 cycles) 124

Figure K.3 -- Weibull distribution example B (max. test duration 1 000 000 cycles) 125

Figure K.4 -- Subsystem with basic architecture B - logical representation 126

Figure O.1 -- Gas permeability test setup for cork / elastomer material 138

Figure O.2 -- Gas permeability test setup for cork / elastomer / synthetic fibre material 139

Table Table 1 -- Gas connection sizes for Group 1 27

Table 2 -- Gas connection sizes for Group 2 28

Table 3 -- Maximum leakage rates 40

Table 4 -- Torque and bending moment for Group 1 41

Table 5 -- Torque and bending moments for Group 2 42

Table 6 -- Tightening torque for flange bolts 42

Table 7 -- Data exchange 52

Table 8 -- Examples of defences against unauthorised access 53

Table 9 -- Test levels 55

Table E.1 -- Electrical/electronic component faults modes 66

Table F.1 -- Materials 70

Table F.2 -- Non destructive testing 72

Table F.3 -- Minimum inspection sample 73

Table G.1 -- List of materials covered by harmonized standards 75

Table H.1 -- List of materials which have been recognized as being safe 77

Table I.1 -- Short-term voltage interruptions and decreases 87

Table I.2 -- Electrical transient conduction immunity in accordance with ISO 7637-2:2011 88

Table I.3 -- Electrical transient conduction immunity in accordance with ISO 7637-3:2007 88

Table J.1 -- Diagnostic techniques 103

Table J.2 -- Diagnostic measures 104

Table J.3 -- Failure rates and failure modes 106

Table J.4 -- Scoring electronics or sensors/actuators 111

Table J.5 -- Calculation of 111

Table J.6 -- Requirements to the safe failure fraction of subsystems 115

Table J.7 -- Determination of the overall Safety Integrity Level (SIL) 116

Table K.1 -- Scoring process and quantification of measures against CCF 120

Table K.2 -- Determination of the performance level (PL) 125

Table L.1 -- Relationship between SIL and PL 127

Table N.1 -- Environmental Checklist 133

Table O.1 -- Thickness tolerances 136

Table O.2 -- Performance of seal material 136

Table O.3 -- Performance of seal material after ageing 140

Table O.4 -- Performance after immersion and drying 141

Table ZA.1 -- Correspondence between this European Standard and Directive 2009/142/EC 142

Table ZB.1 -- Correspondence between this European Standard and Directive 97/23/EC 145