

DIN EN 13611:2016-09 (E)

Safety and control devices for burners and appliances burning gaseous and/or liquid fuels - General requirements (includes Corrigendum :2016)

Contents	Page
Foreword	5
Introduction	8
1 Scope	9
2 Normative references	10
3 Terms and definitions	16
4 Classification	20
5 Test conditions and uncertainty of measurements	21
6 Design and construction	22
7 Performance	39
8 Electrical requirements	54
9 Electromagnetic compatibility (EMC)	54
10 Marking, installation and operating instructions	56
Annex A (informative) Abbreviations and Symbols	58
Annex B (informative) Leak-tightness tests for gas controls - volumetric method	61
Annex C (informative) Leak-tightness tests for gas controls - pressure loss method	63
Annex D (normative) Calculation of pressure loss into leakage rate	65
Annex E (normative) Electrical/electronic component fault modes	66
Annex F (normative) Additional requirements for safety accessories and pressure accessories as defined in EU Directive 97/23/EC	69
Annex G (normative) Materials for pressurized parts	75
Annex H (normative) Additional materials for pressurized parts	77
Annex I (normative) Requirements for controls used in DC supplied burners and appliances burning gaseous or liquid fuels	86
Annex J (normative) Method for the determination of a Safety integrity level (SIL)	89
Annex K (normative) Method for the determination of a Performance Level (PL)	117
Annex L (informative) Relationship between Safety Integrity Level (SIL) and Performance Level (PL)	127

Annex M (normative) Reset functions	128
Annex N (informative) Guidance document on Environmental Aspects	132
Annex O (normative) Seals of elastomer, cork and synthetic fibre mixtures	135
Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2009/142/EC	142
Annex ZB (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 97/23/EC	145
Bibliography	147
Figure Figure 1 -- Interrelation of control standards	8
Figure 2 -- Fault tolerating time	17
Figure 3 -- Types of connections	27
Figure 4 -- Experimental setup for ignition testing	32
Figure 5 -- Torsion test assembly	43
Figure 6 -- Bending moment test assembly	44
Figure 7 -- Flow rate test apparatus	46
Figure 8 -- Scratch test apparatus	48
Figure B.1 -- Leak-tightness tests apparatus (volumetric method)	62
Figure C.1 -- Leak-tightness tests apparatus (pressure loss method)	64
Figure J.1 -- Subsystem with basic architecture A - logical representation	97
Figure J.2 -- Subsystem with basic architecture C - logical representation	98
Figure J.3 -- Subsystem with basic architecture B - logical representation	99
Figure J.4 -- Subsystem with basic architecture D logical representation	99
Figure J.5 -- Example of complex architecture: Burner control system (symbolized schematic)	100
Figure J.6 -- Example of a complex architecture: Reliability block diagram of a burner control system based on segregation into function blocks	101
Figure K.1 -- Dependencies of nop, B10d, and PL	123
Figure K.2 -- Weibull distribution example A (max. test duration 500 000 cycles)	124
Figure K.3 -- Weibull distribution example B (max. test duration 1 000 000 cycles)	125
Figure K.4 -- Subsystem with basic architecture B - logical representation	126
Figure O.1 -- Gas permeability test setup for cork / elastomer material	138
Figure O.2 -- Gas permeability test setup for cork / elastomer / synthetic fibre material	139
Table Table 1 -- Gas connection sizes for Group 1	27
Table 2 -- Gas connection sizes for Group 2	28

Table 3 -- Maximum leakage rates	40
Table 4 -- Torque and bending moment for Group 1	41
Table 5 -- Torque and bending moments for Group 2	42
Table 6 -- Tightening torque for flange bolts	42
Table 7 -- Data exchange	52
Table 8 -- Examples of defences against unauthorised access	53
Table 9 -- Test levels	55
Table E.1 -- Electrical/electronic component faults modes	66
Table F.1 -- Materials	70
Table F.2 -- Non destructive testing	72
Table F.3 -- Minimum inspection sample	73
Table G.1 -- List of materials covered by harmonized standards	75
Table H.1 -- List of materials which have been recognized as being safe	77
Table I.1 -- Short-term voltage interruptions and decreases	87
Table I.2 -- Electrical transient conduction immunity in accordance with ISO 7637-2:2011	88
Table I.3 -- Electrical transient conduction immunity in accordance with ISO 7637-3:2007	88
Table J.1 -- Diagnostic techniques	103
Table J.2 -- Diagnostic measures	104
Table J.3 -- Failure rates and failure modes	106
Table J.4 -- Scoring electronics or sensors/actuators	111
Table J.5 -- Calculation of	111
Table J.6 -- Requirements to the safe failure fraction of subsystems	115
Table J.7 -- Determination of the overall Safety Integrity Level (SIL)	116
Table K.1 -- Scoring process and quantification of measures against CCF	120
Table K.2 -- Determination of the performance level (PL)	125
Table L.1 -- Relationship between SIL and PL	127
Table N.1 -- Environmental Checklist	133
Table O.1 -- Thickness tolerances	136
Table O.2 -- Performance of seal material	136
Table O.3 -- Performance of seal material after ageing	140
Table O.4 -- Performance after immersion and drying	141

Table ZA.1 -- Correspondence between this European Standard and Directive 2009/142/EC	142
Table ZB.1 -- Correspondence between this European Standard and Directive 97/23/EC	145