DIN EN ISO 9806:2018-04 (E)

Solar energy - Solar thermal collectors - Test methods (ISO 9806:2017)

Contents

Page

European foreword ... **6**

Foreword ... **7**

Introduction ... **8**

1 Scope ... **9**

2 Normative references ... **9**

3 Terms and definitions ... **9**

4 Symbols ... **10**

5 General ... **13**
5.1 Test overview — Sequence of the tests ... 13
5.2 Testing of collectors with specific attributes ... 14
5.2.1 General ... 14
5.2.2 Collectors using external power sources and collectors with active or passive measures for normal operation and self-protection ... 14
5.2.3 Collectors co-generating thermal and electrical power ... 15
5.2.4 Wind and/or infrared sensitive collectors (WISC) ... 15
5.2.5 Façade collectors ... 15
5.2.6 Air and liquid heating collectors ... 16

6 Internal pressure tests for fluid channels ... **16**
6.1 Objective ... 16
6.2 Fluid channels made of non-polymeric materials ... 16
6.2.1 Apparatus and procedure ... 16
6.2.2 Test conditions ... 16
6.3 Fluid channels made of polymeric materials ... 16
6.3.1 Apparatus and procedure ... 16
6.3.2 Test conditions ... 17
6.4 Results and reporting ... 17

7 Air leakage rate test (air heating collectors only) ... **17**
7.1 Objective ... 17
7.2 Apparatus and procedure ... 17
7.3 Test conditions ... 18
7.4 Results and reporting ... 18

8 Rupture or collapse test (air heating collectors only) ... **18**
8.1 Objective ... 18
8.2 Apparatus and procedure ... 18
8.2.1 General ... 18
8.2.2 Closed-loop collectors ... 19
8.2.3 Open to ambient collectors ... 19
8.3 Results and reporting ... 19

9 Standard stagnation temperature ... **19**
9.1 Objective ... 19
9.2 Testing under stagnation conditions ... 20
9.3 Measurement and extrapolation of standard stagnation temperature ... 20
9.4 Determining standard stagnation temperature using efficiency parameters ... 20
9.5 Results and reporting ... 21

10 Exposure and half-exposure test 21
10.1 Objective 21
10.2 Initial outdoor exposure 21
10.3 Method 1 22
10.4 Method 2 22
10.5 Method 3 22
10.6 Test conditions 22
10.7 Results and reporting 23

11 External thermal shock 23
11.1 Objective 23
11.2 Apparatus and procedure 23
11.3 Test conditions 23
11.4 Results and reporting 24

12 Internal thermal shock test (Liquid heating collectors only) 24
12.1 Objective 24
12.2 Apparatus and procedure 24
12.3 Test conditions 24
12.4 Results and reporting 24

13 Rain penetration test 24
13.1 Objective 24
13.2 Apparatus and procedure 24
13.3 Test conditions 25
13.4 Results and reporting 27

14 Freeze resistance test 27
14.1 Objective 27
14.2 Freeze resistant collectors 27
14.2.1 General 27
14.2.2 Test conditions 27
14.3 Heatpipe collectors 27
14.3.1 General 27
14.3.2 Test conditions 28
14.3.3 Results and reporting 28

15 Mechanical load test with positive or negative pressure 28
15.1 Objective 28
15.2 Apparatus and procedure 28
15.2.1 Mounting 28
15.2.2 Methods for the application of the loads 29
15.2.3 Particular specifications for tracking collectors or other specific collector types 30
15.3 Test conditions 30
15.4 Results and reporting 30

16 Impact resistance test 30
16.1 Objective 30
16.2 Test procedure 30
16.3 Impact location 30
16.4 Method 1: Impact resistance test using ice balls 31
16.4.1 Apparatus 31
16.4.2 Ice balls 31
16.4.3 Specific aspects of the test procedure using ice balls 31
16.5 Method 2: Impact resistance test using steel balls 31
16.6 Results and reporting 32

17 Final inspection 32
17.1 Objective 32
17.2 Test procedure 32
17.3 Results and reporting 33

18 Test report 33

19 Thermal performance testing 33
19.1 General 33
19.2 Performance test using a solar irradiance simulator 33
19.2.1 General 33
19.2.2 Solar irradiance simulator for performance testing 33
19.2.3 Solar irradiance simulator for the measurement of incidence angle modifiers 34

20 Collector mounting and location 35
20.1 General 35
20.2 Collector orientation outdoors 35
20.3 Shading from direct solar irradiance 35
20.4 Diffuse and reflected solar irradiance 35
20.5 Thermal irradiance 36
20.6 Surrounding air speed 36

21 Instrumentation 36
21.1 Solar radiation measurement 36
21.1.1 Pyranometer 36
21.2 Thermal radiation measurement 37
21.2.1 General 37
21.2.2 Measurement of thermal irradiance outdoors 37
21.2.3 Measurement of thermal irradiance indoors 37
21.3 Temperature measurements 37
21.3.1 General 37
21.3.2 Heat transfer fluid temperatures (Liquid heating collectors) 37
21.3.3 Volume flow weighted mean temperature $\vartheta_{m,th}$ (Air heating collectors) 38
21.3.4 Measurement of ambient air temperature 38
21.4 Flow rate measurement 39
21.4.1 Measurement of mass flow rate (liquid) 39
21.4.2 Measurement of collector fluid flow rate (Air heating collectors) 39
21.5 Measurement of air speed over the collector 39
21.5.1 General 39
21.5.2 Required accuracy 40
21.6 Elapsed time measurement 40
21.7 Humidity measurement (Air collectors) 40
21.8 Collector dimensions 40

22 Test installation 40
22.1 Liquid heating collectors 40
22.1.1 General 40
22.1.2 Heat transfer fluid 41
22.1.3 Pipe work and fittings 41
22.1.4 Pump and flow control devices 42
22.2 Air heating collectors 42
22.2.1 General 42
22.2.2 Closed loop test circuit 42
22.2.3 Open to ambient test circuit 43
22.2.4 Heat transfer fluid 43
22.2.5 Test ducts 43
22.2.6 Fan and flow control devices 44
22.2.7 Air preconditioning apparatus 44
22.2.8 Humidity ratio 44

23 Thermal performance test procedures 44
23.1 General 44
23.2 Preconditioning of the collector 45
23.3 Test conditions 45
23.3.1 General 45
23.3.2 Flow rates 45
23.3.3 Steady-state method 45
23.3.4 Quasi dynamic test 46
23.4 Test procedure 46
23.4.1 General 46
23.4.2 Steady-state testing of liquid heating collector 46
23.4.3 Steady-state testing of air heating collectors 46
23.4.4 Steady-state testing of WISC collectors 47
23.4.5 Quasi dynamic testing 47

23.5 Measurements 47
23.5.1 General 47
23.5.2 Additional measurements during tests in solar irradiance simulators 48
23.5.3 Data acquisition requirements 48
23.6 Test period 48
23.6.1 Steady-state testing 48
23.6.2 Quasi dynamic testing 49

24 Computation of the collector parameters 52
24.1 Liquid heating collectors 52
24.1.1 General 52
24.1.2 Steady-state test method for liquid heating collectors 53
24.1.3 Quasi dynamic test method for liquid heating collectors 53
24.1.4 Data analysis 53
24.2 Air heating collectors 54
24.2.1 General 54
24.2.2 Steady-state test method for closed loop air heating collectors 54
24.2.3 Steady-state test method for open to ambient air heating collectors 54
24.2.4 Steady-state test method for open to ambient air heating WISC collectors 54
24.3 Standard reporting conditions (SRC) 54
24.4 Standard uncertainties 55
24.5 Reference area conversion 55

25 Determination of the effective thermal capacity and the time constant 55
25.1 General 55
25.2 Measurement of the effective thermal capacity with irradiance 55
25.3 Measurement of the effective thermal capacity using the quasi dynamic method 56
25.4 Calculation method for the determination of the effective thermal capacity 56
25.5 Determination of collector time constant 56

26 Determination of the incident angle modifier (IAM) 57
26.1 General 57
26.2 Modelling 58
26.2.1 Steady-state 59
26.2.2 Quasi dynamic 60
26.3 Test procedures 60
26.3.1 Steady-state liquid heating collectors 60
26.3.2 Air collectors 60
26.4 Calculation of the collector incidence angle modifier 61
26.5 Reporting 61

27 Determination of the pressure drop 61
27.1 General 61
27.2 Liquid heating collectors 61
27.2.1 Apparatus and procedure 61
27.2.2 Pressure drop caused by fittings 62
27.2.3 Test conditions 62
27.3 Air heating collectors 62
27.3.1 Apparatus and procedure 62
27.4 Calculation and presentation of results 63

Annex A (normative) **Test reports 64**
Annex B (normative) **Steady-state and quasi dynamic model 88**
Annex C (normative) **Density and heat capacity of water 89**
Annex D (informative) **Assessment of the standard uncertainty in solar collector testing 90**
Annex E (informative) **Measurement of the velocity weighted mean temperature 94**
Annex F (informative) **Material efficiency aspects 96**
Annex G (informative) **Area conversion of thermal performance parameters 97**
Bibliography 98