DIN EN 17141:2021-02 (E)

Cleanrooms and associated controlled environments - Biocontamination control

Contents

Page

European foreword 5

Introduction 6

1 Scope 8

2 Normative references 8

3 Terms and definitions 8

4 Establishment of microbiological control 11
4.1 General 11
4.2 Establishing a formal system for microbiological control 11
4.3 Microbiological contamination control system quality attributes 12
4.4 Identification of all potential sources and routes of microbiological contamination 12
4.4.1 General 12
4.4.2 Sources of microbiological contamination 13
4.4.3 Routes of transfer of microbiological contamination 13
4.5 Risk assessment 14
4.6 Establishment of microbiological environmental monitoring plan 14
4.6.1 General 14
4.6.2 Monitoring locations 14
4.6.3 Monitoring frequencies 14
4.7 Establishment of alert and action limits 15
4.8 Establishment of documentation system 15
4.9 Personnel education and training 15

5 Demonstration of microbiological control 16
5.1 Trending 16
5.2 Verification of the formal microbiological control system 16
5.2.1 General 16
5.2.2 Out of specification (OOS) investigation 16
5.2.3 Records 16
5.2.4 Sample tracking 17
5.2.5 Integrity of results 17
5.2.6 Data recording 17
5.2.7 Data evaluation 17
5.2.8 Trend analysis 18

6 Microbiological measurement methods 18
6.1 General 18
6.2 Choice of sampling method 18
6.3 Volumetric air samplers 19
6.4 Culture media and incubation 19
6.5 Incubators 19

Annex A(informative) Guidance for life science pharmaceutical and biopharmaceutical applications 20

A.1 Introduction 20
A.2 Risk/impact assessment 21
A.3 Demonstrating control 21

Annex B (informative) Guidance for life science medical device applications 22

B.1 Introduction 22
B.2 Risk assessment 22
B.2.1 General 22
B.2.2 Example 1: Sterile - terminal sterilisation is possible from a packaged product 24
B.2.3 Example 2: Sterile - No terminal sterilisation is possible due to product properties 25
B.2.4 Example 3: Non-sterile products 25
B.3 Establishing Microbiological Control 26
B.3.1 Microbiological contamination limits 26
B.3.2 Additional microbiological control considerations 27
B.4 Demonstrating microbiological control 27
B.4.1 Enumeration as part of measurement methods (Clause 6) 27
B.4.2 Methods for sampling 27
B.4.3 Microbiological Environmental Monitoring (EM) plan 27
B.5 Other informative annexes for Medical Device applications 29

Annex C(informative) Guidance for healthcare/hospital applications 30

C.1 Introduction 30
C.2 Establishing control in a healthcare/hospital application 30
C.3 Risk assessment for operating room hospital applications 30

Annex D(informative) Guidance for food applications 31

D.1 Introduction 31
D.2 Establishment of microbiological control 31
D.3 Microbiological cleanliness levels for monitoring 32
D.4 Demonstration of microbiological control 33
D.5 Example for food manufacture 33

Annex E(informative) Guidance on culture based microbiological measurement methods and sampler verification 35

E.1 General 35
E.2 Air sampling 35
E.2.1 Volumetric air samplers 35
E.2.2 Settle plates 37
E.3 Surface sampling 37
E.3.1 General 37
E.3.2 Contact plates and strips 37
E.3.3 Swabs and sponges 38
E.4 Microbiological growth media 38
E.4.1 General 38
E.4.2 Media suitability (media sterility and ability to support growth) 38
E.4.3 Media dehydration 39
E.4.4 Media disinfectant inhibition 39
E.4.5 Plate incubation 39
E.5 Validation of air samplers 39
E.5.1 General 39
E.5.2 Physical collection efficiency 39
E.5.3 Biological collection efficiency 40
E.6 Experimental method 40
E.6.1 Aerosol chamber method 40
E.6.2 Simplified laboratory method 42
E.6.3 Incubation 43
E.6.4 Collection efficiency calculations from testing results 43
E.6.5 Air sampler revalidation 44

Annex F(informative) Rapid microbiological methods (RMM) and alternative real time microbiological detection methods (AMMs) 45

F.1 General 45
F.2 Implementation of RMMs and AMMs 45
F.3 Validation of RMMs and AMMs 46
F.3.1 General 46
F.3.2 Acceptance criteria considerations 47
F.3.3 Verification test execution considerations 47
F.4 Action and alert levels 47
F.4.1 Setting action and alert levels 47
F.4.2 Result outside of action and alert levels 47

Bibliography 48