

DIN EN 13142:2022-12 (E)

Ventilation for buildings - Components/products for residential ventilation - Required and optional performance characteristics

Contents	Page
European foreword.....	5
Introduction	7
1 Scope.....	9
2 Normative references.....	9
3 Terms and definitions	10
4 Symbols and abbreviations	12
5 Performance characteristics for residential ventilation components/products	16
5.1 General.....	16
5.1.1 Generality for tests	16
5.1.2 Outdoor mixing (for supply and exhaust units).....	16
5.1.3 Indoor mixing (for supply and exhaust units).....	17
5.1.4 Correction of temperature ratio (for supply and exhaust units).....	17
5.2 Externally mounted air transfer devices.....	18
5.2.1 Aerodynamic characteristics	18
5.2.2 Equivalent area	18
5.2.3 Free area.....	18
5.2.4 Controls.....	18
5.2.5 Air diffusion characteristics.....	19
5.2.6 Acoustic characteristics.....	19
5.2.7 Water penetration	19
5.3 Internally mounted air transfer devices.....	19
5.3.1 Aerodynamic characteristics	19
5.3.2 Equivalent area	19
5.3.3 Free area.....	19
5.3.4 Acoustic characteristics	19
5.4 Exhaust and supply air terminal devices.....	19
5.4.1 Aerodynamic characteristics	19
5.4.2 Acoustic characteristics.....	19
5.4.3 Controls.....	19
5.4.4 Air diffusion characteristics.....	20
5.5 Range hoods	20
5.5.1 Aerodynamic characteristics	20
5.5.2 Acoustic characteristics.....	20
5.5.3 Efficiency of grease absorption	20
5.5.4 Effectiveness of odour extraction.....	20
5.5.5 Electrical power input.....	20
5.5.6 Controllability	20
5.6 Exhaust or supply unidirectional ventilation units.....	20
5.6.1 Data input	20
5.6.2 Declared data.....	21
5.6.3 General on classification	22
5.6.4 Aerodynamic characteristics	22
5.6.5 Energy.....	23
5.6.6 Acoustic characteristics.....	26
5.7 Cowls and roof outlet terminals.....	28

5.7.1	Pressure drop.....	28
5.7.2	Free area	28
5.7.3	Suction effect.....	28
5.7.4	Acoustic characteristics	29
5.8	Exhaust ventilation system packages used in a single dwelling.....	29
5.8.1	General	29
5.8.2	Aerodynamic characteristics.....	29
5.8.3	Energy	29
5.8.4	Acoustic characteristics	30
5.9	Ducted mechanical bidirectional ventilation units (including heat recovery).....	30
5.9.1	Data input.....	30
5.9.2	Data declared from the manufacturer	31
5.9.3	General on classification	32
5.9.4	Aerodynamic characteristics.....	32
5.9.5	Thermal characteristics	34
5.9.6	Energy	35
5.9.7	Acoustic characteristics	37
5.10	Non-ducted mechanical bidirectional ventilation units (including heat recovery).....	38
5.10.1	Data input.....	38
5.10.2	Data declared from the manufacturer	39
5.10.3	General on classification	39
5.10.4	Aerodynamic characteristics.....	39
5.10.5	Thermal characteristics	42
5.10.6	Energy	43
5.10.7	Acoustics characteristics	44
6	Manual, cleaning and maintenance.....	45
6.1	Manual	45
6.2	Cleaning and maintenance	46
6.3	Check of maintenance criteria	46
7	Marking, labelling and product information	47
8	Declaration and codification of mechanical bidirectional ventilation units	49
8.1	General	49
8.2	Filter	49
8.3	Materials	49
8.3.1	Reaction to fire	49
8.3.2	Hygiene and health	50
Annex A	(normative) Additional list for controls declaration	51
Annex B	(informative) Additional check list for declaration and codification.....	55
B.1	Filter bypass leakage.....	55
B.2	Design criteria	55
B.3	Controls.....	56
B.4	Additional equipment.....	58
Annex C	(informative) Schematics for classification and codification of ventilation units and relevant test standards.....	60
Annex D	(informative) Filter clogging compensation.....	64
D.1	General	64
D.2	Definition and calculation of the filter compensation factor.....	64

D.3	Classification of the filter compensation factor	65
D.4	Test method	65
D.5	Example of test set up for bidirectional ventilation units.....	65
Annex E	(informative) Calculation of an extended SEC	67
E.1	Terms, definitions and abbreviated terms	67
E.1.1	Terms and definitions	67
E.1.2	Abbreviated terms.....	67
E.2	Model	67
E.2.1	General.....	67
E.2.2	General total energy balance	67
E.2.3	General electric energy balance	68
E.2.4	Heating energy saving	68
E.2.5	Annual electricity consumption for defrosting.....	71
E.2.6	Default values for calculation and classification	78
Annex F	(informative) Calculation of an extended SEC considering Infiltration	85
F.1	General.....	85
F.2	Extended SEC calculation	85
Annex G	(informative) SEC calculation example according to EU 1253/2014 and EU 1254/2014	87
G.1	General.....	87
G.2	Example - SEC calculations.....	88
G.2.1	Example 1 - Single dwelling ducted bidirectional ventilation unit with heat exchanger (centralized heat recovery)	88
G.2.2	Example 2 - Single dwelling ducted bidirectional ventilation unit with heat exchanger with local control and variable speed.....	88
G.2.3	Example 3 - Single room non-ducted ventilation unit with recovery heat exchanger	89
G.2.4	Example 4 - Single room non-ducted ventilation unit with positive input ventilation	90
G.2.5	Example 5 - Exhaust unidirectional ventilation unit.....	90
Annex ZA	(informative) Relationship between this European Standard and the essential requirements of Regulation (EC) No 1253/2014 aimed to be covered	92
Annex ZB	(informative) Relationship between this European Standard and the essential requirements of delegated Regulation (EC) No 1254/2014 aimed to be covered	95
Bibliography	97