DIN EN 16304:2024-02 (E)

Automatic vent valves for gas burners and gas burning appliances

Contents

Page

European foreword 6

Introduction 7

1 Scope 9

2 Normative references 9

3 Terms and definitions 10

4 Classification 11
4.1 Classes of control 11
4.2 Groups of control 11
4.3 Classes of control functions 11
4.4 Types of DC supplied controls 11

5 Test conditions and uncertainty of measurements 11

6 Design and construction 11
6.1 General 11
6.2 Mechanical parts of the control 11
6.2.1 Appearance 11
6.2.2 Holes 11
6.2.3 Breather holes 11
6.2.4 Screwed fastenings 12
6.2.5 Jointing 12
6.2.6 Moving parts 12
6.2.7 Sealing caps 12
6.2.8 Dismantling and reassembly 12
6.2.9 Auxiliary canals and orifices 12
6.2.10 Presetting device 12
6.2.101 Design 12
6.2.102 Open position indicator switch 12
6.2.103 Controls assembled to a valve 12
6.3 Materials 12
6.3.1 General material requirements 12
6.3.2 Housing 12
6.3.3 Zinc alloys 12
6.3.4 Springs 12
6.3.5 Resistance to corrosion and surface protection 13
6.3.6 Impregnation 13
6.3.7 Seals for glands for moving parts 13
6.3.101 Springs providing opening force 13
6.3.102 Closure members 13
6.4 Gas connections 13
6.4.1 Making connections 13
6.4.2 Connection sizes 13
6.4.3 Threads 13
6.4.4 Union joints 13
6.4.5 Flanges 13
6.4.6 Compression fittings 13
6.4.7 Nipples for pressure test 13

6.4.8 Strainers 14
6.5 Electrical parts of the control 14
6.5.1 General 14
6.5.2 Switching elements 14
6.5.3 Electrical components 14
6.6 Protection against internal faults for the purpose of functional safety 14
6.101 Pneumatic and hydraulic actuating mechanisms 14

7 Performance 14
7.1 General 14
7.2 Leak-tightness 15
7.3 Torsion and bending 15
7.4 Rated flow rate 15
7.5 Durability 15
7.6 Performance tests for electronic controls 15
7.7 Long-term performance for electronic controls 15
7.8 Data exchange 15
7.101 Opening function 15
7.101.1 Requirement 15
7.101.2 Test of opening function 15
7.102 Opening force 16
7.102.1 Requirement 16
7.102.2 Test of opening force 16
7.103 Opening time 16
7.103.1 Requirement 16
7.103.2 Test of opening time 16
7.104 Delay time and closing time 16
7.104.1 Requirement 16
7.104.2 Test of delay time and closing time 16
7.105 Open position indicator switch 17
7.105.1 Requirement 17
7.105.2 Test of open position indicator switch 17
7.106 Endurance 17
7.106.1 Requirement 17
7.106.2 Endurance test 17
7.106.3 Endurance test for open position indicator switch 18

8 Electrical requirements 18
8.1 General 18
8.2 Protection by enclosure 18
8.101 Switches 19
8.102 Plug connections 19
8.103 Power saving circuits 19
8.103.1 Closing of the valve 19
8.103.2 Overheating 19
8.103.3 Test of power-saving circuits 19

9 Electromagnetic compatibility (EMC) 20
9.1 Protection against environmental influences 20
9.2 Supply voltage variations below 85 % of rated voltage 20
9.3 Voltage dips and interruptions 20
9.3.1 Requirements 20
9.3.2 Test 20
9.4 Supply frequency variations 20
9.5 Surge immunity test 20
9.6 Electrical fast transient/burst 20
9.7 Immunity to conducted disturbances induced by radio frequency fields 20
9.8 Immunity to radiated disturbances induced by radio frequency fields 20
9.9 Electrostatic discharge tests 20
9.10 Power frequency magnetic field immunity tests 20
9.11 Harmonics and interharmonics including mains signalling at a.c. power port, low frequency immunity tests 20

10 Marking, instructions 21
10.1 Marking 21
10.2 Instructions 21
10.3 Warning notice 22

Annex A (informative) Abbreviations and symbols 23

Annex B (informative) Leak-tightness test for gas controls - volumetric method 24

Annex C (informative) Leak-tightness test for gas controls - pressure loss method 25

Annex D (normative) Calculation of pressure loss into leakage rate 26

Annex E (normative) Electrical/electronic component fault modes 27

Annex F (normative) Additional requirements for safety accessories and pressure accessories as defined in EU Directive 2014/68/EU 28

Annex G (normative) Materials for pressurized parts 29

Annex H (normative) Additional materials for pressurized parts 30

Annex I (normative) Requirements for controls used in DC supplied burners and appliances burning gaseous or liquid fuels 31

Annex J (normative) Method for the determination of a Safety Integrity Level (SIL) 32

Annex K (normative) Method for the determination of a Performance Level (PL) 33

K.1 Scope 33
K.2 Normative references 33
K.3 Terms and definitions 33
K.4 Performance 33
K.4.1 Operation mode 33
K.4.2 PL and field data evaluation 33
K.4.3 Hardware failure tolerance (HFT) 33
K.4.4 Common cause failure (CCF) 33
K.4.4.1 General 33
K.4.4.2 Estimation of effect of CCF 33
K.4.5 Safe failure fraction (SFF) 34
K.4.6 Determination of the B10d value 34
K.4.6.1 Requirements 34
K.4.6.2 Tests 34
K.4.7 Determination of Performance Level (PL) 35
K.4.8 PFHD values for structures consisting of two controls 35
K.5 Marking, instructions 35
K.5.1 Marking 35
K.5.2 Instructions 35
K.5.3 Warning notice 35

Annex L (informative) Relationship between Safety Integrity Level (SIL) and Performance Level (PL) 36

Annex M (normative) Reset functions 37

Annex N (informative) Guidance document on Environmental Aspects 38

Annex O (normative) Seals of elastomer, cork and synthetic fibre mixtures 39

Annex ZA (informative) Relationship between this European Standard and the essential requirements of Regulation (EU) 2016/426 aimed to be covered 40

Bibliography 43