

# DIN EN 16798-1:2022-03 (E)

## Energy performance of buildings - Ventilation for buildings - Part 1: Indoor environmental input parameters for design and assessment of energy performance of buildings addressing indoor air quality, thermal environment, lighting and acoustics - Module M1-6

---

<b>Contents</b>		<b>Page</b>
European foreword .....		5
Introduction .....		8
1 Scope .....		10
2 Normative references.....		11
3 Terms and definitions.....		12
4 Symbols and abbreviations.....		15
4.1 Symbols .....		15
4.2 Abbreviations.....		17
5 Interactions with other standards.....		17
6 Design input parameters for design of buildings and sizing of heating, cooling, ventilation and lighting systems .....		17
6.1 Introduction.....		17
6.2 Thermal environment.....		18
6.2.1 Heated and/or mechanically cooled buildings .....		18
6.2.2 Buildings without mechanical cooling.....		19
6.2.3 Increased air velocity .....		19
6.3 Design for Indoor air quality (ventilation rates) .....		19
6.3.1 General .....		19
6.3.2 Methods.....		21
6.3.3 Non-residential buildings .....		23
6.3.4 Residential buildings.....		23
6.3.5 Access to operable windows.....		23
6.3.6 Filtration and air cleaning.....		23
6.4 Humidity .....		24
6.5 Lighting.....		24
6.5.1 General .....		24
6.5.2 Non-residential buildings .....		24
6.5.3 Residential buildings.....		25
6.6 Noise .....		25
7 Indoor environment parameters for energy calculation .....		25
7.1 General .....		25
7.2 Thermal environment.....		25
7.2.1 General .....		25
7.2.2 Seasonal and monthly calculations .....		26
7.2.3 Hourly calculations .....		26
7.3 Indoor air quality and ventilation .....		26
7.4 Humidity .....		26
7.5 Lighting.....		26
7.5.1 Non-residential buildings.....		26
7.5.2 Residential buildings.....		27
Annex A (normative) All national recommended criteria for indoor environment.....		28
A.1 General .....		28
A.2 Recommended criteria for the thermal environment.....		29

<b>A.2.1</b>	<b>Recommended categories for mechanically heated and cooled buildings .....</b>	<b>29</b>
<b>A.2.2</b>	<b>Acceptable indoor temperatures of buildings without mechanical cooling systems.....</b>	<b>31</b>
<b>A.2.3</b>	<b>Increased air velocity .....</b>	<b>32</b>
<b>A.2.4</b>	<b>Recommended indoor temperatures for energy calculations.....</b>	<b>33</b>
<b>A.3</b>	<b>Basis criteria for indoor air quality and ventilation rates .....</b>	<b>34</b>
<b>A.3.1</b>	<b>Design ventilation air flow rates for non-residential buildings.....</b>	<b>34</b>
<b>A.3.1.1</b>	<b>General.....</b>	<b>34</b>
<b>A.3.1.2</b>	<b>Method 1 - Method based on perceived air quality.....</b>	<b>34</b>
<b>A.3.1.3</b>	<b>Method 2 - Method using limit values of substance concentration.....</b>	<b>35</b>
<b>A.3.1.4</b>	<b>Method 3: Method based on predefined air flow rates.....</b>	<b>35</b>
<b>A.3.2</b>	<b>Design ventilation air flow rates for residential buildings.....</b>	<b>36</b>
<b>A.3.2.1</b>	<b>General.....</b>	<b>36</b>
<b>A.3.2.2</b>	<b>Design supply air flow rates.....</b>	<b>36</b>
<b>A.3.2.3</b>	<b>Design extract air flow rates .....</b>	<b>37</b>
<b>A.3.3</b>	<b>Ventilation air flow rate during unoccupied periods .....</b>	<b>38</b>
<b>A.3.3.1</b>	<b>Non-residential buildings .....</b>	<b>38</b>
<b>A.3.3.2</b>	<b>Residential buildings .....</b>	<b>38</b>
<b>A.3.4</b>	<b>The recommended criteria for dimensioning of humidification and dehumidification....</b>	<b>38</b>
<b>A.4</b>	<b>How to define low and very low polluting buildings.....</b>	<b>38</b>
<b>A.5</b>	<b>Examples of criteria for lighting.....</b>	<b>39</b>
<b>A.6</b>	<b>Indoor system noise criteria of some spaces and buildings.....</b>	<b>40</b>
<b>A.7</b>	<b>Criteria for substances in indoor air .....</b>	<b>40</b>
<b>A.8</b>	<b>Occupant schedules for energy calculations .....</b>	<b>42</b>
<b>Annex B (informative)</b>	<b>Default criteria for the indoor environment .....</b>	<b>44</b>
<b>B.1</b>	<b>General.....</b>	<b>44</b>
<b>B.2</b>	<b>Default criteria for the thermal environment .....</b>	<b>44</b>
<b>B.2.1</b>	<b>Default categories for mechanically heated and cooled buildings.....</b>	<b>44</b>
<b>B.2.2</b>	<b>Default acceptable indoor temperatures for buildings without mechanical cooling systems.....</b>	<b>47</b>
<b>B.2.3</b>	<b>Increased air velocity .....</b>	<b>49</b>
<b>B.2.4</b>	<b>Default indoor temperatures for energy calculations.....</b>	<b>50</b>
<b>B.3</b>	<b>Basis for the criteria for indoor air quality and ventilation rates.....</b>	<b>51</b>
<b>B.3.1</b>	<b>Default design ventilation air flow rates .....</b>	<b>51</b>
<b>B.3.1.1</b>	<b>General.....</b>	<b>51</b>
<b>B.3.1.2</b>	<b>Method 1: method based on perceived air quality.....</b>	<b>51</b>
<b>B.3.1.3</b>	<b>Method 2 - method using limit values of substance concentration.....</b>	<b>52</b>
<b>B.3.1.4</b>	<b>Method 3 Method based on predefined ventilation flow rates.....</b>	<b>53</b>

<b>B.3.1.5 Ventilation air flow rate during unoccupied periods .....</b>	<b>53</b>
<b>B.3.2 Default design ventilation air flow rates for residential buildings .....</b>	<b>53</b>
<b>B.3.2.1 General .....</b>	<b>53</b>
<b>B.3.2.2 Design supply air flow rates .....</b>	<b>53</b>
<b>B.3.2.3 Design extract air flow rates.....</b>	<b>54</b>
<b>B.3.2.4 Design opening areas for natural ventilation.....</b>	<b>55</b>
<b>B.3.2.5 Design ventilation air flow rate during unoccupied periods.....</b>	<b>55</b>
<b>B.3.3 The recommended criteria for dimensioning of humidification and dehumidification ...</b>	<b>56</b>
<b>B.4 Example on how to define low and very low polluting buildings.....</b>	<b>56</b>
<b>B.5 Examples of criteria for lighting.....</b>	<b>57</b>
<b>B.6 Indoor system noise criteria of some spaces and buildings .....</b>	<b>58</b>
<b>B.7 WHO health-based criteria for indoor air.....</b>	<b>59</b>
<b>B.8 Occupants schedules for energy calculations.....</b>	<b>60</b>
<b>Annex C (informative) Occupants schedules for energy calculations.....</b>	<b>63</b>
<b>Bibliography .....</b>	<b>77</b>