DIN EN 488-1:2025-07 (E)

District heating pipes - Bonded single pipe systems for directly buried hot water networks - Part 1: Factory made steel shut-off valve assembly for steel service pipes, polyurethane thermal insulation and a casing of polyethylene

Contents

Page

European foreword 4

Introduction 5

1 Scope 6

2 Normative references 6

3 Terms and definitions 6

4 Requirements 7
4.1 General 7
4.2 Pressure ratings for valves 7
4.2.1 General 7
4.2.2 Valves without indicated flow direction 7
4.3 Service temperatures for valves 7
4.4 Steel parts 7
4.4.1 Specification 7
4.4.2 Valve 7
4.4.3 Valve extension pipes 8
4.4.4 Surface condition 8
4.4.5 Welding of steel parts 8
4.5 Casing 8
4.6 Polyurethane foam thermal insulation 8
4.6.1 General 8
4.6.2 Minimum thickness of thermal insulation 8
4.7 Valve assembly 8
4.7.1 General 8
4.7.2 Thermal insulation series 8
4.7.3 Ends of valve assembly 8
4.7.4 Polyethylene welding 9
4.7.5 End of stem construction 9
4.7.6 Tolerances of main dimensions 10
4.7.7 Expected thermal life and long term temperature resistance 10
4.7.8 Thermal conductivity 10
4.7.9 Surface conditions at delivery 10
4.7.10 Measuring wires for surveillance systems 10
4.8 Installation, operation and maintenance 10
4.8.1 Installation 10
4.8.2 Operation 10
4.8.3 Maintenance 11
4.9 Resistance to axial forces and bending moments 11

5 Test methods 11
5.1 General conditions and test specimens 11
5.2 Test specimens 11
5.2.1 Type testing of steel parts of the valve 11
5.2.2 Test specimens from casings and polyurethane foam thermal insulation 12
5.3 Steel parts 12

5.3.1 Type test of the steel parts 12
5.3.2 Production testing of valves 15

6 Marking 16
6.1 General 16
6.2 Valve 16
6.3 Valve extension pipes 16
6.4 Casing 16
6.5 Valve assembly 16

Annex A (informative) Guidelines for inspection and testing 18

Annex B (normative) Resistance to axial force and bending moment 20

Annex C (normative) Resistance to bending forces 22

Annex D (informative) Waste treatment and recycling 27

Bibliography 28