DIN EN ISO 16484-5:2004-08 (E)

Building automation and control systems - Part 5: Data communication protocol (ISO 16484-5:2003); English version EN ISO 16484-5:2003

CONTENTS

FOREWORD vii
1 PURPOSE 1
2 SCOPE 1
3 DEFINITIONS 1
3.1 Terms Adopted from International Standards 1
3.2 Terms Defined for this Standard 2
3.3 Abbreviations and Acronyms Used in this Standard 5
4 BACnet PROTOCOL ARCHITECTURE 8
4.1 The BACnet Collapsed Architecture 9
4.2 BACnet Network Topology 11
4.3 Security 13
5 THE APPLICATION LAYER 14
5.1 The Application Layer Model 14
5.2 Segmentation of BACnet Messages 18
5.3 Transmission of BACnet APDUs 19
5.4 Application Protocol State Machines 23
5.5 Application Protocol Time Sequence Diagrams 37
5.6 Application Layer Service Conventions 45
6 THE NETWORK LAYER 47
6.1 Network Layer Service Specification 47
6.2 Network Layer PDU Structure 48
6.3 Messages for Multiple Recipients 53
6.4 Network Layer Protocol Messages 54
6.5 Network Layer Procedures 56
6.6 BACnet Routers 58
6.7 Point-To-Point Half-Routers 63
7 DATA LINK/PHYSICAL LAYERS: ISO 8802-3 ("Ethernet") LAN 68
7.1 The Use of ISO 8802-2 Logical Link Control (LLC) 68
7.2 Parameters Required by the LLC Primitives 68
7.3 Parameters Required by the MAC Primitives 68
7.4 Physical Media 68
8 DATA LINK/PHYSICAL LAYERS: ARCNET LAN 70
8.1 The Use of ISO 8802-2 Logical Link Control (LLC) 70
8.2 Parameters Required by the LLC Primitives 70
8.3 Mapping the LLC Services to the ARCNET MAC Layer 70
8.4 Parameters Required by the MAC Primitives 70
8.5 Physical Media 70
9 DATA LINK/PHYSICAL LAYERS: MASTER-SLAVE/TOKEN PASSING (MS/TP) LAN 72
9.1 Service Specification 72
9.2 Physical Layer 74
9.3 MS/TP Frame Format 76
9.4 Overview of the MS/TP Network 77
9.5 MS/TP Medium Access Control 78
9.6 Cyclic Redundancy Check (CRC) 94
9.7 Interfacing MS/TP LANs with Other BACnet LANs 95
9.8 Responding BACnet User Processing of Messages from MS/TP 95
9.9 Repeaters 95
10 DATA LINK/PHYSICAL LAYERS: POINT-TO-POINT (PTP) 97
10.1 Overview 97
10.2 Service Specification 97
10.3 Point-to-Point Frame Format 102
10.4 PTP Medium Access Control Protocol 104
11 DATA LINK/PHYSICAL LAYERS: EIA/CEA-709.1 ("LonTalk") LAN 125
11.1 The Use of ISO 8802-2 Logical Link Control (LLC) 125
11.2 Parameters Required by the LLC Primitives 125

11.3 Mapping the LLC Services to the LonTalk Application Layer 125
11.4 Parameters Required by the Application Layer Primitives 125
11.5 Physical Media 126
12 MODELING CONTROL DEVICES AS A COLLECTION OF OBJECTS 127
12.1 Analog Input Object Type 130
12.2 Analog Output Object Type 135
12.3 Analog Value Object Type 140
12.4 Averaging Object Type 145
12.5 Binary Input Object Type 148
12.6 Binary Output Object Type 153
12.7 Binary Value Object Type 159
12.8 Calendar Object Type 164
12.9 Command Object type 166
12.10 Device Object Type 169
12.11 Event Enrollment Object Type 175
12.12 File Object Type 180
12.13 Group Object Type 182
12.14 Life Safety Point Object Type 184
12.15 Life Safety Zone Object Type 190
12.16 Loop Object Type 196
12.17 Multi-state Input Object Type 203
12.18 Multi-state Output Object Type 207
12.19 Multi-state Value Object Type 211
12.20 Notification Class Object type 216
12.21 Program Object Type 219
12.22 Schedule Object Type 224
12.23 Trend Log Object Type 227
13 ALARM AND EVENT SERVICES 233
13.1 Change of Value Reporting 234
13.2 Intrinsic Reporting 236
13.3 Algorithmic Change Reporting 239
13.4 Alarm and Event Occurrence and Notification 245
13.5 AcknowledgeAlarm Service 248
13.6 ConfirmedCOVNotification Service 250
13.7 UnconfirmedCOVNotification Service 252
13.8 ConfirmedEventNotification Service 253
13.9 UnconfirmedEventNotification Service 256
13.10 GetAlarmSummary Service 258
13.11 GetEnrollmentSummary Service 260
13.12 GetEventInformation Service 263
13.13 LifeSafetyOperation Service 265
13.14 SubscribeCOV Service 267
13.15 SubscribeCOVProperty Service 269
14 FILE ACCESS SERVICES 272
14.1 AtomicReadFile Service 273
14.2 AtomicWriteFile Service 276
15 OBJECT ACCESS SERVICES 278
15.1 AddListElement Service 278
15.2 RemoveListElement Service 280
15.3 CreateObject Service 282
15.4 DeleteObject Service 284
15.5 ReadProperty Service 285
15.6 ReadPropertyConditional Service 287
15.7 ReadPropertyMultiple Service 292
15.8 ReadRange Service 295
15.9 WriteProperty Service 299
15.10 WritePropertyMultiple Service 301

16 REMOTE DEVICE MANAGEMENT SERVICES 304
16.1 DeviceCommunicationControl Service 304
16.2 ConfirmedPrivateTransfer Service 306
16.3 UnconfirmedPrivateTransfer Service 308
16.4 ReinitializeDevice Service 309
16.5 ConfirmedTextMessage Service 311
16.6 UnconfirmedTextMessage Service 313
16.7 TimeSynchronization Service 314
16.8 UTCTimeSynchronization Service 315
16.9 Who-Has and I-Have Services 316
16.10 Who-Is and I-Am Services 318
17 VIRTUAL TERMINAL SERVICES 320
17.1 Virtual Terminal Model 320
17.2 VT-Open Service 324
17.3 VT-Close Service 326
17.4 VT-Data Service 327
17.5 Default-terminal Characteristics 329
18 ERROR, REJECT, and ABORT CODES 333
18.1 Error Class - DEVICE 333
18.2 Error Class - OBJECT 333
18.3 Error Class - PROPERTY 333
18.4 Error Class - RESOURCES 334
18.5 Error Class - SECURITY 334
18.6 Error Class - SERVICES 335
18.7 Error Class - VT 336
18.8 Reject Reason 336
18.9 Abort Reason 336
19 BACnet PROCEDURES 338
19.1 Backup and Restore 338
19.2 Command Prioritization 341
20 ENCODING BACnet PROTOCOL DATA UNITS 345
20.1 Encoding the Fixed Part of BACnet APDUs 345
20.2 Encoding the Variable Part of BACnet APDUs 355
21 FORMAL DESCRIPTION OF APPLICATION PROTOCOL DATA UNITS 369
22 CONFORMANCE AND INTEROPERABILITY 409
22.1 Conformance to BACnet 409
22.2 BACnet Interoperability 410
23 EXTENDING BACnet TO ACCOMMODATE VENDOR PROPRIETARY INFORMATION 412
23.1 Extending Enumeration Values 412
23.2 Using the PrivateTransfer Services to Invoke Non-Standardized Services 412
23.3 Adding Proprietary Properties to a Standardized Object 413
23.4 Adding Proprietary Object Types to BACnet 413
23.5 Restrictions on Extending BACnet 414
24 NETWORK SECURITY 415
24.1 Security Architecture 415
24.2 Authentication Mechanisms 416
24.3 Data Confidentiality Mechanism 418
24.4 RequestKey Service 419
24.5 Authenticate Service 420
25 REFERENCES 423
ANNEX A - PROTOCOL IMPLEMENTATION CONFORMANCE STATEMENT (NORMATIVE) 425
ANNEX B - GUIDE TO SPECIFYING BACnet DEVICES (INFORMATIVE) 427
ANNEX C - FORMAL DESCRIPTION OF OBJECT TYPE STRUCTURES (INFORMATIVE) 428
ANNEX D - EXAMPLES OF STANDARD OBJECT TYPES (INFORMATIVE) 439
D.1 Example of an Analog Input Object 439
D.2 Example of an Analog Output Object 439
D.3 Example of an Analog Value Object 440

D.4 Example of an Averaging Object 440
D.5 Example of a Binary Input Object 440
D.6 Example of a Binary Output Object 442
D.7 Example of a Binary Value Object 443
D.8 Example of a Calendar Object 443
D.9 Example of a Command Object 444
D.10 Example of a Device Object 445
D.11 Example of an Event Enrollment Object 446
D.12 Example of a File Object 448
D.13 Example of a Group Object 448
D.14 Example of a Life Safety Point Object 449
D.15 Example of a Life Safety Zone Object 449
D.16 Example of a Loop Object 450
D.17 Example of a Multi-state Input Object 451
D.18 Example of a Multi-state Output Object 452
D.19 Example of a Multi-state Value Object 453
D.20 Example of a Notification Class Object 453
D.21 Example of a Program Object 454
D.22 Example of a Schedule Object 455
D.23 Example of a Trend Log Object 456
ANNEX E - EXAMPLES OF BACnet APPLICATION SERVICES (INFORMATIVE) 457
E.1 Alarm and Event Services 457
E.2 File Access Services 461
E.3 Object Access Services 462
E.4 Remote Device Management Services 470
E.5 Virtual Terminal Services 473
E.6 Security Services 474
ANNEX F - EXAMPLES OF APDU ENCODING (INFORMATIVE) 476
F.1 Example Encodings for Alarm and Event Services 476
F.2 Example Encodings for File Access Services 485
F.3 Example Encodings for Object Access Services 487
F.4 Example Encodings for Remote Device Management Services 501
F.5 Example Encodings for Virtual Terminal Services 506
F.6 Example Encodings for Security Services 508
ANNEX G - CALCULATION OF CRC (INFORMATIVE) 510
G.1 Calculation of the Header CRC 510
G.2 Calculation of the Data CRC 516
ANNEX H - COMBINING BACnet NETWORKS WITH NON-BACnet NETWORKS (NORMATIVE) 521
H.1 Mapping Non-BACnet Networks onto BACnet Routers 521
H.2 Multiple 'Virtual' BACnet Devices in a Single Physical Device 521
H.3 Using BACnet with the DARPA Internet Protocols 521
H.4 Using BACnet with the IPX Protocol 522
ANNEX I - COMMANDABLE PROPERTIES WITH MINIMUM ON AND OFF TIMES (INFORMATIVE) 524
ANNEX J - BACnet/IP (NORMATIVE) 526
J.1 General 526
J.2 BACnet Virtual Link Layer 526
J.3 BACnet/IP Directed Messages 530
J.4 BACnet/IP Broadcast Messages 530
J.5 Addition of Foreign B/IP Devices to an Existing B/IP Network 532
J.6 Routing Between B/IP and non-BP/IP BACnet Networks 533
J.7 Routing Between Two B/IP BACnet Networks 534
J.8 Use of IP Multicast within BACnet/IP 536
J.9 Sources for Internet Information 537
ANNEX K - BACnet INTEROPERABILITY BUILDING BLOCKS (BIBBs) (NORMATIVE) 538
K.1 Data Sharing BIBBs 538
K.1.1 BIBB - Data Sharing - ReadProperty - A (DS-RP-A) 538
K.1.2 BIBB-Data Sharing-ReadProperty-B (DS-RP-B) 538

K.1.3 BIBB - Data Sharing-ReadPropertyMultiple-A (DS-RPM-A) 538
K.1.4 BIBB - Data Sharing-ReadPropertyMultiple-B (DS-RPM-B) 538
K.1.5 BIBB - Data Sharing-ReadPropertyConditional-A (DS-RPC-A) 538
K.1.6 BIBB - Data Sharing-ReadPropertyConditional-B (DS-RPC-B) 539
K.1.7 BIBB - Data Sharing-WriteProperty-A (DS-WP-A) 539
K.1.8 BIBB - Data Sharing-WriteProperty-B (DS-WP-B) 539
K.1.9 BIBB - Data Sharing-WritePropertyMultiple-A (DS-WPM-A) 539
K.1.10 BIBB - Data Sharing-WritePropertyMultiple-B (DS-WPM-B) 539
K.1.11 BIBB - Data Sharing-COV-A (DS-COV-A) 539
K.1.12 BIBB - Data Sharing-COV-B (DS-COV-B) 540
K.1.13 BIBB - Data Sharing-COVP-A (DS-COVP-A) 540
K.1.14 BIBB - Data Sharing-COVP-B (DS-COVP-B) 540
K.1.15 BIBB - Data Sharing-COV-Unsolicited-A (DS-COVU-A) 540
K.1.16 BIBB - Data Sharing-COV-Unsolicited-B (DS-COVU-B) 540
K.2 Alarm and Event Management BIBBs 540
K.2.1 BIBB - Alarm and Event-Notification-A (AE-N-A) 541
K.2.2 BIBB - Alarm and Event-Notification Internal-B (AE-N-I-B) 541
K.2.3 BIBB - Alarm and Event-Notification External-B (AE-N-E-B) 541
K.2.4 BIBB - Alarm and Event-ACK-A (AE-ACK-A) 541
K.2.5 BIBB - Alarm and Event-ACK-B (AE-ACK-B) 541
K.2.6 BIBB - Alarm and Event-Alarm Summary-A (AE-ASUM-A) 541
K.2.7 BIBB - Alarm and Event-Alarm Summary-B (AE-ASUM-B) 542
K.2.8 BIBB - Alarm and Event-Enrollment Summary-A (AE-ESUM-A) 542
K.2.9 BIBB - Alarm and Event-Enrollment Summary-B (AE-ESUM-B) 542
K.2.10 BIBB - Alarm and Event-Information-A (AE-INFO-A) 542
K.2.11 BIBB - Alarm and Event-Information-B (AE-INFO-B) 542
K.2.12 BIBB - Alarm and Event-LifeSafety-A (AE-LS-A) 542
K.2.13 BIBB - Alarm and Event-LifeSafety-B (AE-LS-B) 542
K.3 Scheduling BIBBs 543
K.3.1 BIBB - Scheduling-A (SCHED-A) 543
K.3.2 BIBB - Scheduling-Internal-B (SCHED-I-B) 543
K.3.3 BIBB - Scheduling-External-B (SCHED-E-B) 543
K.4 Trending BIBBs 543
K.4.1 BIBB - Trending-Viewing and Modifying Trends-A (T-VMT-A) 543
K.4.2 BIBB - Trending-Viewing and Modifying Trends Internal-B (T-VMT-I-B) 543
K.4.3 BIBB - Trending-Viewing and Modifying Trends External-B (T-VMT-E-B) 543
K.4.4 BIBB - Trending-Automated Trend Retrieval-A (T-ATR-A) 544
K.4.5 BIBB - Trending-Automated Trend Retrieval-B (T-ATR-B) 544
K.5 Device and Network Management BIBBs 544
K.5.1 BIBB - Device Management-Dynamic Device Binding-A (DM-DDB-A) 544
K.5.2 BIBB - Device Management-Dynamic Device Binding-B (DM-DDB-B) 544
K.5.3 BIBB - Device Management-Dynamic Object Binding-A (DM-DOB-A) 545
K.5.4 BIBB - Device Management-Dynamic Object Binding-B (DM-DOB-B) 545
K.5.5 BIBB - Device Management-DeviceCommunicationControl-A (DM-DCC-A) 545
K.5.6 BIBB - Device Management-DeviceCommunicationControl-B (DM-DCC-B) 545
K.5.7 BIBB - Device Management-Private Transfer-A (DM-PT-A) 545
K.5.8 BIBB - Device Management-Private Transfer-B (DM-PT-B) 545
K.5.9 BIBB - Device Management-Text Message-A (DM-TM-A) 546
K.5.10 BIBB - Device Management-Text Message-B (DM-TM-B) 546
K.5.11 BIBB - Device Management-TimeSynchronization-A (DM-TS-A) 546
K.5.12 BIBB - Device Management-TimeSynchronization-B (DM-TS-B) 546
K.5.13 BIBB - Device Management-UTCTimeSynchronization-A (DM-UTC-A) 546
K.5.14 BIBB - Device Management-UTCTimeSynchronization-B (DM-UTC-B) 547
K.5.15 BIBB - Device Management-ReinitializeDevice-A (DM-RD-A) 547
K.5.16 BIBB - Device Management-ReinitializeDevice-B (DM-RD-B) 547
K.5.17 BIBB - Device Management-Backup and Restore-A (DM-BR-A) 547
K.5.18 BIBB - Device Management-Backup and Restore-B (DM-BR-B) 547

K.5.19 BIBB - Device Management-Restart-A (DM-R-A) 548
K.5.20 BIBB - Device Management-Restart-B (DM-R-B) 548
K.5.21 BIBB - Device Management-List Manipulation-A (DM-LM-A) 548
K.5.22 BIBB - Device Management-List Manipulation-B (DM-LM-B) 548
K.5.23 BIBB - Device Management-Object Creation and Deletion-A (DM-OCD-A) 548
K.5.24 BIBB - Device Management-Object Creation and Deletion-B (DM-OCD-B) 549
K.5.25 BIBB - Device Management-Virtual Terminal-A (DM-VT-A) 549
K.5.26 BIBB - Device Management-Virtual Terminal-B (DM-VT-B) 549
K.5.27 BIBB - Network Management-Connection Establishment-A (NM-CE-A) 549
K.5.28 BIBB - Network Management-Connection Establishment-B (NM-CE-B) 549
K.5.29 BIBB - Network Management-Router Configuration-A (NM-RC-A) 550
K.5.30 BIBB - Network Management-Router Configuration-B (NM-RC-B) 550
ANNEX L - DESCRIPTIONS AND PROFILES OF STANDARDIZED BACnet DEVICES (NORMATIVE) 551
L.1 BACent Operator Workstation (B-OWS) 551
L.2 BACnet Building Controller (B-BC) 551
L.3 BACnet Advanced Application Controller (B-AAC) 552
L.4 BACnet Application Specific Controller (B-ASC) 552
L.5 BACnet Smart Actuator (B-SA) 553
L.6 BACnet Smart Sensor (B-SS) 553
L.7 Profiles of the Standard BACnet Devices 554
HISTORY OF REVISIONS 555