

DIN EN 14908-5:2009-12 (E)

Firmenneutrale Datenkommunikation für die Gebäudeautomation und Gebäudemanagement –
Gebäude Netzwerk Protokoll –Teil 5: Implementierung; Englische Fassung EN 14908-5:2009

Contents

Page

| | |
|---|----|
| Foreword..... | 5 |
| Introduction | 6 |
| 1 Scope | 7 |
| 2 Normative references | 7 |
| 3 Terms and definitions | 7 |
| 3.1 application set..... | 7 |
| 3.2 base type | 7 |
| 3.3 changeable-type network variable | 8 |
| 3.4 configuration property CP | 8 |
| 3.5 configuration-property member | 8 |
| 3.6 configuration-property member number..... | 8 |
| 3.7 configuration-property type index | 8 |
| 3.8 device | 8 |
| 3.9 device channel ID..... | 8 |
| 3.10 device class..... | 8 |
| 3.11 device interface..... | 8 |
| 3.12 device-location field | 9 |
| 3.13 device self-documentation string DS DS | 9 |
| 3.14 device subclass | 9 |
| 3.15 dynamic functional block..... | 9 |
| 3.16 dynamic network variable..... | 9 |
| 3.17 format..... | 9 |
| 3.18 functional block | 9 |
| 3.19 functional-block index..... | 9 |
| 3.20 functional profile FP | 9 |
| 3.21 functional-profile key | 10 |
| 3.22 functional-profile member | 10 |
| 3.23 functional-profile member number | 10 |
| 3.24 functional-profile number | 10 |
| 3.25 functional-profile selector..... | 10 |
| 3.26 functional-profile template..... | 11 |
| 3.27 global index | 11 |
| 3.28 inheriting profile..... | 11 |
| 3.29 interoperability | 11 |
| 3.30 CNP device | 11 |
| 3.31 CNP network..... | 11 |
| 3.32 manufacturer ID MID..... | 11 |
| 3.33 network-interface selection | 11 |
| 3.34 network variable NV | 12 |
| 3.35 network-variable declaration | 12 |
| 3.36 network-variable index..... | 12 |
| 3.37 network-variable member | 12 |
| 3.38 network-variable member number..... | 12 |
| 3.39 network-variable programmatic name..... | 12 |
| 3.40 network-variable selection..... | 12 |
| 3.41 network-variable type | 12 |
| 3.42 network-variable type index | 13 |
| 3.43 unique node ID | 13 |
| 3.44 node | 13 |

| | | |
|-------|---|----|
| 3.45 | passive configuration tool PCT | 13 |
| 3.46 | primary functional block..... | 13 |
| 3.47 | primary functional profile | 13 |
| 3.48 | proprietary data | 13 |
| 3.49 | self-documentation string SD string | 13 |
| 3.50 | self-documentation text..... | 14 |
| 3.51 | shared-media channel..... | 14 |
| 3.52 | standard configuration-property type SCPT | 14 |
| 3.53 | standard network-variable type SNVT..... | 14 |
| 3.54 | standard program ID SPID..... | 14 |
| 3.55 | static functional block..... | 14 |
| 3.56 | static network variable..... | 14 |
| 3.57 | subsystem..... | 14 |
| 3.58 | successful commissioning | 14 |
| 3.59 | system | 15 |
| 3.60 | unconfigured device | 15 |
| 3.61 | usage | 15 |
| 3.62 | usage ID..... | 15 |
| 3.63 | user data..... | 15 |
| 3.64 | wink function | 15 |
| 4 | Device Interfaces | 15 |
| 4.1 | General | 15 |
| 4.2 | Unique Node ID..... | 16 |
| 4.3 | Standard Program ID..... | 16 |
| 4.3.1 | General | 16 |
| 4.3.2 | Format Field | 17 |
| 4.3.3 | Manufacturer Field | 17 |
| 4.3.4 | Device Class Field..... | 17 |
| 4.3.5 | Usage Field | 17 |
| 4.3.6 | Channel Type Field..... | 18 |
| 4.3.7 | Model Number Field | 18 |
| 4.4 | Device Channel ID | 19 |
| 4.5 | Device Location Field..... | 19 |
| 4.6 | Device Self-Documentation String (DSDS)..... | 19 |
| 4.7 | Functional Blocks..... | 21 |
| 4.7.1 | General | 21 |
| 4.7.2 | Implementing a Functional Block | 22 |
| 4.7.3 | Network Variables | 23 |
| 4.7.4 | Configuration Properties | 30 |
| 4.8 | Device and Functional Block Versioning..... | 40 |
| 4.9 | Device Interface (XIF) File..... | 40 |
| 5 | Resource Files | 41 |
| 5.1 | Resource File Definitions | 41 |
| 5.1.1 | General | 41 |
| 5.1.2 | Type Definitions..... | 42 |
| 5.1.3 | Functional Profiles | 45 |
| 5.1.4 | Language Strings | 47 |
| 5.1.5 | Formats | 48 |
| 5.2 | Identifying Appropriate Resources | 51 |
| 5.2.1 | Standard and User Resources | 51 |
| 5.2.2 | Using Standard Resources | 51 |

| | | |
|-------|---|----|
| 5.2.3 | Using User Resources | 52 |
| 6 | Network Installation..... | 52 |
| 6.1 | General..... | 52 |
| 6.2 | Network Addressing..... | 53 |
| 6.2.1 | Network Addressing Scheme | 53 |
| 6.2.2 | Address-Table Entries..... | 54 |
| 6.2.3 | Network Variable Aliases | 54 |
| 6.2.4 | Domain-Table Entries..... | 55 |
| 6.2.5 | Self-Installed Devices..... | 55 |
| 6.2.6 | Field-Installed Devices | 56 |
| 6.3 | Passive Configuration Tools | 56 |
| 6.4 | Service Pin..... | 57 |
| 6.5 | Gateways to Command-Based Systems | 57 |
| 6.6 | Shared-Media Considerations | 58 |
| | Bibliography | 59 |