

# ISO/IEC 28361:2007-10 (E)

## Information technology - Telecommunications and information exchange between systems - Near Field Communication Wired Interface (NFC -WI)

---

<b>Contents</b>		<b>Page</b>
Foreword .....		iv
Introduction .....		v
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Terms and definitions .....</b>	<b>1</b>
<b>3</b>	<b>Conventions and notations .....</b>	<b>1</b>
3.1	Representation of bit values .....	1
3.2	Representation of logical states of LOW and HIGH .....	1
3.3	Capitalisation of names .....	2
3.4	State notation .....	2
<b>4</b>	<b>Symbols and abbreviated terms .....</b>	<b>2</b>
<b>5</b>	<b>General .....</b>	<b>2</b>
<b>6</b>	<b>Signals .....</b>	<b>3</b>
6.1	Signal wires .....	3
6.2	Electrical characteristics .....	3
6.3	Clock frequency (fCLK) .....	4
<b>7</b>	<b>NFC-WI states .....</b>	<b>4</b>
7.1	Off state .....	5
7.2	Activating state .....	5
7.3	On state .....	7
7.4	De-Activating state .....	8
7.5	Command state .....	9
<b>8</b>	<b>Information-transfer .....</b>	<b>10</b>
8.1	Manchester bit coding .....	10
8.2	Modified Miller bit coding .....	10
8.3	Bit coding for fCLK/128 (~106 kb/s) .....	11
8.4	Bit coding for fCLK/64 (~212 kb/s) .....	11
8.5	Bit coding for fCLK/32 (~424 kb/s) .....	12
<b>Annex A (informative)</b>	<b>Application of NFC-WI with NFCIP-1 .....</b>	<b>13</b>
<b>Annex B (informative)</b>	<b>Command state configuration .....</b>	<b>17</b>