

ISO/IEC 11404:2007-12 (E)

Information technology - General-Purpose Datatypes (GPD)

Contents		Page
Foreword		vi
0	Introduction	vii
1	Scope	1
2	Normative references	1
3	Terms and definitions	2
4	Conformance	8
4.1	Direct conformance	8
4.2	Indirect conformance	9
4.3	Conformance of a mapping standard	9
4.4	GPD program conformance	10
5	Conventions used in this International Standard	10
5.1	Formal syntax	10
5.2	Text conventions	11
6	Fundamental notions	11
6.1	Datatype	11
6.2	Value space	12
6.3	Datatype properties	12
6.3.1	Equality	13
6.3.2	Order	13
6.3.3	Bound	13
6.3.4	Cardinality	14
6.3.5	Exact and approximate	14
6.3.6	Numeric	14
6.4	Primitive and non-primitive datatypes	15
6.5	Datatype generator	15
6.6	Characterizing operations	15
6.7	Datatype families	16
6.8	Aggregate datatypes	17
6.8.1	Homogeneity	17
6.8.2	Size	17
6.8.3	Uniqueness	17
6.8.4	Aggregate-imposed identifier uniqueness	18
6.8.5	Aggregate-imposed ordering	18
6.8.6	Access method	18
6.8.7	Recursive structure	19
6.8.8	Structured and unstructured	19
6.8.9	Mandatory and optional components	19
6.9	Provisions associated with datatypes	19
7	Elements of the Datatype Specification Language	21
7.1	IDN character-set	21
7.2	Whitespace	22
7.3	Lexical objects	23
7.3.1	Identifiers	23
7.3.2	Digit-string	23

7.3.3	Character-literal and string-literal	23
7.3.4	Keywords	24
7.4	Annotations	24
7.5	Values	25
7.5.1	Independent values	25
7.5.2	Dependent values	26
7.6	GPD program text	27
8	Datatypes	27
8.1	Primitive datatypes	28
8.1.1	Boolean	29
8.1.2	State	30
8.1.3	Enumerated	31
8.1.4	Character	32
8.1.5	Ordinal	33
8.1.6	Date-and-Time	34
8.1.7	Integer	35
8.1.8	Rational	36
8.1.9	Scaled	37
8.1.10	Real	38
8.1.11	Complex	40
8.1.12	Void	41
8.2	Subtypes and extended types	42
8.2.1	Range	43
8.2.2	Selecting	43
8.2.3	Excluding	44
8.2.4	Size	44
8.2.5	Explicit subtypes	45
8.2.6	Extended	45
8.3	Generated datatypes	46
8.3.1	Choice	47
8.3.2	Pointer	49
8.3.3	Procedure	50
8.4	Aggregate Datatypes	53
8.4.1	Record	55
8.4.2	Class	56
8.4.3	Set	58
8.4.4	Bag	59
8.4.5	Sequence	60
8.4.6	Array	61
8.4.7	Table	64
8.5	Defined datatypes	66
8.6	Provisions	66
8.6.1	General parameters for provisions	67
8.6.2	Aggregate-specific features	70
8.6.3	Aggregate-component-identifier uniqueness	70
8.6.4	Usage-specific features	71
9	Declarations	72
9.1	Type declarations	72
9.1.1	Renaming declarations	73
9.1.2	New datatype declarations	73
9.1.3	New generator declarations	73
9.2	Value declarations	73
9.3	Termination declarations	74
9.4	Normative datatype declarations	74
9.5	Lexical operations	74
9.5.1	Import	74
9.5.2	Macro	75
10	Defined datatypes and generators	75
10.1	Defined datatypes	75

10.1.1	Natural number	76
10.1.2	Modulo	76
10.1.3	Bit	77
10.1.4	Bit string	77
10.1.5	Character string	77
10.1.6	Time interval	79
10.1.7	Octet	79
10.1.8	Octet string	79
10.1.9	Private	80
10.1.10	Object identifier	80
10.2	Defined generators	82
10.2.1	Stack	82
10.2.2	Tree	83
10.2.3	Optional	83
11	Mappings	84
11.1	Outward Mappings	85
11.2	Inward Mappings	86
11.3	Reverse Inward Mapping	87
11.4	Support of Datatypes	87
11.4.1	Support of equality	87
11.4.2	Support of order	88
11.4.3	Support of bounds	88
11.4.4	Support of cardinality	88
11.4.5	Support for the exact or approximate property	88
11.4.6	Support for the numeric property	88
11.4.7	Support for the mandatory components	88
Annex A (informative) Character-set standards		89
Annex B (informative) Recommendation for the placement of annotations		91
Annex C (informative) Implementation notions of datatypes		93
Bibliography		96