

ISO/IEC 9075-2:2008-07 (E)

Information technology_ - Database languages_ - SQL_ - Part_2: Foundation (SQL/Foundation)

| Contents | Page |
|---|-------------|
| Foreword..... | xix |
| Introduction..... | xx |
| 1 Scope..... | 1 |
| 2 Normative references..... | 3 |
| 2.1 ISO and IEC standards..... | 3 |
| 2.2 Other international standards..... | 4 |
| 3 Definitions, notations, and conventions..... | 5 |
| 3.1 Definitions..... | 5 |
| 3.1.1 Definitions taken from [ISO10646]..... | 5 |
| 3.1.2 Definitions taken from [ISO14651]..... | 5 |
| 3.1.3 Definitions taken from [Unicode]..... | 5 |
| 3.1.4 Definitions taken from [ISO8601]..... | 6 |
| 3.1.5 Definitions taken from [ISO9075-1]..... | 6 |
| 3.1.6 Definitions provided in Part 2..... | 7 |
| 3.2 Notation..... | 11 |
| 3.3 Conventions..... | 11 |
| 3.3.1 Use of terms..... | 11 |
| 3.3.1.1 Other terms..... | 11 |
| 4 Concepts..... | 13 |
| 4.1 Data types..... | 13 |
| 4.1.1 General introduction to data types..... | 13 |
| 4.1.2 Naming of predefined types..... | 14 |
| 4.1.3 Host language data types..... | 15 |
| 4.1.4 Data type terminology..... | 15 |
| 4.1.5 Properties of distinct..... | 17 |
| 4.2 Character strings..... | 18 |
| 4.2.1 Introduction to character strings..... | 18 |
| 4.2.2 Comparison of character strings..... | 19 |
| 4.2.3 Operations involving character strings..... | 19 |
| 4.2.3.1 Regular expression syntaxes..... | 19 |
| 4.2.3.2 Operators that operate on character strings and return character strings..... | 20 |
| 4.2.3.3 Other operators involving character strings..... | 22 |
| 4.2.3.4 Operations involving large object character strings..... | 23 |
| 4.2.4 Character repertoires..... | 24 |
| 4.2.5 Character encoding forms..... | 24 |

| | | |
|----------|---|----|
| 4.2.6 | Collations. | 25 |
| 4.2.7 | Character sets. | 26 |
| 4.2.8 | Universal character sets. | 28 |
| 4.3 | Binary strings. | 28 |
| 4.3.1 | Introduction to binary strings. | 28 |
| 4.3.2 | Binary string comparison. | 28 |
| 4.3.3 | Operations involving binary strings. | 29 |
| 4.3.3.1 | Operators that operate on binary strings and return binary strings. | 29 |
| 4.3.3.2 | Other operators involving binary strings. | 29 |
| 4.4 | Numbers. | 30 |
| 4.4.1 | Introduction to numbers. | 30 |
| 4.4.2 | Characteristics of numbers. | 30 |
| 4.4.3 | Operations involving numbers. | 31 |
| 4.5 | Boolean types. | 33 |
| 4.5.1 | Introduction to Boolean types. | 33 |
| 4.5.2 | Comparison and assignment of booleans. | 33 |
| 4.5.3 | Operations involving booleans. | 33 |
| 4.5.3.1 | Operations on booleans that return booleans. | 33 |
| 4.5.3.2 | Other operators involving booleans. | 33 |
| 4.6 | Datetimes and intervals. | 34 |
| 4.6.1 | Introduction to datetimes and intervals. | 34 |
| 4.6.2 | Datetimes. | 34 |
| 4.6.3 | Intervals. | 37 |
| 4.6.4 | Operations involving datetimes and intervals. | 39 |
| 4.7 | User-defined types. | 40 |
| 4.7.1 | Introduction to user-defined types. | 40 |
| 4.7.2 | User-defined type descriptor. | 41 |
| 4.7.3 | Observer functions and mutator functions. | 42 |
| 4.7.4 | Constructors. | 43 |
| 4.7.5 | Subtypes and supertypes. | 43 |
| 4.7.6 | User-defined type comparison and assignment. | 44 |
| 4.7.7 | Transforms for user-defined types. | 45 |
| 4.8 | Row types. | 46 |
| 4.9 | Reference types. | 46 |
| 4.9.1 | Introduction to reference types. | 46 |
| 4.9.2 | Operations involving references. | 47 |
| 4.10 | Collection types. | 47 |
| 4.10.1 | Introduction to collection types. | 47 |
| 4.10.2 | Arrays. | 48 |
| 4.10.3 | Multisets. | 48 |
| 4.10.4 | Collection comparison and assignment. | 49 |
| 4.10.5 | Operations involving arrays. | 49 |
| 4.10.5.1 | Operators that operate on array values and return array elements. | 49 |
| 4.10.5.2 | Operators that operate on array values and return array values. | 49 |

| | | |
|----------|---|----|
| 4.10.5.3 | Operators that operate on array values and return numbers. | 49 |
| 4.10.6 | Operations involving multisets. | 50 |
| 4.10.6.1 | Operators that operate on multisets and return multiset elements. | 50 |
| 4.10.6.2 | Operators that operate on multisets and return multisets. | 50 |
| 4.10.6.3 | Operators that operate on multiset values and return numbers. | 50 |
| 4.11 | Data conversions. | 50 |
| 4.12 | Domains. | 51 |
| 4.13 | Columns, fields, and attributes. | 52 |
| 4.14 | Tables. | 53 |
| 4.14.1 | Introduction to tables. | 53 |
| 4.14.2 | Types of tables. | 54 |
| 4.14.3 | Table descriptors. | 56 |
| 4.14.4 | Relationships between tables. | 57 |
| 4.14.5 | Referenceable tables, subtables, and supertables. | 58 |
| 4.14.6 | Operations involving tables. | 59 |
| 4.14.7 | Identity columns. | 60 |
| 4.14.8 | Base columns and generated columns. | 61 |
| 4.14.9 | Windowed tables. | 61 |
| 4.15 | Data analysis operations (involving tables). | 62 |
| 4.15.1 | Introduction to data analysis operations. | 62 |
| 4.15.2 | Group functions. | 63 |
| 4.15.3 | Window functions. | 63 |
| 4.15.4 | Aggregate functions. | 64 |
| 4.16 | Determinism. | 66 |
| 4.17 | Integrity constraints. | 67 |
| 4.17.1 | Overview of integrity constraints. | 67 |
| 4.17.2 | Checking of constraints. | 67 |
| 4.17.3 | Table constraints. | 68 |
| 4.17.4 | Domain constraints. | 70 |
| 4.17.5 | Assertions. | 71 |
| 4.18 | Functional dependencies. | 71 |
| 4.18.1 | Overview of functional dependency rules and notations. | 71 |
| 4.18.2 | General rules and definitions. | 72 |
| 4.18.3 | Known functional dependencies in a base table. | 73 |
| 4.18.4 | Known functional dependencies in a transition table. | 74 |
| 4.18.5 | Known functional dependencies in a <table value constructor>. | 74 |
| 4.18.6 | Known functional dependencies in a <joined table>. | 74 |
| 4.18.7 | Known functional dependencies in a <table primary>. | 76 |
| 4.18.8 | Known functional dependencies in a <table factor>. | 76 |
| 4.18.9 | Known functional dependencies in a <table reference>. | 77 |
| 4.18.10 | Known functional dependencies in the result of a <from clause>. | 77 |
| 4.18.11 | Known functional dependencies in the result of a <where clause>. | 77 |
| 4.18.12 | Known functional dependencies in the result of a <group by clause>. | 78 |
| 4.18.13 | Known functional dependencies in the result of a <having clause>. | 78 |

| | | |
|----------|---|-----|
| 4.18.14 | Known functional dependencies in a <query specification>..... | 78 |
| 4.18.15 | Known functional dependencies in a <query expression>..... | 79 |
| 4.19 | Candidate keys..... | 80 |
| 4.20 | SQL-schemas..... | 81 |
| 4.21 | Sequence generators..... | 82 |
| 4.21.1 | General description of sequence generators..... | 82 |
| 4.21.2 | Operations involving sequence generators..... | 83 |
| 4.22 | SQL-client modules..... | 83 |
| 4.23 | Embedded syntax..... | 84 |
| 4.24 | Dynamic SQL concepts..... | 85 |
| 4.24.1 | Overview of dynamic SQL..... | 85 |
| 4.24.2 | Dynamic SQL statements and descriptor areas..... | 86 |
| 4.25 | Direct invocation of SQL..... | 87 |
| 4.26 | Externally-invoked procedures..... | 87 |
| 4.27 | SQL-invoked routines..... | 88 |
| 4.27.1 | Overview of SQL-invoked routines..... | 88 |
| 4.27.2 | Characteristics of SQL-invoked routines..... | 89 |
| 4.27.3 | Execution of SQL-invoked routines..... | 91 |
| 4.27.4 | Routine descriptors..... | 91 |
| 4.27.5 | Result sets returned by SQL-invoked procedures..... | 93 |
| 4.28 | SQL-paths..... | 94 |
| 4.29 | Host parameters..... | 95 |
| 4.29.1 | Overview of host parameters..... | 95 |
| 4.29.2 | Status parameters..... | 95 |
| 4.29.3 | Data parameters..... | 96 |
| 4.29.4 | Indicator parameters..... | 96 |
| 4.29.5 | Locators..... | 96 |
| 4.30 | Diagnostics area..... | 97 |
| 4.31 | Host languages..... | 98 |
| 4.32 | Cursors..... | 99 |
| 4.32.1 | General description of cursors..... | 99 |
| 4.32.2 | Operations on and using cursors..... | 102 |
| 4.33 | SQL-statements..... | 104 |
| 4.33.1 | Classes of SQL-statements..... | 104 |
| 4.33.2 | SQL-statements classified by function..... | 105 |
| 4.33.2.1 | SQL-schema statements..... | 105 |
| 4.33.2.2 | SQL-data statements..... | 106 |
| 4.33.2.3 | SQL-data change statements..... | 107 |
| 4.33.2.4 | SQL-transaction statements..... | 107 |
| 4.33.2.5 | SQL-connection statements..... | 108 |
| 4.33.2.6 | SQL-control statements..... | 108 |
| 4.33.2.7 | SQL-session statements..... | 108 |
| 4.33.2.8 | SQL-diagnostics statements..... | 109 |
| 4.33.2.9 | SQL-dynamic statements..... | 109 |

| | | |
|-----------|---|------------|
| 4.33.2.10 | SQL embedded exception declaration. | 109 |
| 4.33.3 | SQL-statements and SQL-data access indication. | 110 |
| 4.33.4 | SQL-statements and transaction states. | 110 |
| 4.33.5 | SQL-statement atomicity and statement execution contexts. | 112 |
| 4.33.6 | Embeddable SQL-statements. | 113 |
| 4.33.7 | Preparable and immediately executable SQL-statements. | 115 |
| 4.33.8 | Directly executable SQL-statements. | 116 |
| 4.34 | Basic security model. | 118 |
| 4.34.1 | Authorization identifiers. | 118 |
| 4.34.1.1 | SQL-session authorization identifiers. | 118 |
| 4.34.1.2 | SQL-client module authorization identifiers. | 119 |
| 4.34.1.3 | SQL-schema authorization identifiers. | 119 |
| 4.34.2 | Privileges. | 119 |
| 4.34.3 | Roles. | 121 |
| 4.34.4 | Security model definitions. | 122 |
| 4.35 | SQL-transactions. | 122 |
| 4.35.1 | General description of SQL-transactions. | 122 |
| 4.35.2 | Savepoints. | 123 |
| 4.35.3 | Properties of SQL-transactions. | 124 |
| 4.35.4 | Isolation levels of SQL-transactions. | 124 |
| 4.35.5 | Implicit rollbacks. | 126 |
| 4.35.6 | Effects of SQL-statements in an SQL-transaction. | 126 |
| 4.35.7 | Encompassing transactions. | 126 |
| 4.36 | SQL-connections. | 127 |
| 4.37 | SQL-sessions. | 128 |
| 4.37.1 | General description of SQL-sessions. | 128 |
| 4.37.2 | SQL-session identification. | 129 |
| 4.37.3 | SQL-session properties. | 130 |
| 4.37.4 | Execution contexts. | 132 |
| 4.37.5 | Routine execution context. | 132 |
| 4.38 | Triggers. | 133 |
| 4.38.1 | General description of triggers. | 133 |
| 4.38.2 | Trigger execution. | 135 |
| 4.39 | Client-server operation. | 137 |
| 5 | Lexical elements. | 139 |
| 5.1 | <SQL terminal character>. | 139 |
| 5.2 | <token> and <separator>. | 143 |
| 5.3 | <literal>. | 152 |
| 5.4 | Names and identifiers. | 161 |
| 6 | Scalar expressions. | 173 |
| 6.1 | <data type>. | 173 |
| 6.2 | <field definition>. | 186 |
| 6.3 | <value expression primary>. | 188 |

| | | |
|----------|---|------------|
| 6.4 | <value specification> and <target specification>..... | 190 |
| 6.5 | <contextually typed value specification>..... | 196 |
| 6.6 | <identifier chain>..... | 198 |
| 6.7 | <column reference>..... | 202 |
| 6.8 | <SQL parameter reference>..... | 204 |
| 6.9 | <set function specification>..... | 205 |
| 6.10 | <window function>..... | 207 |
| 6.11 | <case expression>..... | 211 |
| 6.12 | <cast specification>..... | 215 |
| 6.13 | <next value expression>..... | 230 |
| 6.14 | <field reference>..... | 232 |
| 6.15 | <subtype treatment>..... | 233 |
| 6.16 | <method invocation>..... | 235 |
| 6.17 | <static method invocation>..... | 237 |
| 6.18 | <new specification>..... | 239 |
| 6.19 | <attribute or method reference>..... | 241 |
| 6.20 | <dereference operation>..... | 243 |
| 6.21 | <method reference>..... | 244 |
| 6.22 | <reference resolution>..... | 246 |
| 6.23 | <array element reference>..... | 248 |
| 6.24 | <multiset element reference>..... | 249 |
| 6.25 | <value expression>..... | 250 |
| 6.26 | <numeric value expression>..... | 254 |
| 6.27 | <numeric value function>..... | 256 |
| 6.28 | <string value expression>..... | 268 |
| 6.29 | <string value function>..... | 273 |
| 6.30 | <datetime value expression>..... | 288 |
| 6.31 | <datetime value function>..... | 291 |
| 6.32 | <interval value expression>..... | 293 |
| 6.33 | <interval value function>..... | 298 |
| 6.34 | <boolean value expression>..... | 299 |
| 6.35 | <array value expression>..... | 304 |
| 6.36 | <array value constructor>..... | 306 |
| 6.37 | <multiset value expression>..... | 308 |
| 6.38 | <multiset value function>..... | 311 |
| 6.39 | <multiset value constructor>..... | 312 |
| 7 | Query expressions..... | 315 |
| 7.1 | <row value constructor>..... | 315 |
| 7.2 | <row value expression>..... | 318 |
| 7.3 | <table value constructor>..... | 320 |
| 7.4 | <table expression>..... | 322 |
| 7.5 | <from clause>..... | 323 |
| 7.6 | <table reference>..... | 325 |

| | | |
|----------|---|------------|
| 7.7 | <joined table>..... | 335 |
| 7.8 | <where clause>..... | 344 |
| 7.9 | <group by clause>..... | 345 |
| 7.10 | <having clause>..... | 354 |
| 7.11 | <window clause>..... | 356 |
| 7.12 | <query specification>..... | 366 |
| 7.13 | <query expression>..... | 376 |
| 7.14 | <search or cycle clause>..... | 393 |
| 7.15 | <subquery>..... | 398 |
| 8 | Predicates..... | 401 |
| 8.1 | <predicate>..... | 401 |
| 8.2 | <comparison predicate>..... | 403 |
| 8.3 | <between predicate>..... | 411 |
| 8.4 | <in predicate>..... | 412 |
| 8.5 | <like predicate>..... | 414 |
| 8.6 | <similar predicate>..... | 420 |
| 8.7 | <regex like predicate>..... | 426 |
| 8.8 | <null predicate>..... | 428 |
| 8.9 | <quantified comparison predicate>..... | 430 |
| 8.10 | <exists predicate>..... | 432 |
| 8.11 | <unique predicate>..... | 433 |
| 8.12 | <normalized predicate>..... | 434 |
| 8.13 | <match predicate>..... | 436 |
| 8.14 | <overlaps predicate>..... | 439 |
| 8.15 | <distinct predicate>..... | 441 |
| 8.16 | <member predicate>..... | 444 |
| 8.17 | <submultiset predicate>..... | 446 |
| 8.18 | <set predicate>..... | 448 |
| 8.19 | <type predicate>..... | 449 |
| 8.20 | <search condition>..... | 451 |
| 9 | Additional common rules..... | 453 |
| 9.1 | Retrieval assignment..... | 453 |
| 9.2 | Store assignment..... | 458 |
| 9.3 | Result of data type combinations..... | 463 |
| 9.4 | Subject routine determination..... | 466 |
| 9.5 | Type precedence list determination..... | 468 |
| 9.6 | Host parameter mode determination..... | 472 |
| 9.7 | Type name determination..... | 474 |
| 9.8 | Determination of identical values..... | 476 |
| 9.9 | Equality operations..... | 478 |
| 9.10 | Grouping operations..... | 481 |
| 9.11 | Multiset element grouping operations..... | 483 |
| 9.12 | Ordering operations..... | 485 |

| | | |
|-----------|--|------------|
| 9.13 | Collation determination. | 487 |
| 9.14 | Execution of array-returning functions. | 489 |
| 9.15 | Execution of multiset-returning functions. | 492 |
| 9.16 | XQuery regular expression matching. | 493 |
| 9.17 | XQuery regular expression replacement. | 496 |
| 9.18 | Data type identity. | 498 |
| 9.19 | Determination of a from-sql function. | 500 |
| 9.20 | Determination of a from-sql function for an overriding method. | 501 |
| 9.21 | Determination of a to-sql function. | 502 |
| 9.22 | Determination of a to-sql function for an overriding method. | 503 |
| 9.23 | Generation of the next value of a sequence generator. | 504 |
| 9.24 | Creation of a sequence generator. | 505 |
| 9.25 | Altering a sequence generator. | 507 |
| 10 | Additional common elements. | 509 |
| 10.1 | <interval qualifier>. | 509 |
| 10.2 | <language clause>. | 513 |
| 10.3 | <path specification>. | 515 |
| 10.4 | <routine invocation>. | 516 |
| 10.5 | <character set specification>. | 539 |
| 10.6 | <specific routine designator>. | 541 |
| 10.7 | <collate clause>. | 544 |
| 10.8 | <constraint name definition> and <constraint characteristics>. | 545 |
| 10.9 | <aggregate function>. | 547 |
| 10.10 | <sort specification list>. | 559 |
| 10.11 | Determination of view privileges. | 561 |
| 10.12 | Determination of view component privileges. | 563 |
| 11 | Schema definition and manipulation. | 567 |
| 11.1 | <schema definition>. | 567 |
| 11.2 | <drop schema statement>. | 570 |
| 11.3 | <table definition>. | 573 |
| 11.4 | <column definition>. | 584 |
| 11.5 | <default clause>. | 589 |
| 11.6 | <table constraint definition>. | 593 |
| 11.7 | <unique constraint definition>. | 595 |
| 11.8 | <referential constraint definition>. | 597 |
| 11.9 | <check constraint definition>. | 601 |
| 11.10 | <alter table statement>. | 603 |
| 11.11 | <add column definition>. | 604 |
| 11.12 | <alter column definition>. | 606 |
| 11.13 | <set column default clause>. | 607 |
| 11.14 | <drop column default clause>. | 608 |
| 11.15 | <add column scope clause>. | 609 |
| 11.16 | <drop column scope clause>. | 610 |

| | | |
|-------|---|-----|
| 11.17 | <alter column data type clause>..... | 612 |
| 11.18 | <alter identity column specification>..... | 615 |
| 11.19 | <drop column definition>..... | 616 |
| 11.20 | <add table constraint definition>..... | 618 |
| 11.21 | <drop table constraint definition>..... | 619 |
| 11.22 | <drop table statement>..... | 622 |
| 11.23 | <view definition>..... | 625 |
| 11.24 | <drop view statement>..... | 635 |
| 11.25 | <domain definition>..... | 638 |
| 11.26 | <alter domain statement>..... | 641 |
| 11.27 | <set domain default clause>..... | 642 |
| 11.28 | <drop domain default clause>..... | 643 |
| 11.29 | <add domain constraint definition>..... | 644 |
| 11.30 | <drop domain constraint definition>..... | 645 |
| 11.31 | <drop domain statement>..... | 646 |
| 11.32 | <character set definition>..... | 648 |
| 11.33 | <drop character set statement>..... | 650 |
| 11.34 | <collation definition>..... | 652 |
| 11.35 | <drop collation statement>..... | 654 |
| 11.36 | <transliteration definition>..... | 656 |
| 11.37 | <drop transliteration statement>..... | 659 |
| 11.38 | <assertion definition>..... | 661 |
| 11.39 | <drop assertion statement>..... | 663 |
| 11.40 | <trigger definition>..... | 666 |
| 11.41 | <drop trigger statement>..... | 671 |
| 11.42 | <user-defined type definition>..... | 674 |
| 11.43 | <attribute definition>..... | 690 |
| 11.44 | <alter type statement>..... | 692 |
| 11.45 | <add attribute definition>..... | 693 |
| 11.46 | <drop attribute definition>..... | 695 |
| 11.47 | <add original method specification>..... | 697 |
| 11.48 | <add overriding method specification>..... | 703 |
| 11.49 | <drop method specification>..... | 708 |
| 11.50 | <drop data type statement>..... | 712 |
| 11.51 | <SQL-invoked routine>..... | 715 |
| 11.52 | <alter routine statement>..... | 740 |
| 11.53 | <drop routine statement>..... | 743 |
| 11.54 | <user-defined cast definition>..... | 745 |
| 11.55 | <drop user-defined cast statement>..... | 747 |
| 11.56 | <user-defined ordering definition>..... | 749 |
| 11.57 | <drop user-defined ordering statement>..... | 753 |
| 11.58 | <transform definition>..... | 755 |
| 11.59 | <alter transform statement>..... | 758 |
| 11.60 | <add transform element list>..... | 759 |

| | | |
|-----------|---|------------|
| 11.61 | <drop transform element list>..... | 761 |
| 11.62 | <drop transform statement>..... | 763 |
| 11.63 | <sequence generator definition>..... | 766 |
| 11.64 | <alter sequence generator statement>..... | 768 |
| 11.65 | <drop sequence generator statement>..... | 769 |
| 12 | Access control..... | 771 |
| 12.1 | <grant statement>..... | 771 |
| 12.2 | <grant privilege statement>..... | 776 |
| 12.3 | <privileges>..... | 779 |
| 12.4 | <role definition>..... | 782 |
| 12.5 | <grant role statement>..... | 783 |
| 12.6 | <drop role statement>..... | 785 |
| 12.7 | <revoke statement>..... | 786 |
| 12.8 | Grantor determination..... | 804 |
| 13 | SQL-client modules..... | 805 |
| 13.1 | <SQL-client module definition>..... | 805 |
| 13.2 | <module name clause>..... | 810 |
| 13.3 | <externally-invoked procedure>..... | 811 |
| 13.4 | Calls to an <externally-invoked procedure>..... | 814 |
| 13.5 | <SQL procedure statement>..... | 831 |
| 13.6 | Data type correspondences..... | 838 |
| 14 | Data manipulation..... | 849 |
| 14.1 | <declare cursor>..... | 849 |
| 14.2 | <cursor properties>..... | 851 |
| 14.3 | <cursor specification>..... | 853 |
| 14.4 | <open statement>..... | 856 |
| 14.5 | <fetch statement>..... | 857 |
| 14.6 | <close statement>..... | 861 |
| 14.7 | <select statement: single row>..... | 862 |
| 14.8 | <delete statement: positioned>..... | 866 |
| 14.9 | <delete statement: searched>..... | 868 |
| 14.10 | <truncate table statement>..... | 871 |
| 14.11 | <insert statement>..... | 873 |
| 14.12 | <merge statement>..... | 878 |
| 14.13 | <update statement: positioned>..... | 886 |
| 14.14 | <update statement: searched>..... | 888 |
| 14.15 | <set clause list>..... | 892 |
| 14.16 | <temporary table declaration>..... | 897 |
| 14.17 | <free locator statement>..... | 899 |
| 14.18 | <hold locator statement>..... | 900 |
| 15 | Additional data manipulation rules..... | 901 |
| 15.1 | Effect of opening a cursor..... | 901 |
| 15.2 | Effect of receiving a result set..... | 904 |

| | | |
|-----------|--|------------|
| 15.3 | Determination of the current row of a cursor. | 905 |
| 15.4 | Effect of closing a cursor. | 907 |
| 15.5 | Effect of a positioned delete. | 908 |
| 15.6 | Effect of a positioned update. | 910 |
| 15.7 | Effect of deleting rows from base tables. | 913 |
| 15.8 | Effect of deleting some rows from a derived table. | 915 |
| 15.9 | Effect of deleting some rows from a viewed table. | 917 |
| 15.10 | Effect of inserting tables into base tables. | 919 |
| 15.11 | Effect of inserting a table into a derived table. | 921 |
| 15.12 | Effect of inserting a table into a viewed table. | 923 |
| 15.13 | Effect of replacing rows in base tables. | 925 |
| 15.14 | Effect of replacing some rows in a derived table. | 927 |
| 15.15 | Effect of replacing some rows in a viewed table. | 930 |
| 15.16 | Execution of BEFORE triggers. | 932 |
| 15.17 | Execution of referential actions. | 933 |
| 15.18 | Execution of AFTER triggers. | 939 |
| 15.19 | Execution of triggers. | 940 |
| 16 | Control statements. | 943 |
| 16.1 | <call statement>. | 943 |
| 16.2 | <return statement>. | 944 |
| 17 | Transaction management. | 945 |
| 17.1 | <start transaction statement>. | 945 |
| 17.2 | <set transaction statement>. | 947 |
| 17.3 | <transaction characteristics>. | 949 |
| 17.4 | <set constraints mode statement>. | 951 |
| 17.5 | <savepoint statement>. | 953 |
| 17.6 | <release savepoint statement>. | 954 |
| 17.7 | <commit statement>. | 955 |
| 17.8 | <rollback statement>. | 957 |
| 18 | Connection management. | 961 |
| 18.1 | <connect statement>. | 961 |
| 18.2 | <set connection statement>. | 964 |
| 18.3 | <disconnect statement>. | 966 |
| 19 | Session management. | 969 |
| 19.1 | <set session characteristics statement>. | 969 |
| 19.2 | <set session user identifier statement>. | 971 |
| 19.3 | <set role statement>. | 972 |
| 19.4 | <set local time zone statement>. | 973 |
| 19.5 | <set catalog statement>. | 974 |
| 19.6 | <set schema statement>. | 975 |
| 19.7 | <set names statement>. | 977 |
| 19.8 | <set path statement>. | 978 |
| 19.9 | <set transform group statement>. | 979 |

| | | |
|-----------|--|-------------|
| 19.10 | <set session collation statement>..... | 980 |
| 20 | Dynamic SQL..... | 983 |
| 20.1 | Description of SQL descriptor areas..... | 983 |
| 20.2 | <allocate descriptor statement>..... | 993 |
| 20.3 | <deallocate descriptor statement>..... | 995 |
| 20.4 | <get descriptor statement>..... | 996 |
| 20.5 | <set descriptor statement>..... | 999 |
| 20.6 | <prepare statement>..... | 1003 |
| 20.7 | <cursor attributes>..... | 1014 |
| 20.8 | <deallocate prepared statement>..... | 1015 |
| 20.9 | <describe statement>..... | 1017 |
| 20.10 | <input using clause>..... | 1023 |
| 20.11 | <output using clause>..... | 1027 |
| 20.12 | <execute statement>..... | 1032 |
| 20.13 | <execute immediate statement>..... | 1034 |
| 20.14 | <dynamic declare cursor>..... | 1035 |
| 20.15 | <allocate cursor statement>..... | 1036 |
| 20.16 | <dynamic open statement>..... | 1039 |
| 20.17 | <dynamic fetch statement>..... | 1041 |
| 20.18 | <dynamic single row select statement>..... | 1042 |
| 20.19 | <dynamic close statement>..... | 1043 |
| 20.20 | <dynamic delete statement: positioned>..... | 1044 |
| 20.21 | <dynamic update statement: positioned>..... | 1046 |
| 20.22 | <preparable dynamic delete statement: positioned>..... | 1048 |
| 20.23 | <preparable dynamic cursor name>..... | 1050 |
| 20.24 | <preparable dynamic update statement: positioned>..... | 1052 |
| 21 | Embedded SQL..... | 1055 |
| 21.1 | <embedded SQL host program>..... | 1055 |
| 21.2 | <embedded exception declaration>..... | 1067 |
| 21.3 | <embedded SQL Ada program>..... | 1071 |
| 21.4 | <embedded SQL C program>..... | 1078 |
| 21.5 | <embedded SQL COBOL program>..... | 1087 |
| 21.6 | <embedded SQL Fortran program>..... | 1094 |
| 21.7 | <embedded SQL MUMPS program>..... | 1100 |
| 21.8 | <embedded SQL Pascal program>..... | 1105 |
| 21.9 | <embedded SQL PL/I program>..... | 1111 |
| 22 | Direct invocation of SQL..... | 1119 |
| 22.1 | <direct SQL statement>..... | 1119 |
| 22.2 | <direct select statement: multiple rows>..... | 1123 |
| 23 | Diagnostics management..... | 1125 |
| 23.1 | <get diagnostics statement>..... | 1125 |
| 23.2 | Pushing and popping the diagnostics area stack..... | 1142 |

| | | |
|----------------|--|-------------|
| 24 | Status codes | 1143 |
| 24.1 | SQLSTATE..... | 1143 |
| 24.2 | Remote Database Access SQLSTATE Subclasses..... | 1152 |
| 25 | Conformance | 1153 |
| 25.1 | Claims of conformance to SQL/Foundation..... | 1153 |
| 25.2 | Additional conformance requirements for SQL/Foundation..... | 1154 |
| 25.3 | Implied feature relationships of SQL/Foundation..... | 1154 |
| Annex A | SQL Conformance Summary (informative)..... | 1159 |
| Annex B | Implementation-defined elements (informative)..... | 1225 |
| Annex C | Implementation-dependent elements (informative)..... | 1245 |
| Annex D | Deprecated features (informative)..... | 1253 |
| Annex E | Incompatibilities with ISO/IEC 9075:2003 (informative)..... | 1255 |
| Annex F | SQL feature taxonomy (informative)..... | 1257 |
| Annex G | Defect Reports not addressed in this edition of ISO/IEC 9075 (informative)..... | 1287 |
| | Bibliography | 1289 |
| | Index | 1291 |

Tables

| Table | Page |
|-------|---|
| 1 | Overview of character sets. 27 |
| 2 | Fields in datetime values. 35 |
| 3 | Datetime data type conversions. 36 |
| 4 | Fields in year-month INTERVAL values. 37 |
| 5 | Fields in day-time INTERVAL values. 38 |
| 6 | Valid values for fields in INTERVAL values. 38 |
| 7 | Valid operators involving datetimes and intervals. 39 |
| 8 | SQL-transaction isolation levels and the three phenomena. 125 |
| 9 | Valid values for datetime fields. 181 |
| 10 | Valid absolute values for interval fields. 182 |
| 11 | Truth table for the AND boolean operator. 302 |
| 12 | Truth table for the OR boolean operator. 302 |
| 13 | Truth table for the IS boolean operator. 302 |
| 14 | <null predicate> semantics. 429 |
| 15 | Standard programming languages. 513 |
| 16 | Data type correspondences for Ada. 838 |
| 17 | Data type correspondences for C. 839 |
| 18 | Data type correspondences for COBOL. 841 |
| 19 | Data type correspondences for Fortran. 842 |
| 20 | Data type correspondences for M. 844 |
| 21 | Data type correspondences for Pascal. 845 |
| 22 | Data type correspondences for PL/I. 846 |
| 23 | Data types of <key word>s used in the header of SQL descriptor areas. 987 |
| 24 | Data types of <key word>s used in SQL item descriptor areas. 987 |
| 25 | Codes used for SQL data types in Dynamic SQL. 989 |
| 26 | Codes associated with datetime data types in Dynamic SQL. 990 |
| 27 | Codes used for <interval qualifier>s in Dynamic SQL. 991 |
| 28 | Codes used for input/output SQL parameter modes in Dynamic SQL. 992 |
| 29 | Codes associated with user-defined types in Dynamic SQL. 992 |
| 30 | <statement information item name>s for use with <get diagnostics statement>. 1127 |
| 31 | <condition information item name>s for use with <get diagnostics statement>. 1127 |
| 32 | SQL-statement codes. 1130 |
| 33 | SQLSTATE class and subclass values. 1144 |
| 34 | SQLSTATE class codes for RDA. 1152 |
| 35 | Implied feature relationships of SQL/Foundation. 1154 |
| 36 | Feature taxonomy and definition for mandatory features. 1257 |
| 37 | Feature taxonomy for optional features. 1274 |

Figures

| Figure | | Page |
|---------------|---|-------------|
| 1 | Operation of <regular expression substring function>..... | 21 |
| 2 | Illustration of WIDTH_BUCKET Semantics..... | 32 |