

ISO/IEC 9075-13:2008-07 (E)

Information technology - Database languages - SQL - Part 13: SQL Routines and Types Using the Java<(hoch)TM> Programming Language (SQL/JRT)

| Contents | Page |
|---|-------------|
| Foreword..... | ix |
| Introduction..... | x |
| 1 Scope..... | 1 |
| 2 Normative references..... | 3 |
| 2.1 ISO and IEC standards..... | 3 |
| 2.2 Other international standards..... | 3 |
| 3 Definitions, notations, and conventions..... | 5 |
| 3.1 Definitions..... | 5 |
| 3.1.1 Definitions taken from [Java]..... | 5 |
| 3.1.2 Definitions taken from [JVM]..... | 5 |
| 3.1.3 Definitions provided in Part 13..... | 6 |
| 3.2 Conventions..... | 6 |
| 3.2.1 Specification of built-in procedures..... | 7 |
| 3.2.2 Specification of deployment descriptor files..... | 7 |
| 4 Concepts..... | 9 |
| 4.1 The Java programming language..... | 9 |
| 4.2 SQL-invoked routines..... | 10 |
| 4.2.1 Overview of SQL-invoked routines..... | 10 |
| 4.2.2 Characteristics of SQL-invoked routines..... | 10 |
| 4.3 Java class name resolution..... | 12 |
| 4.4 SQL result sets..... | 13 |
| 4.5 Parameter mapping..... | 13 |
| 4.6 Unhandled Java exceptions..... | 14 |
| 4.7 Data types..... | 15 |
| 4.7.1 Host language data types..... | 15 |
| 4.8 User-defined types..... | 15 |
| 4.8.1 Introduction to user-defined types..... | 15 |
| 4.8.2 User-defined type descriptor..... | 16 |
| 4.8.3 User-defined type comparison and assignment..... | 18 |
| 4.8.4 Accessing static fields..... | 18 |
| 4.8.5 Converting objects between SQL and Java..... | 18 |
| 4.8.5.1 SERIALIZABLE..... | 19 |
| 4.8.5.2 SQLDATA..... | 19 |
| 4.8.5.3 Developing for portability..... | 20 |
| 4.9 Built-in procedures..... | 20 |

| | | |
|-----------|--|-----------|
| 4.10 | Privileges..... | 21 |
| 4.11 | JARs..... | 21 |
| 4.11.1 | Deployment descriptor files..... | 22 |
| 5 | Lexical elements..... | 23 |
| 5.1 | <token> and <separator>..... | 23 |
| 5.2 | Names and identifiers..... | 25 |
| 6 | Scalar expressions..... | 27 |
| 6.1 | <method invocation>..... | 27 |
| 6.2 | <new specification>..... | 28 |
| 7 | Predicates..... | 29 |
| 7.1 | <comparison predicate>..... | 29 |
| 8 | Additional common elements..... | 31 |
| 8.1 | <Java parameter declaration list>..... | 31 |
| 8.2 | <SQL Java path>..... | 32 |
| 8.3 | <routine invocation>..... | 34 |
| 8.4 | <language clause>..... | 43 |
| 8.5 | Execution of array-returning functions..... | 44 |
| 8.6 | Java routine signature determination..... | 51 |
| 9 | Schema definition and manipulation..... | 59 |
| 9.1 | <drop schema statement>..... | 59 |
| 9.2 | <table definition>..... | 61 |
| 9.3 | <view definition>..... | 62 |
| 9.4 | <user-defined type definition>..... | 63 |
| 9.5 | <attribute definition>..... | 67 |
| 9.6 | <alter type statement>..... | 71 |
| 9.7 | <drop data type statement>..... | 72 |
| 9.8 | <SQL-invoked routine>..... | 73 |
| 9.9 | <alter routine statement>..... | 77 |
| 9.10 | <drop routine statement>..... | 78 |
| 9.11 | <user-defined ordering definition>..... | 79 |
| 9.12 | <drop user-defined ordering statement>..... | 80 |
| 10 | Access control..... | 81 |
| 10.1 | <grant privilege statement>..... | 81 |
| 10.2 | <privileges>..... | 82 |
| 10.3 | <revoke statement>..... | 83 |
| 11 | Built-in procedures..... | 85 |
| 11.1 | SQLJ.INSTALL_JAR procedure..... | 85 |
| 11.2 | SQLJ.REPLACE_JAR procedure..... | 87 |
| 11.3 | SQLJ.REMOVE_JAR procedure..... | 89 |
| 11.4 | SQLJ.ALTER_JAVA_PATH procedure..... | 91 |
| 12 | Java topics..... | 93 |

| | | |
|----------------|---|------------|
| 12.1 | Java facilities supported by this part of ISO/IEC 9075. | 93 |
| 12.1.1 | Package java.sql. | 93 |
| 12.1.2 | System properties. | 93 |
| 12.2 | Deployment descriptor files. | 94 |
| 13 | Information Schema. | 97 |
| 13.1 | JAR_JAR_USAGE view. | 97 |
| 13.2 | JARS view. | 98 |
| 13.3 | METHOD_SPECIFICATIONS view. | 99 |
| 13.4 | ROUTINE_JAR_USAGE view. | 100 |
| 13.5 | TYPE_JAR_USAGE view. | 101 |
| 13.6 | USER_DEFINED_TYPES view. | 102 |
| 13.7 | Short name views. | 103 |
| 14 | Definition Schema. | 105 |
| 14.1 | JAR_JAR_USAGE base table. | 105 |
| 14.2 | JARS base table. | 107 |
| 14.3 | METHOD_SPECIFICATIONS base table. | 108 |
| 14.4 | ROUTINE_JAR_USAGE base table. | 110 |
| 14.5 | ROUTINES base table. | 111 |
| 14.6 | TYPE_JAR_USAGE base table. | 112 |
| 14.7 | USAGE_PRIVILEGES base table. | 113 |
| 14.8 | USER_DEFINED_TYPES base table. | 114 |
| 15 | Status codes. | 117 |
| 15.1 | SQLSTATE. | 117 |
| 16 | Conformance. | 119 |
| 16.1 | Claims of conformance to SQL/JRT. | 119 |
| 16.2 | Additional conformance requirements for SQL/JRT. | 119 |
| 16.3 | Implied feature relationships of SQL/JRT. | 119 |
| Annex A | SQL Conformance Summary (informative). | 121 |
| Annex B | Implementation-defined elements (informative). | 127 |
| Annex C | Implementation-dependent elements (informative). | 131 |
| Annex D | Deprecated features (informative). | 133 |
| Annex E | Incompatibilities with ISO/IEC 9075:2003 (informative). | 135 |
| Annex F | SQL feature taxonomy (informative). | 137 |
| Annex G | Defect reports not addressed in this edition of this part of ISO/IEC 9075 (informative). | 139 |
| Annex H | Routines tutorial (informative). | 141 |
| H.1 | Technical components. | 141 |
| H.2 | Overview. | 142 |
| H.3 | Example Java methods: region and correctStates. | 143 |
| H.4 | Installing region and correctStates in SQL. | 143 |
| H.5 | Defining SQL names for region and correctStates. | 144 |

| | | |
|----------------|---|------------|
| H.6 | A Java method with output parameters: bestTwoEmps. | 146 |
| H.7 | A CREATE PROCEDURE best2 for bestTwoEmps. | 147 |
| H.8 | Calling the best2 procedure. | 148 |
| H.9 | A Java method returning a result set: orderedEmps. | 148 |
| H.10 | A CREATE PROCEDURE rankedEmps for orderedEmps. | 150 |
| H.11 | Calling the rankedEmps procedure. | 151 |
| H.12 | Overloading Java method names and SQL names. | 152 |
| H.13 | Java main methods. | 153 |
| H.14 | Java method signatures in the CREATE statements. | 154 |
| H.15 | Null argument values and the RETURNS NULL clause. | 155 |
| H.16 | Static variables. | 157 |
| H.17 | Dropping SQL names of Java methods. | 158 |
| H.18 | Removing Java classes from SQL. | 159 |
| H.19 | Replacing Java classes in SQL. | 159 |
| H.20 | Visibility. | 160 |
| H.21 | Exceptions. | 161 |
| H.22 | Deployment descriptors. | 162 |
| H.23 | Paths. | 164 |
| H.24 | Privileges. | 166 |
| H.25 | Information Schema. | 167 |
| Annex I | Types tutorial (informative). | 169 |
| I.1 | Overview. | 169 |
| I.2 | Example Java classes. | 169 |
| I.3 | Installing Address and Address2Line in an SQL system. | 171 |
| I.4 | CREATE TYPE for Address and Address2Line. | 172 |
| I.5 | Multiple SQL types for a single Java class. | 173 |
| I.6 | Collapsing subclasses. | 174 |
| I.7 | GRANT and REVOKE statements for data types. | 176 |
| I.8 | Deployment descriptors for classes. | 176 |
| I.9 | Using Java classes as data types. | 177 |
| I.10 | SELECT, INSERT, and UPDATE. | 178 |
| I.11 | Referencing Java fields and methods in SQL. | 179 |
| I.12 | Extended visibility rules. | 179 |
| I.13 | Logical representation of Java instances in SQL. | 180 |
| I.14 | Static methods. | 181 |
| I.15 | Static fields. | 182 |
| I.16 | Instance-update methods. | 183 |
| I.17 | Subtypes in SQL/JRT data. | 184 |
| I.18 | References to fields and methods of null instances. | 185 |
| I.19 | Ordering of SQL/JRT data. | 187 |
| | Bibliography. | 189 |
| | Index. | 191 |

Tables

| Table | | Page |
|--------------|---|-------------|
| 1 | Standard programming languages..... | 43 |
| 2 | System properties..... | 93 |
| 3 | SQLSTATE class and subclass values..... | 117 |
| 4 | Implied feature relationships of SQL/JRT..... | 119 |
| 5 | Feature taxonomy for optional features..... | 137 |