ISO/IEC 24727-4:2008-11 (E)

Identification cards - Integrated circuit card programming interfaces - Part 4: Application programming interface (API) administration

Contents

Page

Foreword v

Introduction vi

1 Scope 1

2 Normative references 1

3 Terms and definitions 2

4 Abbreviated terms 3

5 Architecture specialization 4
5.1 Full-network-stack 6
5.2 Loyal-stack 8
5.3 Opaque-ICC-stack 9
5.4 Remote-loyal-stack 10
5.5 ICC-resident-stack 11
5.6 Remote-ICC-stack 12

6 Security architecture 12
6.1 Path-protection-policy 12
6.2 ACL - ACR mapping 14
6.3 Secure messaging 14
6.4 Trusted-channel key administration 15

7 Connection components 15
7.1 Action request and response semantics 15
7.2 Proxy - Agent Architecture 15
7.3 Trusted-channel Interface 16
7.3.1 TC_API_Open request 17
7.3.2 TC_API_Close request 18
7.3.3 TC_API_Read request 19
7.3.4 TC_API_Write request 20
7.3.5 TC_API_Reset request 21
7.3.6 TC_API_GetStatus request 22
7.4 Interface Device API 23
7.4.1 Establish Context 24
7.4.2 ReleaseContext 25
7.4.3 ListIFDs 26
7.4.4 GetIFDCapabilities 27
7.4.5 GetStatus 30
7.4.6 Wait 32
7.4.7 Cancel 33
7.4.8 ControlIFD 34
7.4.9 Connect 35
7.4.10 Disconnect 36
7.4.11 BeginTransaction 37
7.4.12 EndTransaction 38
7.4.13 Transmit 39
7.4.14 VerifyUser 40

7.4.15 ModifyVerificationData 43
7.4.16 Output 45
7.4.17 SignalEvent 47

Annex A (normative) Path-protection Mechanisms 48

Annex B (normative) IFD - API: Web Service Binding 55

Annex C (normative) IFD-Callback-API - Web Service Binding 78

Bibliography 81