ISO/IEC 22535:2009-04 (E)

Information technology - Telecommunications and information exchange between systems - Corporate telecommunication networks - Tunnelling of QSIG over SIP

Contents

Page

Foreword iv

Introduction v

1 Scope 1

2 Normative references 1

3 Terms and definitions 2

4 Abbreviated terms 3

5 Background and architecture 3
5.1 Architecture 3
5.2 Basic operation 4
5.3 QSIG connectionless transport 5
5.4 Late availability of SDP parameters at the egress gateway 5

6 Procedures 5
6.1 General 5
6.2 Encapsulation of QSIG messages in SIP messages 5
6.3 QSIG SETUP message handling at an ingress gateway 6
6.3.1 Sending a SIP INVITE request 6
6.3.2 Receipt of responses to the INVITE request 6
6.4 QSIG SETUP message handling at an egress gateway 7
6.4.1 Receiving a SIP INVITE request 7
6.4.2 Rejecting a QSIG message in an INVITE request 8
6.5 Subsequent QSIG messages 8
6.6 Terminating the SIP dialog 8
6.7 QSIG connectionless message handling at an ingress gateway 9
6.7.1 Sending a SIP INVITE request 9
6.7.2 Receipt of responses to the INVITE request 9
6.8 QSIG connectionless message handling at an egress gateway 10

7 Example message sequences 10
7.1 Call establishment 10
7.2 Call clearing 11
7.3 QSIG connectionless message 12
7.4 Call establishment with port=0 in first SDP answer 13
7.5 Backwards compatibility with early editions 14

8 Security considerations 16

Annex A (informative) Changes from early editions 17

Bibliography 19