ISO/IEC 29642:2009-06 (E)

Information technology - Data interchange on 120 mm and 80 mm optical disk using +R W DL format - Capacity: 8,55 Gbytes and 2,66 Gbytes per side (recording speed 2,4X)

Contents

Page

Foreword viii

Introduction ix

1 Scope 1

2 Conformance 1
2.1 Optical disk 1
2.2 Generating system 1
2.3 Receiving system 2
2.4 Compatibility statement 2

3 Normative references 2

4 Terms and definitions 2

5 Conventions and notations 4
5.1 Representation of numbers 4
5.2 Names 5

6 Abbreviated terms 5

7 General description of the optical disk 5

8 General Requirements 6
8.1 Environments 6
8.1.1 Test environment 6
8.1.2 Operating environment 7
8.1.3 Storage environment 7
8.1.4 Transportation 7
8.2 Safety requirements 7
8.3 Flammability 7

9 Reference Drive 7
9.1 Optical system 8
9.2 Optical beam 8
9.3 Read channel 1 9
9.4 Disk clamping 9
9.5 Rotation of the disk 10
9.6 Wobble channel (Read channel 2) 10
9.7 Tracking channel (Read channel 2) 10
9.8 Reference servo systems 10
9.8.1 Normalized servo transfer function 10
9.8.2 Reference Servo for Axial Tracking 11
9.8.3 Reference Servo for Radial Tracking 12

10 Dimensional characteristics 13
10.1 Reference Planes 14
10.2 Overall dimensions 15

10.3 First transition area ... 15
10.4 Second transition area ... 16
10.5 Clamping Zone ... 16
10.6 Third transition area ... 16
10.7 Information Zone ... 16
10.7.1 Sub-division of the Information Zone ... 17
10.7.2 Track mode ... 17
10.8 Rim area ... 18
10.9 Remark on tolerances ... 18
11 Mechanical characteristics ... 18
11.1 Mass ... 18
11.2 Moment of inertia ... 18
11.3 Dynamic imbalance ... 18
11.4 Axial runout ... 18
11.4.1 Tracking requirements at the Reference velocity (CLV) ... 18
11.5 Radial runout ... 19
11.5.1 Tracking requirements at the Reference velocity (CLV) ... 19
12 Optical characteristics in the Information Zone ... 19
12.1 Index of refraction ... 19
12.2 Thickness of the substrate ... 19
12.3 Reflectivity ... 20
12.4 Birefringence ... 21
12.5 Angular deviation ... 21
13 Data format ... 21
13.1 Data Frames ... 22
13.1.1 Identification Data (ID) ... 22
13.1.2 ID Error Detection Code (IED) ... 23
13.1.3 RSV ... 23
13.1.4 Error Detection Code (EDC) ... 23
13.2 Scrambled Frames ... 24
13.3 ECC Blocks ... 25
13.4 Recording Frames ... 26
13.5 Modulation and NRZI conversion ... 27
13.6 Physical Sectors ... 27
13.7 Layout of a Recording UNit (RUN) ... 28
13.7.1 Recording Unit position ... 29
13.8 d.c. component suppression control ... 29
14 Track format ... 31
14.1 Track shape ... 31
14.2 Track path ... 31
14.3 Track pitch ... 31
14.4 Track layout ... 31
14.4.1 ADIP information ... 31
14.4.2 Physical format information in ADIP ... 35
15 General description of the Information Zone ... 50
16 Layout of the Information Zone ... 51
16.1 Usage of the Data Zone ... 51
16.2 Physical Sector Numbers (PSNs) ... 52
17 Lead-in Zone ... 53
17.1 Initial Zone ... 53
17.2 Inner Disk Test Zone ... 53
17.3 Guard Zone 1 ... 54
17.4 Reserved Zone 1 ... 54
17.5 Reserved Zone 2 ... 54
17.6 Inner Disk Identification Zone ... 54
17.7 Reserved Zone 3 ... 55
17.8 Reference Code Zone ... 55
17.9 Buffer Zone 1 ... 55
17.10 Control Data Zone ... 55
17.10.1 Physical format information ... 55
17.10.2 Disk manufacturing information ... 57
17.10.3 Content provider information ... 58

17.11 Buffer Zone 2 58
18 Data Zone 58
19 Middle Zones 58
19.1 Buffer Zones 3 59
19.2 Reserved Zones 4 59
19.3 Guard Zones 2 59

20 Outer Drive Areas 60
20.1 Reserved Zone 5 61
20.2 Outer Disk Test Zone 61
20.3 Guard Zone 3 61
21 Lead-out Zone 61
21.1 Buffer Zone 4 62
21.2 Inner Disk Test Zone 62
21.3 Final Zone 62
22 Assignment of Logical Sector Numbers (LSNs) 62
23 Formatting 62
23.1 Pre-formatting 63
23.1.1 Verification 63
23.2 Background formatting 63
23.2.1 Initialization 63
23.2.2 De-icing 63
23.2.3 Finalization 66
23.2.4 Verification (optional) 66
23.3 Sequential recording without formatting 66
24 Disk Control Blocks 68
24.1 General format of Disk Control Blocks 68
24.2 Format of the Formatting DCB (FDCB) 70
24.3 Format of the Write inhibit DCB (WDCB) 75
25 General 77
26 Method of testing 77
26.1 Environment 77
26.2 Reference Drive 77
26.2.1 Optics and mechanics 77
26.2.2 Read power 77
26.2.3 Read channels 77
26.2.4 Tracking 78
26.3 Definition of signals 78
27 Characteristics of the groove signals 79
27.1 Phase depth 79
27.2 Push-pull signal 79
27.3 Track Cross signal 79
27.4 Normalized wobble signal 79
27.5 Characteristics of the wobble 80
28 Method of testing 80
28.1 Environment 80
28.2 Reference Drive 80
28.2.1 Optics and mechanics 80
28.2.2 Read power 80
28.2.3 Read channels 80
28.2.4 Tracking 81
28.2.5 Scanning velocity 81
28.3 Write conditions 81
28.3.1 Write pulse waveform 81
28.3.2 Write power 81
28.3.3 Write power shift for layer L1 due to recording on layer L0 82
28.4 Measurement conditions 82
29 Characteristics of the recorded signals 82
29.1 Channel bit length 82
29.2 Definition of signals 82
29.2.1 High frequency signals (HF) 82
29.2.2 Modulated amplitude 83

29.2.3 Signal asymmetry 83
29.2.4 Normalized Slicing Level jump 83
29.2.5 Jitter 84
29.3 Read stability 84

30 Additional testing conditions 85
30.1 Test environment 85
30.1.1 Optics 85
30.2 Definition of signals 85
30.2.1 Modulated amplitude 86
30.2.2 Signal asymmetry 86
30.2.3 Jitter 86
30.2.4 Track Cross signal 86
30.2.5 Differential phase tracking error signal 86
30.2.6 Tangential push-pull signal 87
31 Quality of the recording layer 88
31.1 Defects 88
31.2 Data errors 88
32 Method of testing 89
32.1 Environment 89
32.2 Reference Drive 89
32.2.1 Optics and mechanics 89
32.2.2 Read power 89
32.2.3 Read channels 89
32.2.4 Error correction 89
32.2.5 Tracking 89
33 Minimum quality of a Recording Unit 90
33.1 Tracking 90
33.2 User-written data 90

Annex A (normative) 80 mm +RW DL disk 91

Annex B (normative) Structure for Extended format information in the Data Zone 96

Annex C (normative) Measurement of light reflectivity 99

Annex D (normative) Measurement of birefringence 101

Annex E (normative) Measuring conditions for operation signals 104

Annex F (normative) Measurement of the differential phase tracking error 107

Annex G (normative) The write pulse wave form for testing 111

Annex H (normative) 8-to-16 Modulation 116

Annex I (normative) Optimum Power Control 125

Annex J (normative) Logical to Physical address translation 130

Annex K (informative) Recommended access method for players 131

Annex L (informative) Measurement of the groove wobble amplitude 132

Annex M (informative) Transportation 134

Annex N (informative) Defect Management and Physical Formatting 135

Annex O (informative) Video Content Protection System 136

Annex P (informative) How to use the Physical format information in ADIP 137

Annex Q (informative) Values to be Implemented in Existing and Future Specifications 139

Bibliography 143