

ISO/IEC 14496-3:2009-09 (E)

Information technology — Coding of audio-visual objects — Part 3: Audio

Content for Subpart 1

| | | |
|-----------|--|-----|
| 1.1 | Scope | 3 |
| 1.2 | Normative references | 3 |
| 1.3 | Terms and definitions | 4 |
| 1.4 | Symbols and abbreviations | 16 |
| 1.4.1 | Arithmetic operators | 16 |
| 1.4.2 | Logical operators | 17 |
| 1.4.3 | Relational operators | 17 |
| 1.4.4 | Bitwise operators | 18 |
| 1.4.5 | Assignment | 18 |
| 1.4.6 | Mnemonics | 18 |
| 1.4.7 | Constants | 18 |
| 1.4.8 | Method of describing bitstream payload syntax | 19 |
| 1.4.9 | Arithmetic data types | 20 |
| 1.5 | Technical overview | 21 |
| 1.5.1 | MPEG-4 audio object types | 21 |
| 1.5.2 | Audio profiles and levels | 26 |
| 1.6 | Interface to ISO/IEC 14496-1 (MPEG-4 Systems) | 38 |
| 1.6.1 | Introduction | 38 |
| 1.6.2 | Syntax | 38 |
| 1.6.3 | Semantics | 44 |
| 1.6.4 | Upstream | 48 |
| 1.6.5 | Signaling of SBR | 50 |
| 1.6.6 | Signaling of Parametric Stereo (PS) | 53 |
| 1.6.7 | Interface between Audio and Systems | 57 |
| 1.6.8 | Signalling of BSAC extension payloads | 58 |
| 1.6.9 | Original Audio File Information for the ISO Base Media file format | 59 |
| 1.7 | MPEG-4 Audio transport stream | 63 |
| 1.7.1 | Overview | 63 |
| 1.7.2 | Synchronization Layer | 64 |
| 1.7.3 | Multiplex Layer | 67 |
| 1.8 | Error protection | 78 |
| 1.8.1 | Overview of the tools | 78 |
| 1.8.2 | Syntax | 82 |
| 1.8.3 | General information | 85 |
| 1.8.4 | Tool description | 88 |
| Annex 1.A | (informative) Audio Interchange Formats | 106 |
| 1.A.1 | Introduction | 106 |
| 1.A.2 | AAC Interchange formats | 106 |
| 1.A.3 | Syntax | 106 |
| 1.A.4 | Semantic | 109 |
| Annex 1.B | (informative) Error protection tool | 111 |
| 1.B.1 | Example of out-of-band information | 111 |
| 1.B.2 | Example of error concealment | 114 |
| 1.B.3 | Example of EP tool setting and error concealment for HVXC | 119 |
| Annex 1.C | (informative) Patent statements | 135 |

Content for Subpart 2

| | | |
|-----------|---|-----|
| 2.1 | Scope | 3 |
| 2.2 | Terms and definitions | 3 |
| 2.3 | Bitstream syntax | 3 |
| 2.3.1 | Decoder configuration (HvxcSpecificConfig) | 4 |
| 2.3.2 | Bitstream frame (alPduPayload) | 5 |
| 2.3.3 | Decoder configuration (ErrorResilientHvxcSpecificConfig) | 8 |
| 2.3.4 | Bitstream frame (alPduPayload) | 9 |
| 2.4 | Bitstream semantics | 21 |
| 2.4.1 | Decoder configuration (HvxcSpecificConfig,ErrorResilientHvxcSpecificConfig) | 21 |
| 2.4.2 | Bitstream frame (alPduPayload) | 21 |
| 2.5 | HVXC decoder tools | 22 |
| 2.5.1 | Overview | 22 |
| 2.5.2 | LSP decoder | 25 |
| 2.5.3 | Harmonic VQ decoder | 30 |
| 2.5.4 | Time domain decoder | 35 |
| 2.5.5 | Parameter interpolation for speed control | 37 |
| 2.5.6 | Voiced component synthesizer | 41 |
| 2.5.7 | Unvoiced component synthesizer | 54 |
| 2.5.8 | Variable rate decoder | 57 |
| 2.5.9 | Extension of HVXC variable rate mode | 59 |
| Annex 2.A | (informative) HVXC Encoder tools | 63 |
| 2.A.1 | Overview of encoder tools | 63 |
| 2.A.2 | Normalization | 63 |
| 2.A.3 | Pitch estimation | 68 |
| 2.A.4 | Harmonic magnitudes extraction | 70 |
| 2.A.5 | Perceptual weighting | 71 |
| 2.A.6 | Harmonic VQ encoder | 71 |
| 2.A.7 | V/UV decision | 73 |
| 2.A.8 | Time domain encoder | 74 |
| 2.A.9 | Variable rate encoder | 76 |
| 2.A.10 | Extension of HVXC variable rate encoder | 79 |
| Annex 2.B | (informative) HVXC Decoder tools | 84 |
| 2.B.1 | Postfilter | 84 |
| 2.B.2 | Post processing | 86 |
| Annex 2.C | (informative) System layer definitions | 88 |
| 2.C.1 | Random access point | 88 |
| Annex 2.D | (informative) Example of EP tool setting and error concealment for HVXC | 89 |
| 2.D.1 | Overview | 89 |
| 2.D.2 | EP tool setting | 89 |
| 2.D.3 | Error concealment | 92 |
| Annex 2.E | (normative) VQ codebooks for HVXC | 95 |
| 2.E.1 | List of the VQ codebooks | 95 |
| 2.E.2 | CbAm | 95 |
| 2.E.3 | CbAm4k | 102 |
| 2.E.4 | CbCelp | 133 |
| 2.E.5 | CbCelp4k | 143 |
| 2.E.6 | CbLsp | 146 |
| 2.E.7 | CbLsp4k | 150 |

Contents for Subpart 3

| | | |
|-----------|--|-----|
| 3.1 | Scope | 2 |
| 3.1.1 | General description of the CELP decoder..... | 2 |
| 3.1.2 | Functionality of MPEG-4 CELP..... | 2 |
| 3.2 | Terms and Definitions | 5 |
| 3.3 | Bitstream syntax | 6 |
| 3.3.1 | CELP object type | 6 |
| 3.3.2 | ER-CELP object type | 11 |
| 3.4 | Semantics | 25 |
| 3.4.1 | Header semantics | 25 |
| 3.4.2 | Frame semantics..... | 28 |
| 3.5 | MPEG-4 CELP Decoder tools | 33 |
| 3.5.1 | General Introduction to the MPEG-4 CELP decoder tool-set | 34 |
| 3.5.2 | AAC/CELP scalable configuration..... | 35 |
| 3.5.3 | Helping variables | 35 |
| 3.5.4 | Bitstream elements for the MPEG-4 CELP decoder tool-set..... | 36 |
| 3.5.5 | CELP bitstream demultiplexer..... | 36 |
| 3.5.6 | CELP LPC decoder and interpolator..... | 37 |
| 3.5.7 | CELP excitation generator | 57 |
| 3.5.8 | CELP LPC synthesis filter..... | 80 |
| 3.5.9 | CELP silence compression tool | 81 |
| Annex 3.A | (informative) MPEG-4 CELP decoder tools | 89 |
| 3.A.1 | CELP post-processor | 89 |
| Annex 3.B | (informative) MPEG-4 CELP encoder tools | 92 |
| 3.B.1 | General Introduction to the MPEG-4 CELP encoder tool-set..... | 92 |
| 3.B.2 | Helping variables | 92 |
| 3.B.3 | Bitstream elements for the MPEG-4 CELP encoder tool-set..... | 94 |
| 3.B.4 | CELP preprocessing..... | 94 |
| 3.B.5 | CELP LPC analysis | 95 |
| 3.B.6 | CELP LPC quantizer and interpolator..... | 97 |
| 3.B.7 | CELP LPC analysis filter | 106 |
| 3.B.8 | CELP weighting module..... | 107 |
| 3.B.9 | CELP excitation analysis | 108 |
| 3.B.10 | CELP bitstream multiplexer | 123 |
| 3.B.11 | CELP silence compression tool | 123 |
| Annex 3.C | (normative) Tables..... | 129 |
| 3.C.1 | LSP VQ tables and gain VQ tables for 8 kHz sampling rate | 129 |
| 3.C.2 | LSP VQ tables and gain VQ tables for the 16 kHz sampling rate..... | 137 |
| 3.C.3 | Gain tables for the bitrate scalable tool | 153 |
| 3.C.4 | LSP VQ tables and gain VQ tables for the bandwidth scalable tool..... | 153 |
| Annex 3.D | (informative) Tables | 165 |
| 3.D.1 | Bandwidth expansion tables in LPC analysis of the mode II coder | 165 |
| 3.D.2 | Downsampling filter coefficients for the bandwidth scalable tool | 165 |
| Annex 3.E | (informative) Example of a simple CELP transport stream..... | 167 |
| Annex 3.F | (informative) Random access points..... | 169 |

Contents for Subpart 4

| | | |
|-----------------------|---|-----|
| 4.1 | Scope | 3 |
| 4.1.1 | Technical Overview | 3 |
| 4.2 | Normative references | 11 |
| 4.3 | Terms and definitions | 11 |
| 4.4 | Syntax | 11 |
| 4.4.1 | Decoder configuration (GASpecificConfig) | 11 |
| 4.4.2 | GA bitstream payloads | 13 |
| 4.5 | Overall data structure | 53 |
| 4.5.1 | Decoding of the GA specific configuration | 53 |
| 4.5.2 | Decoding of the GA bitstream payloads | 56 |
| 4.5.3 | Buffer requirements | 123 |
| 4.5.4 | Tables | 124 |
| 4.5.5 | Figures | 138 |
| 4.6 | GA-Tool Descriptions | 139 |
| 4.6.1 | Quantization | 139 |
| 4.6.2 | Scalefactors | 140 |
| 4.6.3 | Noiseless coding | 142 |
| 4.6.4 | Noiseless coding for the fine grain scalability | 149 |
| 4.6.5 | Interleaved vector quantization | 158 |
| 4.6.6 | Frequency domain prediction | 163 |
| 4.6.7 | Long term prediction (LTP) | 163 |
| 4.6.8 | Joint Coding | 166 |
| 4.6.9 | Temporal noise shaping (TNS) | 173 |
| 4.6.10 | Spectrum normalization | 177 |
| 4.6.11 | Filterbank and block switching | 188 |
| 4.6.12 | Gain Control | 193 |
| 4.6.13 | Perceptual noise substitution (PNS) | 200 |
| 4.6.14 | Frequency selective switch (FSS) Module | 203 |
| 4.6.15 | Upsampling filter tool | 206 |
| 4.6.16 | Tools for AAC error resilience | 207 |
| 4.6.17 | Low delay codec | 217 |
| 4.6.18 | SBR tool | 220 |
| 4.6.19 | Low Delay SBR | 269 |
| 4.6.20 | Enhanced Low Delay Codec | 276 |
| Annex 4.A (normative) | Normative Tables | 280 |
| 4.A.1 | Huffman codebook tables for AAC-type noiseless coding | 280 |
| 4.A.2 | Window tables | 293 |
| 4.A.3 | Differential scalefactor to index tables | 317 |
| 4.A.4 | Tables for TwinVQ | 317 |
| 4.A.5 | Tables for ER BSAC | 339 |
| 4.A.6 | Tables for SBR | 348 |

| | |
|--|------------|
| Annex 4.B (informative) Encoder tools | 373 |
| 4.B.1 Psychoacoustic model..... | 373 |
| 4.B.2 Gain control..... | 373 |
| 4.B.3 Filterbank and block switching | 373 |
| 4.B.4 Frequency domain prediction | 373 |
| 4.B.5 Temporal noise shaping (TNS)..... | 373 |
| 4.B.6 Contents for Subpart 5..... | 373 |
| 4.B.7 Quantization | 373 |
| 4.B.8.1 Noise shaping..... | 373...2 |
| 4.B.8.2 Feature Normalization..... | 373...2 |
| 4.B.9 Long term predictions..... | 373...2 |
| 4.B.10 Perceptual Noise Substitution (PNS)..... | 375...3 |
| 4.B.12 Random access points for GA coded bitstreams payloads..... | 375...4 |
| 4.B.13 Weighted interleaved vector quantization..... | 376...9 |
| 4.B.14 Spectrum normalization..... | 378...10 |
| 4.B.15 Scalable AAC with core coder..... | 382...17 |
| 4.B.16 Scalable AAC core opcodes definitions and semantics..... | 384...58 |
| 4.B.17 Fine-grain scalability: BSAC (Bit-Sliced Arithmetic Coding) | 384...98 |
| 4.B.18 Informative SBR encoder description | 394...105 |
| 4.B.19 Low Delay SBR..... | 400...108 |
| 4.B.20 Enhanced Low Delay Codec..... | 400...110 |
| 4.B.21 Delayless mixing using AAC ELD | 401...112 |
| 5.14 MIDI semantics..... | 401...112 |
| 5.15 Input sounds and relationship with AudioBIFS..... | 417...117 |
| Annex 5.A (normative) Coding tables..... | 120 |
| Annex 5.B (informative) Encoding | 123 |
| Annex 5.C (informative) lex/yacc grammars for SAOL | 126 |
| Annex 5.D (informative) PICOLA Speed change algorithm | 133 |
| Annex 5.E (informative) Random access to Structured audio bitstreams..... | 136 |
| Annex 5.F (informative) Directly-connected MIDI and microphone control of the orchestra | 141 |
| Bibliography | 143 |
| Alphabetical Index to Subpart 5 of ISO/IEC 14496-3 | 144 |

Contents for Subpart 5

| | | |
|------|--|------------|
| 5.1 | Scope | 2 |
| 5.2 | Normative references | 2 |
| 5.3 | Terms and definitions | 2 |
| 5.4 | Symbols and abbreviations | 3 |
| 5.5 | Bitstream syntax and semantics | 4 |
| 5.6 | Object types | 9 |
| 5.7 | Decoding process | 10 |
| 5.8 | SAOL syntax and semantics | 17 |
| 5.9 | SAOL core opcode definitions and semantics | 58 |
| 5.10 | SAOL core wavetable generators | 98 |
| 5.11 | SASL syntax and semantics | 105 |
| 5.12 | SAOL/SASL tokenisation | 108 |
| 5.13 | Sample Bank syntax and semantics | 110 |
| 5.14 | MIDI semantics | 112 |
| 5.15 | Input sounds and relationship with AudioBIFS | 117 |
| | Annex 5.A (normative) Coding tables | 120 |
| | Annex 5.B (informative) Encoding | 123 |
| | Annex 5.C (informative) lex/yacc grammars for SAOL | 126 |
| | Annex 5.D (informative) PICOLA Speed change algorithm | 133 |
| | Annex 5.E (informative) Random access to Structured audio bitstreams | 136 |
| | Annex 5.F (informative) Directly-connected MIDI and microphone control of the orchestra | 141 |
| | Bibliography | 143 |
| | Alphabetical Index to Subpart 5 of ISO/IEC 14496-3 | 144 |

Contents for Subpart 6

| | | |
|-------------------------|--|----|
| 6.1 | Scope | 2 |
| 6.2 | Terms and definitions | 2 |
| 6.3 | Symbols and abbreviations | 2 |
| 6.4 | MPEG-4 audio text-to-speech bitstream syntax | 2 |
| 6.4.1 | MPEG-4 audio TTSSpecificConfig | 2 |
| 6.4.2 | MPEG-4 audio text-to-speech payload | 3 |
| 6.5 | MPEG-4 audio text-to-speech bitstream semantics | 5 |
| 6.5.1 | MPEG-4 audio TTSSpecificConfig | 5 |
| 6.5.2 | MPEG-4 audio text-to-speech payload | 5 |
| 6.6 | MPEG-4 audio text-to-speech decoding process | 7 |
| 6.6.1 | Interface between DEMUX and syntactic decoder | 7 |
| 6.6.2 | Interface between syntactic decoder and speech synthesizer | 8 |
| 6.6.3 | Interface from speech synthesizer to compositor | 8 |
| 6.6.4 | Interface from compositor to speech synthesizer | 8 |
| 6.6.5 | Interface between speech synthesizer and phoneme/bookmark-to-FAP converter | 9 |
| Annex 6.A (informative) | Applications of MPEG-4 audio text-to-speech decoder | 10 |
| 6.A.1 | General | 10 |
| 6.A.2 | Application scenario: MPEG-4 Story Teller on Demand (STOD) | 10 |
| 6.A.3 | Application scenario: MPEG-4 audio text-to-speech with moving picture | 10 |
| 6.A.4 | MPEG-4 audio TTS and face animation using bookmarks appropriate for trick mode | 10 |
| 6.A.5 | Random access unit | 10 |

Contents for Subpart 7

| | | |
|-------------------------|---|----|
| 7.1 | Scope | 2 |
| 7.1.1 | Technical Overview | 2 |
| 7.2 | Terms and definitions | 3 |
| 7.3 | Bitstream syntax..... | 3 |
| 7.3.1 | Decoder configuration (ParametricSpecificConfig)..... | 3 |
| 7.3.1.1 | Parametric Audio decoder configuration..... | 4 |
| 7.3.1.2 | HILN decoder configuration | 4 |
| 7.3.2 | Bitstream frame (sIPacketPayload) | 6 |
| 7.3.2.1 | Parametric Audio bitstream frame | 7 |
| 7.3.2.2 | HILN bitstream frame | 9 |
| 7.3.2.3 | HILN codebooks | 20 |
| 7.3.2.4 | HILN SubDivisionCode (SDC)..... | 25 |
| 7.4 | Bitstream semantics..... | 26 |
| 7.4.1 | Decoder configuration (ParametricSpecificConfig)..... | 26 |
| 7.4.1.1 | Parametric Audio decoder configuration..... | 26 |
| 7.4.1.2 | HILN decoder configuration | 26 |
| 7.4.2 | Bitstream frame (sIPacketPayload) | 26 |
| 7.4.2.1 | Parametric Audio bitstream frame | 26 |
| 7.4.2.2 | HILN bitstream frame | 26 |
| 7.5 | Parametric decoder tools..... | 29 |
| 7.5.1 | HILN decoder tools..... | 29 |
| 7.5.1.1 | Harmonic line decoder..... | 31 |
| 7.5.1.2 | Individual line decoder..... | 34 |
| 7.5.1.3 | Noise decoder | 37 |
| 7.5.1.4 | Harmonic and individual line synthesizer..... | 38 |
| 7.5.1.5 | Noise synthesizer | 45 |
| 7.5.2 | Integrated parametric coder | 49 |
| 7.5.2.1 | Integrated parametric decoder..... | 49 |
| 7.6 | Error resilient bitstream payloads | 49 |
| 7.6.1 | Overview of the tools | 49 |
| 7.6.2 | ER HILN..... | 50 |
| Annex 7.A (informative) | Parametric audio encoder | 52 |
| 7.A.1 | Overview of the encoder tools | 52 |
| 7.A.2 | HILN encoder tools..... | 52 |
| 7.A.2.1 | HILN parameter extraction..... | 52 |
| 7.A.2.2 | HILN parameter encoder | 56 |
| 7.A.2.3 | HILN bitrate scalability | 59 |
| 7.A.3 | Music/Speech Mixed Encoder tool..... | 59 |
| 7.A.3.1 | Music/Speech classification tool | 60 |
| 7.A.3.2 | Integrated parametric coder | 61 |

Contents for Subpart 8

| | | |
|-------------------------|---|-----|
| 8.1 | Scope | 2 |
| 8.2 | Terms and definitions | 2 |
| 8.3 | Symbols and abbreviations | 4 |
| 8.3.1 | Arithmetic operators | 4 |
| 8.3.2 | Relation operators | 4 |
| 8.3.3 | Mnemonics | 4 |
| 8.3.4 | Ranges | 4 |
| 8.3.5 | Number notation | 4 |
| 8.3.6 | Definitions | 5 |
| 8.4 | Payloads for the audio object type SSC | 5 |
| 8.4.1 | Decoder configuration (SSCSpecificConfig) | 5 |
| 8.4.2 | SSC Bitstream Payload | 5 |
| 8.5 | Semantics | 13 |
| 8.5.1 | SSCSpecificConfig | 13 |
| 8.5.2 | Decoding of SSC Bitstream Payload | 14 |
| 8.5.3 | Indexing of sub-frames | 25 |
| 8.6 | Decoding processes | 25 |
| 8.6.1 | Transients | 26 |
| 8.6.2 | Sinusoids | 28 |
| 8.6.3 | Noise | 35 |
| 8.6.4 | Parametric stereo | 42 |
| 8.6.5 | Start/stop situations for decoding | 63 |
| 8.7 | References | 64 |
| Annex 8.A (normative) | Combination of the SBR tool with the parametric stereo tool | 65 |
| 8.A.1 | Overview | 65 |
| 8.A.2 | Bitstream syntax and semantics | 65 |
| 8.A.3 | Decoding process | 65 |
| 8.A.4 | Baseline version of the parametric stereo coding tool | 66 |
| Annex 8.B (normative) | Normative Tables | 68 |
| 8.B.1 | Huffman tables for SSC | 68 |
| Annex 8.C (informative) | Encoder description | 93 |
| 8.C.1 | Technical overview | 93 |
| 8.C.2 | Audio read and filtering | 95 |
| 8.C.3 | Transients | 95 |
| 8.C.4 | Sinusoids | 97 |
| 8.C.5 | Noise | 102 |
| 8.C.6 | Parametric stereo | 106 |
| 8.C.7 | Bit-Stream Formatter | 109 |
| Annex 8.D (informative) | Tempo and pitch scaling in decoder | 114 |
| 8.D.1 | Continuous phase | 114 |
| 8.D.2 | Tempo scaling for stereo | 115 |

Contents for Subpart 9

| | | |
|-----------|--|----|
| 9.1 | Scope | 2 |
| 9.2 | MPEG_1_2_SpecificConfig | 2 |
| 9.3 | Channel Mapping | 2 |
| 9.4 | Access Unit Format | 2 |
| 9.4.1 | Layer 1 and 2 | 2 |
| 9.4.2 | Layer 3 | 3 |
| 9.5 | Sampling rate extension for Layer 3 | 3 |
| 9.5.1 | Bitrates | 3 |
| 9.5.2 | Sampling frequency | 4 |
| 9.5.3 | Padding | 4 |
| 9.5.4 | Scalefactor bands | 4 |
| Annex 9.A | (normative) Scalefactor band tables | 5 |
| Annex 9.B | (informative) Converting MPEG-1/2 Layer 3 bitstreams into mp3_channel_elements | 8 |
| Annex 9.C | (informative) Converting mp3_channel_elements into MPEG-1/2 Layer 3 bitstreams | 9 |
| 9.C.1 | Overview | 9 |
| 9.C.2 | Sampling rate signaling | 9 |
| 9.C.3 | Reconstruction instructions | 9 |
| Annex 9.D | (informative) Legacy MPEG-4 Systems Interface to MPEG-1/2 Audio | 12 |
| 9.D.1 | Overview | 12 |
| 9.D.2 | Decoder Specific Information | 12 |
| 9.D.3 | Access Units | 12 |

Contents for Subpart 10

| | | |
|------------|--|----|
| 10.1 | Scope | 2 |
| 10.2 | Terms and definitions | 2 |
| 10.3 | Conventions | 3 |
| 10.3.1 | Arithmetic and bit operations..... | 3 |
| 10.3.2 | Bit ordering | 3 |
| 10.3.3 | Bit sequence | 3 |
| 10.3.4 | Decimal notation..... | 4 |
| 10.3.5 | DSD bit order..... | 4 |
| 10.3.6 | DSD Polarity..... | 4 |
| 10.3.7 | Hex notation..... | 4 |
| 10.3.8 | Range..... | 4 |
| 10.3.9 | Until..... | 4 |
| 10.4 | Basic Types..... | 4 |
| 10.4.1 | BsMsbf..... | 4 |
| 10.4.2 | Char..... | 4 |
| 10.4.3 | SiMsbf..... | 4 |
| 10.4.4 | UiMsbf..... | 4 |
| 10.4.5 | Uintn..... | 4 |
| 10.4.6 | Uint8..... | 5 |
| 10.4.7 | Uint16..... | 5 |
| 10.4.8 | Uint32..... | 5 |
| 10.5 | Payloads for the audio object | 5 |
| 10.6 | Semantics..... | 10 |
| 10.6.1 | Audio Streams | 10 |
| 10.6.1.1 | DSD Sampled Bit Stream Data..... | 11 |
| 10.6.1.2 | Structure of the Audio Stream..... | 11 |
| 10.6.1.3 | Audio_Frame | 11 |
| 10.7 | DST Decoder Reference Model (Normative)..... | 24 |
| 10.7.1 | DST Decoder Block Diagrams..... | 24 |
| 10.7.2 | DST Decoding Processes | 25 |
| 10.7.2.1 | Introduction | 25 |
| 10.7.2.2 | Arithmetic Decoder..... | 25 |
| 10.7.2.3 | Source Model..... | 29 |
| 10.7.2.4 | Multiplexing/Demultiplexing | 31 |
| 10.7.3 | Restrictions to DST coded Audio_Frames (Normative) | 32 |
| 10.7.3.1 | Limited number of erroneously predicted samples | 32 |
| 10.7.3.2 | Probability table design requirement | 32 |
| Annex 10.A | (informative) Encoder description..... | 34 |
| 10.A.1 | Technical overview..... | 34 |
| 10.A.1.1 | Framing | 34 |
| 10.A.1.2 | Prediction..... | 35 |
| 10.A.1.3 | Arithmetic encoding | 35 |
| 10.A.1.4 | Channel multiplexing..... | 36 |
| 10.A.1.5 | References..... | 36 |

Contents for Subpart 11

| | | |
|--------|--|----|
| 11.1 | Scope | 2 |
| 11.2 | Technical Overview | 2 |
| 11.2.1 | Encoder and Decoder Structure | 2 |
| 11.2.2 | Floating-Point Extensions | 3 |
| 11.3 | Terms and Definitions | 3 |
| 11.3.1 | Definitions | 3 |
| 11.3.2 | Mnemonics | 4 |
| 11.3.3 | Data Types..... | 4 |
| 11.4 | Syntax | 4 |
| 11.4.1 | Decoder Configuration..... | 4 |
| 11.4.2 | Bitstream Payloads | 5 |
| 11.4.3 | Payloads for Floating-Point Data | 10 |
| 11.5 | Semantics..... | 12 |
| 11.5.1 | General Semantics | 12 |
| 11.5.2 | Semantics for Floating-Point Data..... | 17 |
| 11.6 | ALS Tools | 19 |
| 11.6.1 | Overview..... | 19 |
| 11.6.2 | Block Switching | 23 |
| 11.6.3 | Prediction | 25 |
| 11.6.4 | Long-term prediction (LTP) | 32 |
| 11.6.5 | RLS-LMS Predictor..... | 34 |
| 11.6.6 | Coded Residual..... | 49 |
| 11.6.7 | Joint Coding of Channel Pairs | 62 |
| 11.6.8 | Multi-Channel Coding (MCC)..... | 62 |
| 11.6.9 | Extension for Floating-Point Data..... | 66 |

Contents for Subpart 12

| | | |
|------------|---|----|
| 12.1 | Scope | 2 |
| 12.2 | Terms and definitions | 2 |
| 12.2.1 | Definitions | 2 |
| 12.2.2 | Notations | 3 |
| 12.2.3 | Definitions | 3 |
| 12.3 | Payloads for the audio object | 3 |
| 12.4 | Semantics | 6 |
| 12.5 | SLS decoder tool | 7 |
| 12.5.1 | Overview | 7 |
| 12.5.2 | Oversampling technique | 8 |
| 12.5.3 | SLS with Scalable AAC Core | 9 |
| 12.5.4 | Decoding of lle_single_channel_element (LLE_SCE) and lle_channel_pair_element (LLE_CPE) | 10 |
| 12.5.5 | Decoding of lle_data | 14 |
| 12.5.6 | Compensation for IntMDCT residual for early terminating BPGC/CBAC decoding | 23 |
| 12.5.7 | Inverse Error Mapping | 23 |
| 12.5.8 | Integer Mid/Side process | 24 |
| 12.5.9 | Integer Temporal Noise Shaping (IntTNS) | 25 |
| 12.5.10 | IntMDCT and Inverse IntMDCT | 27 |
| 12.5.11 | Computation of table values based on compact tables | 44 |
| Annex 12.A | (Informative) Encoder Description | 47 |
| 12.A.1 | Overview | 47 |
| 12.A.2 | Integer MDCT | 48 |
| 12.A.3 | Grouping and Interleaving | 48 |
| 12.A.4 | Integer Mid/Side | 49 |
| 12.A.5 | Normalize before AAC Coding | 49 |
| 12.A.6 | Error Mapping | 50 |
| 12.A.7 | BPGC/CBAC Encoder | 50 |
| 12.A.8 | Method of bitstream truncation by re-parsing the bitstream | 53 |
| Annex 12.B | (Normative) Tables | 55 |
| 12.B.1 | Tables for pre-defined fixed-point coefficients | 55 |